

ISSN 0300-9246

JOURNAL OF THE CHEMICAL SOCIETY

Dalton Transactions

A journal of inorganic chemistry

1984



ROYAL SOCIETY OF CHEMISTRY

© The Royal Society of Chemistry, 1984. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

AUTHOR INDEX

- Abdullah, M. A., 1647
 Abel, Edward W., 365, 2047
 Abid, Khalil K., 351
 Abou-El-Wafa, Moustafa H. M., 2341
 Acharya, Sridhara, 1471, 1477
 Acott, Stephen R., 2581
 Adams, Harry, 273, 1215, 1747
 Addison, Anthony W., 1349
 Aguiló, M., 2665
 Ahmad, Jalil A. M., 451
 Ahmad, Munir M., 1759
 Ahmed, Ikhtiar, 19, 1527
 Aime, Silvio, 279, 1863, 1981, 1987
 Ainscough, Eric W., 989
 Aka, Kouassi, 239
 Akbulut, Ural, 715
 Akitt, J. W., 147, 981
 Al-Jibori, Subhi, 863
 Al-Kadier, Moslem A., 263
 Al-Najjar, Ibrahim M., 771
 Al-Sa'ady, Ali K. H., 491, 1609
 Albano, Vincenzo G., 1837
 Albinati, Alberto, 2637
 Alcock, Nathaniel W., 7, 605, 679, 869, 1709, 1937, 2371, 2813
 Ali, Hapipah Mohd., 1703
 Allen, Christopher W., 2843
 Allen, David W., 483, 1239, 1889
 Allen, Stephen R., 441, 1157, 2747
 Allevi, Claudio, 2637
 Alt, Helmut G., 175, 187
 Alvero, Rafael, 87
 Anderson, Richard A., 743
 Andrews, Steven J., 2525
 Aneja, Rajindra, 219
 Annibale, Giuliano, 1641
 Anson, Christopher E., 2723
 Antolini, Luciano, 1687, 2319, 2325
 Aoki, Katsuyuki, 1401, 2353
 Apreada, Maria C., 1823
 Arce, Alejo J., 1981, 1987
 Arena, Giuseppe, 1651
 Arif, Ata M., 2449
 Arifin, Zai, 1965
 Armstrong, Robert S., 2611
 Arsell, Patrizia, 475
 Arthers, Stephen A., 711, 819
 Arunchaiya, Marisa, 2525
 Asenso, José R., 267
 Atwood, Jerry L., 399
 Azman, S. N., 2111
 Bagnall, Kenneth W., 19, 67, 1527
 Bailey, Neil A., 273, 1073, 2281, 2289, 2741
 Baiocchi, Claudio, 475
 Baker, A. David, 2073
 Baldas, John, 827, 833, 2395
 Baldwin, Jack E., 1739
 Bandoli, Giuliano, 2223, 2505
 Banister, Arthur J., 1377
 Barabotti, Paolo, 2517
 Barbarin, Cecilia Rodriguez de, 1073, 2741
 Barbati, Aldo, 1059
 Barbe, J. M., 2677
 Barbieri, Renato, 1019
 Barker, Marten G., 1139
 Barnes, Stephen G., 1157
 Barr, Robert D., 1261, 2757
 Barrass, Ann, 2741
 Barrett, J., 1647
 Barrett, S. Andrew, 501
 Barrow, Michael J., 563
 Barthélemy, Pierre, 2847
 Bartolotta, Antonino, 1105, 2785
 Basato, Marino, 2513
 Basu, Amitabha, 2315
 Bats, Jan W., 2081
 Battaglia, Luigi Pietro, 1687, 2187, 2319, 2325, 2401
 Battistoni, Claudio, 939, 1293
 Baxter, Paul L., 1755
 Bayón, Joan Carles, 2671
 Beardwood, Peter, 1507
 Beattie, Ian R., 711, 819, 1363
 Beattie, James K., 2611
 Beck, Mihály T., 919
 Beckett, Michael A., 1427
 Begley, Michael J., 1139
 Behling, Torsten, 305, 877, 2589
 Behrens, Ulrich, 1605
 Belevantsev, Vladimir I., 743
 Bell, Andrew, 1317
 Bell, Norman A., 1621
 Bellon, Pier L., 2409
 Bembi, Ramesh, 1921, 1927
 Benetollo, Franco, 67
 Benn, F. Roger, 293
 Berardelli, Maria L., 527
 Bermúdez, Maria-Dolores, 557
 Bernal, Ivan, 1945
 Bernal, Serafin, 87
 Berners-Price, Susan J., 969
 Berry, Frank J., 985
 Berthe, Christina, 1095
 Best, Stephen P., 2611
 Bhaduri, Sumit, 1765, 2309, 2315, 2327, 2851
 Bhargava, Suresh K., 365
 Bhatt, Latika, 2653
 Bhattacharjee, Gobinda Prasad, 487
 Bhattacharyya, Ramgopal, 487, 2085
 Bhattacharyya, Sudhindra N., 1629
 Bigi, Adriana, 1091
 Bingham, Alistair G., 989
 Birker, Paul J. M. W. L., 429
 Biscarini, Paolo, 953
 Biswas, Prasanta K., 2591
 Black, John B., 2765
 Blagg, Adrian, 1815
 Blake, Alexr J., 1849, 2029
 Blunden, Stephen J., 1889
 Boas, John F., 827, 2395
 Bohra, Rakesh, 2011
 Bombieri, Gabriella, 67, 533
 Bonnyman, John, 827, 833, 2395
 Bonomo, Raffaele P., 2625
 Bougon, Rol, 2163
 Bould, Jonathan, 1903, 2477
 Bowmaker, Graham A., 37, 1249, 2859
 Bowsher, Brian R., 1421
 Brach, Irmela, 1795
 Bradley, Donald C., 1069
 Braga, Dario, 1809, 1837, 2151
 Braterman, Paul S., 1441
 Braunstein, Pierre, 1843
 Brecht, Bernardus J. van, 975
 Bresciani-Pahor, Nevenka, 511, 2625
 Bret, Jean-Michel, 1975
 Brett, Michael E., 985
 Briant, Clive E., 2645
 Briggs, Josie C., 293, 423
 Bristow, Garry S., 399
 Bristow, Stuart, 1617
 Brittain, Harry G., 1367
 Broadley, Karen, 683
 Brodie, Andrew M., 989
 Brookes, Leslie H., 245
 Brooks, John S., 1889
 Brown, David, 679, 2163
 Brown, Kevin L., 989
 Bruce, Duncan W., 2249
 Bruno, Giuseppe, 533
 Buchanan, Iain, 1333
 Burkinshaw, Philip M., 75
 Burla, Maria C., 2467
 Burnett, Michael G., 2341
 Busch, Daryle H., 1491
 Butter, Kevin R., 923
 Cabani, Sergio, 307
 Caira, Mino R., 975
 Cairns-Smith, A. Graham, 1441
 Calderazzo, Fausto, 647, 1059, 1945, 2365, 2535
 Calhorda, Maria J., 2659
 Cali, Rosario, 1651
 Camellini, Marisa Tiripicchio, 125, 627
 Cameron, James H., 1739
 Cameron, T. Stanley, 2047
 Camus, Annamaria, 37
 Canestrari, Massimo, 2795
 Cannon, Roderick D., 479, 663
 Cano, Félix H., 1823
 Canovese, Luciano, 1641
 Canziani, Franco, 2637
 Cardaci, Giuseppe, 815
 Carlton, Laurence, 1693
 Carmona, Daniel, 1823
 Carriedo, Gabino A., 1555, 1589, 1597, 2545
 Casella, Luigi, 1033
 Casellato, Umberto, 351
 Castan, Paule, 1975
 Castellani, Carla Bisi, 1461
 Cattalini, Lucio, 1641
 Ceccanti, Norberto, 307
 Cenini, Sergio, 355, 2409
 Ceriotti, Alessio, 1181
 Cesarotti, Edoardo, 653
 Chandrasekhar, Vadapalli, 621, 1787
 Chapman, Stephen K., 2769, 2775
 Chatt, Joseph, 2237
 Chatterjee, Ashim Bhushan, 487
 Chaudhuri, Mihir K., 507, 1763
 Chaudhuri, Nirmalendu Ray, 2591
 Chaudhuri, Siddhartha, 779
 Chaudhury, Muktimoy, 115, 1681
 Chaudret, Bruno, 1635
 Chavan, Madhav Y., 1491
 Chemaly, Susan M., 595
 Chicote, Maria-Teresa, 557
 Chiesa, Anna, 653
 Chini, Paolo, 1837
 Choi, P. Chung, 2119
 Chottard, Jean-Claude, 169
 Choukroun, Robert, 915
 Chung, Chung-Sun, 109
 Ciampolini, Mario, 575, 995, 1357, 2265
 Ciani, Gianfranco, 55, 653
 Cini, Renzo, 2467
 Ciriano, Miguel A., 125
 Clamp, Sara, 1659
 Clark, George R., 37
 Clark, J. Andrew, 389
 Clarke, David A., 1993
 Claver, C., 2665
 Clayden, Nigel J., 2765
 Clegg, William, 719, 723, 1333, 1765, 2111, 2581, 2851
 Coccolios, Panayotis, 567
 Coe, John S., 475
 Cole-Hamilton, David J., 809, 1203, 1209, 2067, 2249
 Colquhoun, Howard M., 63, 1675
 Colquhoun, Ian J., 455
 Commenges, Gérard, 1635
 Connelly, Alan, 1547
 Connelly, Neil G., 161, 683, 1659, 2003, 2703, 2713
 Connor, Joseph A., 255
 Constable, Edwin C., 2177
 Constante, Maria del Mar Graciani, 121
 Cooper, Gary R., 855
 Cooper, Mervyn K., 2377
 Cooper, N. John, 1257
 Cooper, Terry A., 1047
 Corain, Benedetto, 2513
 Corradi, Anna Bonamartini, 1687, 2187, 2319, 2325, 2401
 Cowley, Alan H., 689
 Craddock, Stephen, 2029
 Craw, Marjory, 1441
 Crociani, Bruno, 2223
 Crook, Janet E., 1427, 1903, 2487
 Cross, Ronald J., 199, 205
 Crossley, Maxwell J., 1739
 Crotti, Corrado, 735
 Cucinotta, Vincenzo, 1651
 Currell, Brian R., 757
 Curzon, Eirian H., 605, 2813
 Cusack, Paul A., 1239
 Cusumano, Matteo, 1105, 2785
 Dagley, Ian J., 1739
 Damerius, Reinhard, 2821
 Dapporto, Paolo, 575, 995, 1357
 Dartmann, Mechthild, 2271
 Dasgupta, Tara P., 2781
 Davidson, Jack L., 2167
 Davies, David L., 2293
 Davies, Stephen G., 701, 993

- Davison, Suzanne F., 1073, 1223
 Dawoodi, Zain, 433, 1769, 1931
 De, Goutam, 2591
 Deeming, Antony J., 1981, 1987, 2039
 Dell'Amico, Daniela Belli, 647
 Demartin, Francesco, 735, 2409
 Deng, Robert M. K., 1911, 1917
 Derakhshan, B. Mokhtar, 601
 Derbyshire, D. Jane, 1889
 Desorcie, James L., 2843
 Desreux, Jean F., 2847
 Dessy, Giulia, 785
 Dettlaff-Weglikowska, Urszula, 943
 Dholakia, Smita, 2245
 Dias, Alberto R., 2659
 Dillon, Keith B., 1245, 1911, 1917
 Ditzel, Evert J., 2723
 Diversi, Pietro, 2517
 Dixon, Denis T., 1307
 Dixon, Keith R., 2237
 Doherty, John, 1111
 Donaldson, John D., 1301, 1965
 Donovan-Mtunzi, Susan, 469, 1329, 2429, 2729
 Dove, Michael F. A., 2719
 Downs, Anthony J., 1755, 2127, 2827
 Doyle, Michael J., 2355
 Drew, Michael G. B., 545, 727, 845, 1087, 1717, 1723, 1727
 Driessen, Willem L., 1053
 Dudeney, Nicholas, 1877, 1883
 Duggan, Mary, 7
 Duncan, J. Andrew S., 801
 Dupré, Nadine, 1463
 Dyer, Geoffrey, 423
 Eaborn, Colin, 2015
 Eadie, Donald T., 301
 Eastland, George W., 2193
 Ebsworth, E. A. V., 563, 689, 2029, 2301, 2561, 2569, 2573
 Eddy, Michael M., 2281
 Edwards, Anthony J., 2541
 Edwards, Dennis A., 1317
 Edwards, Peter, 2695
 Eichner, Manfred E., 175
 Elliot, Jane E., 279
 Elliot, John R., 1073
 Emsley, John, 1625
 Engelhardt, Lutz M., 311, 321, 331
 English, Robin B., 515
 Escalier, Jean-Claude, 1095
 Esho, Ferida S., 545
 Etienne, Michel, 915
 Evans, John, 79, 155, 587, 1123
 Evenhuis, Christopher J., 943
 Fabbri, Luigi, 1495
 Fajardo, Mariano, 2723
 Fallon, Gary D., 2733
 Fanizzi, Francesco P., 1467
 Faraone, Felice, 533
 Fares, Vincenzo, 785
 Farkas, Etelka, 611
 Farrugia, Louis J., 2415
 Favero, Giancarlo, 2513
 Fender, Brian E. F., 501
 Fenton, David E., 351, 1073, 2281, 2289, 2741
 Ferguson, George, 245
 Fernandez, Maria-Jesus, 2063
 Ferranti, Francesco, 121, 1773
 Ferraudi, G. J., 2137
 Ferri, Diego, 2439
 Ferris, Nancy S., 2207
 Fields, Roy, 491
 Filmore, Edward J., 1965
 Finch, Arthur, 601
 Finessi, Luis A., 2409
 Fisher, John R., 809
 Fitch, Andrew N., 501
 Flanders, David J., 679
 Floriani, Carlo, 1253, 2577
 Foces-Foces, Concepción, 1823
 Fochi, Giovanni, 1253, 2577
 Foley, Judy, 1
 Font-Altaba, Manuel, 557, 2665
 Foresti, Elisabetta, 953, 1091
 Forriés, Juan, 345
 Forster, Alan M., 2827
 Fortune, John, 1111
 Freeman, Mark J., 2703
 Friant, Pascale, 1095
 Frlec, Boris, 93, 2345
 Fuchita, Yoshio, 99
 Fumagalli, Alessio, 55
 Furlani, Anita, 2197
 Gadd, Paul, 1139
 Galas, Anita M. R., 1981
 Galli, Daniele, 55
 Galli, Paola, 527
 Ganazzoli, Fabio, 2637
 Gantar, Darja, 93, 2345
 Garcia, J. R., 2605
 Garcia, Maria P., 345
 Gardner, Christopher J., 2127, 2645
 Garlaschelli, Luigi, 55, 2637
 Garley, Michael S., 1959, 2835
 Garner, C. David, 1333, 1617, 2581
 Garzó, Gabriella, 1857
 Gatehouse, Bryan M., 2733
 Gates, Peter N., 601
 Gavioli, Giovanna Battistuzzi, 1687
 Gayda, Stephen E., 2289
 Geary, Philip J., 29
 Geiger, William E., 1659
 Gemmill, James, 199, 205
 Gervais, Carlos F. G. C., 267
 Gergely, Arthur, 611, 1951
 Gervais, Daniele, 915
 Gessner, Wolfgang, 147
 Ghedini, Mauro, 1417
 Ghilardi, Carlo A., 939
 Ghosh, Soumitra K., 507, 1763
 Giannetto, Antonino, 1105, 2785
 Gianni, Paolo, 307
 Gibb, Terence C., 667
 Gibson, John F., 1507
 Gill, Daljit S., 1343
 Gillain, Gérard, 2847
 Gillard, Robert D., 1895, 2245
 Gilson, Trevor R., 149, 155
 Ginestra, Aldo La, 527
 Giovannitti, Bruno, 647
 Girolami, Gregory S., 877, 2347, 2589, 2789
 Giuliani, Anna Maria, 1293
 Glauert, Timothy H., 2747
 Gobetto, Roberto, 1863
 Godbehere, Elizabeth, 1073
 Golding, Bernard T., 219
 Goldstein, Michael, 1621
 González-Duarte, Pilar, 2671
 González, Martha S. Leal, 2741
 Goodgame, David M. L., 943
 Gopalkrishnan, Kalpathi S., 1765
 Gould, Robert O., 2561
 Goulon-Ginet, Chantal, 1095
 Goulon, José, 1095
 Graaff, Rudolf A. G. de, 2093
 Grampel, Johan C. van de, 1027, 1521
 Grandi, Giulia, 1687
 Gray, Leslie R., 47, 459, 1433
 Graziani, Rodolfo, 351
 Greatrex, Robert, 2435
 Green, Jennifer C., 1877, 1883
 Green, Malcolm L. H., 2795
 Green, Michael, 441, 771, 1157, 1261, 1343, 2455, 2497, 2553, 2747, 2757
 Greenwood, Norman N., 1427, 1903, 2435, 2477, 2487
 Grenth, Ingmar, 2439
 Gries, Thomas, 1781
 Griffiths, Lee, 2765
 Griffiths, Trevor R., 743
 Grimes, Russell N., 2275
 Grimes, Susan M., 1301, 1965
 Grundy, Stephen L., 1747
 Guastini, Carlo, 2197
 Guerchais, Jacques-E., 1791
 Guidi, Giuliano, 1253
 Guillard, R., 2677
 Guillard, Roger, 567, 1095
 Guillot-Edelheit, Genevieve, 169
 Gullotti, Michele, 1033
 Gupta, (Mrs.) Pushpa, 1867
 Gupta, Abhay K., 2599
 Gupta, Ashok K., 2599
 Gupta, Bharati, 1873, 2599
 Gupta, Krishna Swaroop, 1873
 Gupta, Yugul Kishore, 1867, 1873, 2599, 2653
 Hägele, G., 2803
 Haasnoot, Jaap G., 2093
 Hacaloglu, Jale, 715
 Haines, Raymond J., 515
 Hale, Annette L., 47
 Hall, Michael, 863
 Hall, Simon R., 1739
 Hamor, Thomas A., 23
 Hanabusa, Kenji, 1485
 Harmer, Mark A., 2099
 Harriman, Anthony, 141
 Harris, Robin K., 1547, 2803
 Harrison, W. David, 869, 1709
 Hart, F. Alan, 2449
 Hasegawa, Akinori, 1667
 Hasegawa, Etsuo, 1147
 Hathaway, Brian J., 1, 7, 15, 2087
 Hauptman, Zdenek V., 1377
 Hawkes, Geoffrey E., 279, 1863
 Hay, Robert W., 1083, 1921, 1927
 Hayashi, Michiro, 1667
 Hedden, David, 801
 Henderson, Richard A., 2259
 Hendriks, Hugo M. J., 1463
 Henrick, Kim, 433, 633, 959, 1769, 1809, 2151, 2377
 Herron, Norman, 1491
 Hewat, Alan, 7
 Hibberd, John, 701
 Hibbert, Richard C., 2719
 Hider, Richard N., 495
 Hiese, Zavei, 1763
 Higgins, Simon J., 459, 1433
 Higginson, William C. E., 451
 Hirabaru, Okikazu, 1485
 Hiraki, Katsuma, 99
 Hitchcock, Peter B., 2015, 2237
 Hitchman, Michael A., 943
 Hoebbel, Dagobert, 1857
 Hoedt, Richard W. M. ten, 429
 Hojo, Nobumasa, 1485, 2107
 Holden, H. Diane, 301, 2723
 Holdroyd, Stephen K., 1073
 Holloway, John H., 1411, 2163
 Hooker, Richard H., 761
 Hope, Eric G., 2445
 Hopkins, Keith G. G., 1393
 Hor, T. S. Andy, 2645
 Hoshiga, Noriko, 673
 Hoskins, Bernard F., 1831
 House, Donald A., 1921, 1927
 Howard, Judith A. K., 1555, 1589, 1659, 2003, 2545, 2553, 2757
 Howarth, Oliver W., 1171, 1785
 Howell, James A. S., 1307
 Howells, Nigel D., 2645
 Howes, Colin, 1709
 Hughes, David L., 739, 1187
 Hunter, William F., 399
 Huntley, Christopher M., 2301
 Huppmann, Peter, 2821
 Hursthouse, Michael B., 695, 877, 1069, 1731, 1981, 2039, 2347, 2449, 2589, 2789
 Hussain, Wasif, 1703
 Hutton, Alan T., 855, 863, 1815
 Iggo, Jonathan A., 633, 643
 Indelli, Antonio, 1773
 Ingrosso, Giovanni, 2517
 Innocenti, Paolo, 575
 Isobe, Kiyoshi, 929, 1215, 1453
 Iwaizumi, Masamoto, 1195
 Izquierdo, Alejo, 2795
 Jacobsen, Grant B., 415
 James, E. Joyce, 255
 Jannon, Giorgio, 1987
 Jansen, Brigitte M., 175
 Jeffery, John, 2423
 Jeffery, John C., 1383, 1563, 1571, 1581, 1597
 Jesus, Julio D. Pedrosa de, 1895
 Jochem, Klaus, 2047
 Johnson, Brian F. G., 301, 1909, 2111, 2151, 2723
 Jones, Colin H. W., 1267
 Jones, Deborah J., 1625, 1795
 Jones, Geraint, 63, 2281
 Jones, Peter G., 285, 839, 1765, 1781, 2035
 Jones, Peter J., 711, 2445
 Jones, Richard H., 23
 Jones, Rodney F., 2249
 Jones, William, 747, 1283
 Jordanov, Jeanne, 1463
 Juranic, Nenad, 1537
 Kage, Yasunori, 99
 Kaji, Masashi, 793
 Kalidoss, Ponnusamy, 2631
 Kamachi, Mikiharu, 1447
 Kaminaka, Shoji, 1667
 Kaneko, Yukari, 341
 Kapoor, Ramesh C., 999
 Kathirgamanathan, P., 2769
 Keij, Fennegien S., 2093
 Keiter, Richard L., 455
 Kelly, Helen M., 1229
 Kelly, John M., 909
 Kemmitt, Raymond D. W., 1993
 Kemp, Terence J., 923
 Kennedy, John D., 1427, 1903, 2477, 2487
 Kergoat, René, 1791
 Khalil, Khalaf I., 2541
 Khwaja, Hanif, 2327
 Kilduff, Jan E., 689
 Kilner, Melvyn, 389
 Kimura, Eiichi, 673

- Kimura, Masaru, 341
 King, Gary D., 2047
 Kingston, Robert G., 1937
 Kirby, Colin, 1047
 Kirchner, Olaf N., 1877, 1883
 Kisenyi, Jonathan M., 1717, 1723, 1727
 Kiss, Tamás, 611, 1951
 Kite, Kenneth, 365
 Klose, Thomas, 1739
 Knox, C. Victor, 2769, 2775
 Knox, Selby A. R., 2293
 Kobayashi, Akiko, 1759
 Kobayashi, Hayao, 1759
 Kobayashi, Nagao, 2107
 Kodama, Mutsuo, 673
 Koie, Yasuyuki, 2689
 Koike, Tohru, 673
 Kokkes, Maarten W., 1005
 Kola, John C., 1307
 Kondo, Kensuke, 379
 Korp, James D., 1945
 Koshy, Kanayathu, 2781
 Kralingen, Cornelis G. van, 1133
 Krebs, Bernt, 2271
 Kremer, Stefan, 2087
 Krishnamurthy, Setharampattu S., 621
 Kroto, Harold W., 1047
 Kruger, Gert J., 2337
 Kückelhaus, W., 2803
 Kubicki, Marek M., 1791
 Kwiattkowski, Edmund, 943
 L'Haridon, Paul, 1791
 Ladd, Mark F. C., 2351
 Lagrange, Gilles, 567
 Lagrange, Janine, 239
 Lagrange, Philippe, 239
 Laguna, Antonio, 285, 839, 2035
 Laguna, Mariano, 285, 839
 Lalor, Fergus J., 245
 Lamata, Maria Pilar, 1823
 Lanfredi, Anna Maria Manotti, 1541
 Langrick, C. Richard, 855, 1233
 Lannon, A. Martin, 1371
 Lappert, Michael F., 399, 883, 893, 2355
 Lappin, A. Graham, 1371
 Laranjeira, Mauro C. M., 1371
 Larkworthy, Leslie F., 2351, 2389
 Laurent, Jean-Pierre, 1975
 Laurie, Jill C. V., 1563
 Lavery, Aidan, 545, 615
 Lecomte, C., 2677
 Lecomte, Claude, 567
 Lee, Chung-Shin, 109
 Leigh, G. Jeffery, 1703
 Lensch, Cornelia, 723, 2855
 Lensink, Cees, 1521
 Lentz, Dieter, 2821
 Leonard, Gordon A., 2351
 Leung, Wing-Por, 321, 331, 1801
 Levason, William, 47, 459, 1433, 2445
 Lewis, Jack, 301, 1809, 2111, 2151, 2177, 2723
 Lewis, Nita A., 2073
 Lichtig, Jaim, 581
 Lickiss, Paul D., 2015
 Licocchia, Silvia, 2197
 Lindsell, W. Edward, 1693
 Linford, Lorna, 1041, 2337
 Liptrot, Michael C., 2177
 Lis, Tadeusz, 2077
 Llavora, Ricardo, 2605
 Lochr, Thomas M., 2207
 Logan, Norman, 2719
 Longoni, Giuliano, 1181
 Lotz, Simon, 1041
 Louwen, Jaap N., 2683
 Lucherini, Antonio, 2517
 Lucy, Andrew R., 161
 Lyons, Anthony Q., 2305
 Lyons, David, 695
 Maček, Jadran, 297
 Macartney, Donal H., 103
 Machida, Ryosuke, 673
 Mackay, Kenneth M., 133
 MacLean, Gregory K., 211, 1265
 Mahmoud, Khalil A., 175, 187
 Main, Brian G., 1421
 Maitlis, Peter M., 929, 1215, 1223, 1453, 1747, 1823, 1877, 2063
 Malatesta, Maria Carlotta, 2637
 Malik, K. M. Abdul, 1069
 Manassero, Mario, 1181
 Mandal, Parikshit C., 1629
 Mandal, Sanat Kumar, 2141, 2839
 Mangani, Stefano, 2265
 Mann, Brian E., 1223, 2027
 Mannes, Ian, 1659, 2703, 2713
 Manning, A. R., 1111
 Manning, Peter J., 2039
 Manohar, Hattikudur, 621
 Manojlović-Muir, Ljubica, 2167
 Manotti-Lanfredi, Anna Maria, 1467, 1843
 Mantovani, Antonio, 2223
 Manzano, Blanca R., 285, 839
 Marangoni, Giampaolo, 1641
 Marbrow, Richard A., 985
 Marčec, Radovan, 663
 March, Lorraine A., 483, 1621
 Marchetti, Fulvia, 1091
 Marchino, Maria Luisa Nanni, 1541
 Marcomini, Antonio, 95
 Marcotrigiano, Giuseppe, 1687, 2325
 Marder, Todd B., 1261, 2757
 Maresca, Luciana, 1467
 Marini, Peter J., 2733
 Marsden, Colin J., 1279
 Marsden, Karen, 1343, 1589
 Marshall, Andrew, 1245
 Marsich, Nazario, 37
 Martin, Tony R., 399
 Martinengo, Secondo, 55, 1837
 Marzilli, Luigi G., 511
 Mason, Joan, 469, 1329, 2429, 2729
 Massaux, Jean, 2847
 Massucci, Maria A., 527
 Matsubayashi, Gen-etsu, 379
 Matsushita, Yoh-ichi, 1147
 Mattogno, Giulia, 939
 Maud, John M., 63
 Mawby, Roger J., 539, 1153, 2133, 2423
 Mays, Martin J., 433, 633, 643, 959, 1769, 1931
 Mazid, Muhammed A., 969, 1993
 Mazzi, Ulderico, 2505
 McAteer, Colin H., 1171, 1785
 McAuley, Alexr., 103, 1501
 McAuliffe, Charles A., 293, 423, 491, 1609
 McCullough, Francis P., 47
 McCullough, Kevin J., 1693
 McDonald, Robbie G., 943
 McDonald, Walter S., 2487
 McEwan, David M., 855
 McFarlane, William, 455
 McGilly, James, 385, 1117
 McKenna, Peter, 1993
 McManus, Neil T., 2561, 2573
 McNulty, Gregory S., 79, 587, 1123
 McPartlin, Mary, 1809, 2151, 2377
 McQuillan, Geoffrey P., 1849
 McWhinnie, William R., 23, 1267
 Mead, Kevin A., 1383, 2293, 2747
 Meanwell, Neil J., 1215, 1453
 Mehdi, Rahim T., 1065
 Mehrotra, Raj N., 999, 1531
 Menabue, Ledi, 1687, 2187, 2319, 2325
 Mentasti, Edoardo, 475, 903
 Mereiter, Kurt, 1275
 Merrill, Connie L., 2207
 Michelon, Gianni, 1641
 Micheloni, Mauro, 1357
 Midgley, Henry G., 757
 Midollini, Stefano, 939
 Migita, Catharina T., 1195
 Migita, Kouto, 1195
 Miguel, Amelio Vázquez de, 929, 1453
 Mikenda, Werner, 1275
 Miles, Anthony D., 2415
 Milić, Nikola B., 981
 Milićev, Svetozar, 297
 Miller, Hervine, 1959
 Miller, J. David, 1065
 Millini, Roberto, 1461
 Mills, Nancy K., 225, 229
 Mills, Rona M., 161, 683
 Mingham, Brian J., 757
 Mingos, D. Michael P., 2645
 Mitra, Amit Kumar, 487
 Mitsuyose, Toshio, 935
 Miyashita, Hiroshi, 1447
 Mondal, Santosh K., 1681
 Monica, Gerolamo La, 2409
 Monica, Girolamo La, 355
 Moody, Richard, 2741
 Moore, Iain, 1343, 1563, 1571, 1581
 Moore, Peter, 605, 1171, 1323, 1785, 1937, 2371, 2813
 Moran, Grainne, 441, 1157
 Moriyama, Hiroshi, 2329
 Morpurgo, Giorgio Oscar, 785
 Morris, George E., 1171, 1785
 Morris, John H., 415, 2119, 2525
 Morris, Michael J., 2293
 Mortimer, Colin T., 75
 Mortimer, Roger J., 2059
 Moss, Karen, 491, 1609
 Moss, Stephen, 2281
 Motori, Antonio, 2187
 Muir, Kenneth W., 2167
 Mukhopadhyay, Anuradha, 2281
 Muller, Jean-François, 1095
 Munn, Sheila F., 1371
 Murr, Nabil El, 255
 Murrall, Nicholas W., 1157
 Murray, Angela, 7
 Murray, Keith S., 2733
 Murthy, A. R. Vasudeva, 621
 Musa, Faleh H., 1517
 Musumeci, Salvatore, 1651
 Nag, Kamalaksha, 1681, 2141, 2839
 Nakamura, Akira, 1447
 Nakase, Tomohiro, 1485
 Nakatsu, Kazumi, 379
 Narayanan, Bikshkravil A., 2327
 Nardi, Nicoletta, 575, 995, 1357, 2265
 Nardin, Giorgio, 2625
 Natile, Giovanni, 1467
 Navarro, Rafael, 345
 Neff, Bernard, 1095
 Nelson, Peter G., 1393
 Nelson, S. Martin, 545, 615
 Nelson, William J. H., 1809, 2151
 Neogi, Gautam, 1471, 1477
 Neve, Francesco, 1417
 Nicholls, J. Nicholas, 1809
 Nicolini, Marino, 2505
 Nielson, Alistair J., 1069
 Nishide, Hiroyuki, 1147, 2383
 Nishikimi, Tadashi, 2689
 Noltemeyer, Mathias, 719, 2011
 Norman, Nicholas C., 2455, 2747
 Norman, Paul R., 1501
 Nowell, Ian W., 483, 1239, 1621
 Nozakura, Shun-ichi, 1447
 Nunzi, Antonio, 2467
 Nuti, Franca, 2517
 Nutton, Andrew, 929
 O'Brien, P., 1647
 Oakes, John, 1133
 Odell, Barbara, 29
 Odriozola, Jose A., 87
 Ogden, J. Steven, 2445
 Ohya, Toshie, 745
 Okaya, Seichi, 1215, 1453
 Olubuyide, Olesgun, 1501
 Organ, Gregory J., 2377
 Orhanović, Matko, 663
 Orioli, Pier Luigi, 2265
 Orlandini, Annabella, 939
 Oro, Luis A., 125, 1823
 Orpen, A. Guy, 441, 1343, 2455, 2497, 2703, 2747, 2757
 Orrell, Keith G., 365, 2047
 Osella, Domenico, 279, 1863, 1981, 1987
 Oskam, Ad, 2683
 Oskam, Derk J. Stufkens Ad, 1005
 Oumous, H., 2677
 Oumous, Hassan, 567
 Overton, Colin, 255
 Padma, Doddaballapur
 Krishnamurthy, 1779, 1787
 Page, Philip G., 2569
 Pakawatchai, Chaveng, 943
 Panda, Rama Krushna, 1471, 1477
 Pandey, Krishna K., 719, 2081, 2271
 Paoletti, Piero, 1357
 Paoli, Giovanni De, 67
 Paparazzo, Ernesto, 1293
 Papasergio, Rocco I., 311
 Parish, R. V. ('Dick'), 491, 1609
 Parkinson, John E., 1363
 Parsonage, John R., 757
 Parvez, Masood, 245
 Passmore, Jack, 211, 1265
 Patel, Bhagwati N., 1239
 Patterson, William R., 985
 Payne, John D., 1659
 Pelizzi, Giancarlo, 647, 2365, 2535

- Pellacani, Gian Carlo, 1687, 2187, 2319, 2325
 Pelloso, Mario, 2223
 Peloso, Arnaldo, 249
 Pergola, Roberto Della, 1181
 Pertici, Paolo, 2255
 Peruzzini, Maurizio, 359
 Pettit, Leslie D., 2305
 Phelan, Kieran G., 2835
 Phillips, Carl A., 2289
 Pickett, Christopher J., 1617, 1703
 Pidcock, Alan, 2015, 2237
 Pierpoint, Colin, 219, 605, 1937, 2371
 Pilkington, Nicholas J., 2561
 Pizzotti, Maddalena, 355, 735, 2409
 Po-jung, Pao, 19
 Poë, Anthony, 95
 Poggi, Antonio, 1495
 Poilblanc, René, 1635
 Poli, Rinaldo, 1059, 1945, 2365, 2535
 Polidori, Gian P., 2467
 Poncet, Jean-Luc, 1095, 2677
 Porta, Francesca, 355, 2409
 Porter, Simon J., 2553
 Potter, Christopher D., 2435
 Povey, David C., 2351, 2585
 Pradella, Gabriele, 953
 Prasad, D. Rajendra, 2137
 Pratt, John M., 595
 Preez, Jan G. H. du, 975
 Pregosin, Paul S., 2329
 Preisinger, Anton, 1275
 Preston, Peter N., 1693
 Pringle, Paul G., 849, 855, 1233, 1815
 Probitts, E. Jane, 2423
 Protas, J., 2677
 Protheroe, John R. C., 2713
 Puga, José, 2723
 Pujari, Mahesh P., 1083
 Pye, Peter L., 2355
 Pylkii, Russell J., 2187
 Rábai, Gyula, 919
 Raithby, Paul R., 633, 959, 2111, 2177, 2723
 Ramachandran, Kolikara, 2843
 Ramaswamy, Dorai, 1471, 1477
 Ramsden, James H., 511
 Randaccio, Lucio, 511
 Randall, Edward W., 279, 1863
 Rankin, David W. H., 689, 1755, 2029, 2301, 2561, 2569, 2573
 Rankin, Douglas A., 1703
 Rao, T. Nageswara, 1349
 Raston, Colin L., 311, 321, 331, 883, 893, 1801
 Raubenheimer, Helgard G., 1041, 2337
 Razay, Hayat, 1383, 1563, 1581
 Redess, Klaus, 2163
 Reed, David, 415
 Reedijk, Jan, 429, 1053, 1349, 2093
 Refosco, Fiorenzo, 2505
 Reinen, Dirk, 2087
 Rest, Antony J., 175, 187, 761, 1421
 Retournard, Alain, 1095
 Riccio, Giuseppe, 2439
 Rice, David A., 845, 1087
 Ricevuto, Vittorio, 1105, 2785
 Richards, Raymond L., 469, 1329, 2429, 2585, 2729
 Richens, David T., 1229, 2099
 Rideout, Jan, 1667
 Rijn, Jacobus van, 1349
 Ripamonti, Alberto, 1091
 Rizzarelli, Enrico, 1651, 2625
 Robertson, Heather E., 689
 Rockenbauer, Antal, 1033
 Rodriguez, Julio, 2605
 Rodriguez, J. C., 2665
 Roesky, Herbert W., 719, 1781, 2011, 2081, 2271
 Rogers, David Alan, 37, 1249
 Rohwer, Hans E., 975
 Rosano, Pietro, 2513
 Rosé, Jacky, 1843
 Rosete, Ricardo Obeso, 2067
 Rosseinsky, David R., 2059
 Rothwell, Ian P., 2039
 Roundhill, D. Max, 801
 Roveri, Norberto, 1091
 Rowbottom, Graham L., 883
 Roy, Rita, 1681
 Rozière, Jacques, 1625, 1795
 Rudgewick-Brown, Nigel, 479
 Ruiters, Barteld de, 1027, 1521
 Ruiz, A., 2665
 Russell, David R., 1411, 1993
 Russo, Maria V., 2197
 Sik, Vladimir, 365, 2047
 Sachinidis, John, 1323
 Sadler, Peter J., 969
 Saenger, Wolfram, 1401, 2353
 Safa, Kazem D., 2015
 Saha, Alok Mohan, 2085
 Saha, Naresh C., 1629
 Saito, Yasukazu, 2329, 2689
 Saladini, Monica, 2319, 2325
 Salter, Ian D., 2497
 Salvadori, Piero, 2255
 Salvatore, Francesco, 2439
 Sammartano, Silvio, 1651
 Sandrolini, Franco, 2187
 Sansoni, Mirella, 1181
 Sappa, Enrico, 627, 1541, 1843
 Sarhan, Jamil K. K., 771
 Sasaki, Yukiyoishi, 1759
 Sato, Mitsuo, 745
 Saunders, David R., 539, 1153, 2133
 Sawada, Kiyoshi, 935
 Schaverien, Colin J., 2455, 2747
 Schiavo, Sa Lo, 533
 Schilling, Michael D., 1993
 Schlögl, Robert, 1283
 Schmidbaur, Hubert, 2859
 Schoeller, Wolfgang W., 2233
 Schoonhoven, Johan W. F. M., 1053
 Schrobilgen, Gary J., 1411
 Scott, John D., 2765
 Sebal, Angelika, 747
 Seega, J., 2803
 Seip, Ragnhild, 689
 Seno, Manabu, 731
 Seppelt, Konrad, 2821
 Sharaiha, Dima M., 1157
 Sharma, Krishna R., 2309, 2315, 2851
 Sharma, Prem Dutt, 1867, 2653
 Shaw, Bernard L., 849, 855, 863, 1233, 1815
 Shaw, Robert A., 621
 Sheldrick, George M., 285, 719, 723, 839, 1765, 1781, 2011, 2035, 2851, 2855
 Sherry, Lesley J. S., 1993
 Shinoda, Sumio, 2689
 Shirai, Hirofusa, 1485, 2107
 Shiralian, Mahmoud, 2167
 Shoovayev, Alex V., 743
 Sidahmed, Ibrahim M., 1969
 Silvestri, Arturo, 1019
 Simões, José A. Martinho, 2659
 Simon, Arndt, 501
 Simpson, Stephen J., 701, 993
 Singh, Harkesh B., 23, 1267
 Sinn, Ekk, 2275
 Sironi, Angelo, 55, 653
 Skelton, Brian W., 883, 893, 1801
 Skinner, Henry A., 371
 Sloper, Robert W., 1441
 Small, Ronald W. H., 1377
 Smallwood, Frank St.J., 1883
 Smith, Arnold J., 1215, 1747
 Smith, Garry, 1203, 1209
 Smith, Peter J., 1239, 1889
 Sóvágó, Imre, 611
 Sobota, Piotr, 2077
 Soláns, Xavier, 557, 2665
 Sola, Marco, 2319
 Somerville, Richard E., 2589
 Somerville, Richard G., 877
 Sosa, Martha E., 581
 Spencer, Catriona M., 2027
 Spencer, John L., 2003
 Srinivasan, Vangalur S., 2631
 Srisankar, Elapullu V., 1629
 Stalke, Dietmar, 1765, 2851
 Statler, John A., 1731
 Staunton, Garry M., 2163
 Stedman, Geoffrey, 1959, 2835
 Steen, Nick D. C. T., 515
 Steen, Robyn J., 1831
 Steidl, Heinz, 1275
 Stein, C. A., 2073
 Stephens, F. S., 1111
 Stephens, Michael, 601
 Stephenson, Martin, 539, 1153
 Stephenson, T. Anthony, 305, 801
 Steudel, Ralf, 1775
 Stoddart, J. Fraser, 63
 Stone, F. Gordon A., 1261, 1343, 1383, 1555, 1563, 1571, 1581, 1589, 1597, 1605, 2415, 2497, 2545, 2553, 2757
 Stoppioni, Piero, 359
 Strateimer, Horst, 2087
 Strauss, Reinhard, 1775
 Strumolo, Donatella, 1837
 Stufkens, Derk J., 2683
 Suárez, Marta, 2605
 Summers, Michael F., 511
 Suresh, Bettadapura
 Srinivasaiah, 1779, 1787
 Sutcliffe, Leslie H., 1209
 Suzuki, Toshio, 935
 Syed-Mustaffa, B., 2111
 Sykes, A. Geoffrey, 1229, 2099, 2769, 2775
 Symons, Martyn C. R., 1667, 2193
 Tajik, Mahmoud, 2445
 Takabayashi, Naoki, 793
 Takemoto, Kiichi, 1485
 Takhin, Ghassan Al, 371
 Tanaka, Toshio, 379
 Tandon, Santokh S., 2351, 2389
 Tarli, Franco, 1293
 Tattershall, Bruce W., 1517
 Taylor, Brian F., 1453, 2027
 Taylor, Graham E., 441
 Taylor, Michael J., 2111
 Taylor, Philip L., 959
 Teixeira, Clementina, 2659
 Terreros, Pilar, 2355
 Thammann, Thomas J., 2207
 Theocharis, Charis R., 747
 Thomas, Susan E., 701
 Thornton-Pett, Mark, 695, 1731, 2347, 2449, 2789
 Tiripicchio, Antonio, 125, 627, 1467, 1541, 1843
 Tobe, Martin L., 581, 1641
 Tocher, Derek A., 305
 Tonge, James S., 2333
 Tossing, G., 2803
 Trautman, Raymond J., 909
 Trillo, Jose M., 87
 Trollope, Lynda, 1157
 Truscott, T. George, 1441
 Tsuchida, Eishun, 1147, 2383
 Tsuchiya, Shinji, 731
 Tunali, Namik K., 715
 Turf, Jeremy W., 2445
 Turner, Derek J., 1759
 Turney, Terence W., 1831
 Twiss, Paul, 321, 331
 Tyagi, Suresh, I., 7, 2087
 Tyler, David C., 2553
 Uchino, Sho-ichi, 2689
 Ueyama, Norikazu, 1447
 Ujszászi, Kálmán, 1857
 Underhill, Allan E., 1759, 2333
 Urch, David S., 263
 Usón, Miguel A., 345
 Usón, Rafael, 125, 285, 345, 839, 2035
 Utiko, József, 2077
 Vaira, Massimo Di, 359
 Vajpai, Sharad Kumar, 999
 Vargas, Maria D., 1809, 2151
 Vargha, Anna, 1857
 Vaughan, D. Huw, 385, 1117
 Velgh, Rahmatollah, 653
 Venable, T. Leon, 2275
 Verschoor, Gerrit C., 429, 1053, 1349
 Vicente, José, 557
 Vidgeon, Edward A., 757
 Vigato, P. Alessio, 351
 Viguri, Fern, 125
 Viljoen, Johanna C., 1041
 Villa, Angiola Chiesi, 2197
 Villacampa, M. Dolores, 2035
 Vitali, Dario, 1945
 Vitulli, Giovanni, 2255
 Vives, Josep, 2671
 Volavšek, Bogdan, 93
 Vreugdenhil, Wim, 429
 Vuru, George B. Chota, 1069
 Wakabayashi, Toshio, 1667
 Walker, Nigel P. C., 2039
 Walkinshaw, Malcolm D., 305, 801
 Walsh, Andrew, 15
 Wandiga, Shem O., 1717
 Wang, Guan-Tzer, 109
 Warrens, Christopher P., 2237
 Watkinson, Philip J., 133
 Watts, Oliver, 701
 Weber, Karl-Ludwig, 1781
 Webster, Michael, 47, 459, 1433
 Welch, Alan J., 345, 1157, 2029, 2525
 Welch, Dorothy A., 2525
 Wells, Cecil F., 1969
 Went, Michael J., 1383, 2545
 West, Bruce O., 2733
 Westwood, Nicholas P. C., 1047
 White, Allan H., 225, 229, 311, 321, 331, 883, 893, 943, 1801
 White, Colin, 653
 White, Peter S., 211, 1265, 2073
 Whiteley, Mark W., 161, 683, 2713

- Whitmire, Kenton H., 2111
Wilkins, Alistair L., 133
Wilkins, Cuthbert J., 495
Wilkinson, Geoffrey, 305, 695,
877, 1731, 2067, 2347, 2589,
2695, 2789
Willett, Roger D., 2187
Willey, Gerald R., 727, 1323,
1717, 1723, 1727
Williams, Bruce L., 365
Williams, David J., 63, 1675
Williams, David M., 845, 1087
Williams, Geoffrey A., 827, 833,
2395
Williams, Ian D., 1343
Wilson, Lon J., 2207
Wilting, Theo, 1027
Wingfield, Jonathan N., 739,
1187
Wink, Donald J., 1257
Winter, Herman, 1027
Winter, Mark J., 273
Woodley, Pamela K., 2003
Woodruff, William H., 2207
Woods, Michael, 621
Woodward, Peter, 161, 683,
1343, 1383, 1589, 2293, 2747
Wrackmeyer, Bernd, 747
Wray, Jacqueline A., 663
Xing-fu, Li, 19
Yamakawa, Tetsu, 2329
Yamase, Toshihiro, 793
Yang, Zhen-Yun, 2019
Yano, Masahiro, 1447
Yavari, Parvin, 2027
Yokoyama, Hiroyuki, 2383
Yoshioka, Hiroshi, 379
Young, G. Brent, 2019
Yuasa, Makoto, 1147
Zaki, Ahmed A., 371
Zanazzi, Pier Francesco, 1059,
2467
Zanollo, Piero, 1495
Zanobini, Fabrizio, 575, 995,
1357, 2265
Zellner, Andrea, 1275
Zhu, Wenxiang, 2449
Ziolo, Ronald F., 1267

SUBJECT INDEX, 1984

AB INITIO

The shapes and energetics of dimeric lithium and sodium cyanides. *Ab initio* molecular-orbital calculations, 1279-82

ACETATE

Aluminium-27 nuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 6. Hydrolysis with sodium acetate, 981-4
Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*p*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyltrifluoroacetoxytellurium] hydrate, and [bis(trifluoroacetoxy)iodo]benzene, 1709-16
Reactions of bis(η -cyclopentadienyl)dihydrido-molybdenum and -tungsten with acetatotrimethyl-lead. X-Ray structure and reactivity of the demethylated lead product containing molybdenum-lead bonds: μ -diacetatoplumbio-bis[bis(η -cyclopentadienyl)hydridomolybdenum](2 *Ph-Mo*), 1791-4
Electron addition to dirhodium complexes: an electron spin resonance study, 2193-6

ACETONITRILE

The redox behaviour of square-planar *trans*-dicyanodihydroxoaurate(III) complexes in acetonitrile, 715-8
Structural studies of technetium complexes. Part 4. The crystal structure of *trans,trans*-acetonitriledi-isothiocyanato(nitrido)bis(triphenylphosphine)technetium(V)-acetonitrile (1/*o* 5), 833-8

ACETYL

Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153-6

ACETYLENE

Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclotriphosphazene, 2843-6

ACETYLENEDICARBOXYLATE

Studies on copper(II) complexes of *ortho*-quinone mono-oximes: reaction of bis(4-chloro-1,2-benzoquinone 2-oximate)copper(II) with dimethyl acetylenedicarboxylate under various experimental conditions, 1461-2

ACETYLIDE

Reactions of platinum(II) acetylides with organolithium compounds: formation of lithium-bridged dinuclear platinum(II) complexes and of triorganoplatinatene(II) complexes: crystal structure of the complex $[\text{Pt}_2(\text{C}\equiv\text{CPh})_4(\text{PEt}_3)_2(\text{Bu})_2(\mu\text{-Li})_2]$, 747-56
Bimetallic systems. Part 4. Synthesis and characterisation of mixed copper(I)-, silver(I)-, or gold(I)-platinum(II) acetylide complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, 855-62
Bimetallic systems. Part 6. Chromium(0)-, molybdenum(0)-, or tungsten(0)-platinum(II) acetylide complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, including their efficient formation from platinum-silver complexes by transmetallation. Crystal structure of $[(p\text{-MeC}_6\text{H}_4\text{C}\equiv\text{C})\text{Pt}(\mu\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me})\text{P}(\text{Ph})_2\text{PCH}_2\text{PPh}_2]\text{W}(\text{CO})_5]$, 1815-22

ACYL

Combination of aryl and carbonyl ligands in ruthenium(II) complexes: a kinetic study, 539-44

ADENOSINE

Thermodynamics of metal complexes with ligand-ligand interaction. Mixed complexes of copper(II) and zinc(II) with adenosine 5'-triphosphate and L-histidine or histamine, 1651-8
Preparation and physico-chemical properties of the ternary complexes formed between adenosine 5'-triphosphoric acid, bis(2-pyridyl)amine, and divalent metal ions. Crystal and molecular structures of the compounds containing Mg^{2+} and Ca^{2+} , 2467-76

ADENOSINE MONOPHOSPHATE

Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulfoxide, 267-72

ADSORPTION

Spectroscopic studies on adsorbed metal carbonyls. Part 1. Interaction of $[\text{Rh}_4(\text{CO})_{12}]$ and $[\text{Rh}_6(\text{CO})_{16}]$ with alumina, silica, and titania, 587-94

Spectroscopic studies on adsorbed metal carbonyls. Part 2. Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123-32

AGEING

Lanthanide oxides: preparation and ageing, 87-92

ALANINE

Crystal structures of *N*-benzenesulphonyl-DL-alanine and aqua[*N*-benzenesulphonyl-DL-alaninato(2-)]copper(II) monohydrate: a model for metal ion-sulphonamide binding, 779-84

ALCOHOL

Solution photochemistry of tetrakis(tetrabutylammonium) decatungstate(VI) and catalytic hydrogen evolution from alcohols, 793-800

ALKALI METAL

Synthesis of alkali-metal diaquafluoro-oxoperoxovanadate(IV) complexes $[\text{VO}(\text{O}_2)\text{F}(\text{H}_2\text{O})_2]^-$, 507-10
The infrared spectra of alkali metal hexafluorouranates(V). An example of dependence of molecular geometry on matrix gas, 711-4
Preparation of potential macroligands for alkali-metal ions using open-chain polyether carboxylic acids and tricarbonylbis(triphenylphosphine)ruthenium. X-Ray crystal structure of dicarbonylbis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1-)]bis(triphenylphosphine)ruthenium(II), 739-42
Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 3. The X-ray structures of 1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethane (HL) and its acid salt, KHL_2 , a possible intermediate in the formation of $\text{Co}(\text{KL}_2)_2$, 1187-94
Structural studies of matrix-isolated alkali-metal perchlorates: proof of a bidentate interaction, 1363-6
Template synthesis and ionophorous properties of substituted crown ethers towards alkali-metal ions, 1421-6
Synthesis of tetrafluoronickelate(II) and tetrafluorozincate(II) complexes from aqueous media: a novel route to fluorometalates, 1763-4

ALKENE

Reactions of co-ordinated ligands. Part 29. The formation of a 1,3-diene at a molybdenum centre by linking of but-2-yne with an alkene; X-ray crystal structures of $[\text{Mo}(\eta^5\text{-o-Ph}_3\text{PC}_6\text{H}_4\text{CH}=\text{CH}_2)(\eta^2\text{-MeC}_6\text{Me}(\eta\text{-C}_5\text{H}_5))][\text{BF}_4]$ and $[\text{Mo}(\text{NCMe})(\eta^4\text{-o-MeCH}=\text{CMe}-\text{CH}=\text{CHC}_6\text{H}_4\text{PPh}_2)(\eta\text{-C}_5\text{H}_5)][\text{BF}_4]$, 441-50
Nucleophilic attack on olefins co-ordinated to platinum. Part 4. Formation of neutral and cationic σ -adducts and of ring compounds: studies of stability, 771-8
Metal-metal bond fission and the formation of triosmium-alkene complexes via the reaction of $[\text{Os}_3(\mu\text{-H})(\mu_2\text{-}\eta^2\text{-CF}_3\text{C}=\text{C}(\text{H})\text{CF}_3)(\text{CO})_{10}]$ with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931-6

ALKENYL

Photochemical properties of *cis*- and *trans*-1,2-diphenylethenyltrimethyltin(IV) and *cis*-1,2-diphenylpropenyltrimethyl-tin(IV): organometallic derivatives of stilbene, 909-14

ALKOXIDE

Trioxorhenium(VII) alkoxides, di-isopropylamides, carboxylates and related compounds, 2695-702

ALKYL

Photochemistry of alkyltricarbonyl(η^5 -cyclopentadienyl)tungsten (alkyl = Et, Prⁿ, Prⁱ, Buⁿ, or CH₃Ph), tricarbonyl(η^5 -cyclopentadienyl)(phenyl)tungsten, tricarbonyl(η^5 -pentamethylcyclopentadienyl)(*n*-propyl)tungsten, and tricarbonyl(η^5 -cyclopentadienyl)ethylmolybdenum in gas matrices at 12 K and in solutions at 243 K, 175-86
Comparative photochemistry of tricarbonyl(η^5 -cyclopentadienyl)methyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12-298 K, 761-70
Alkyl and hydrido derivatives of

ALKYL (contd.)

tetrakis(trimethylphosphine)osmium(II). X-Ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_3)_3\text{SiMe}_2](\text{PMe}_3)_4$, 877-82

Photochemical properties of *cis*- and *trans*-1,2-diphenylethenyltrimethyltin(IV) and *cis*-1,2-diphenylpropenyltrimethyltin(IV): organometallic derivatives of stilbene, 909-14

Monoalkyl-di- μ -methylene-bis[(η -pentamethylcyclopentadienyl)rhodium(IV)] complexes and the intramolecular migration of alkyl groups between two metal atoms, 1453-60

Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri- μ -chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis[*cis*-methyltetraakis(trimethylphosphine)ruthenium(II)]-tetrahydrofuran(1/1), 1731-8

Acceptor properties of some methyl- and ethyl-chlorophosphoranes and their derivatives with Lewis acids, 1911-6

Reductive elimination of ketones from ruthenium(II) complexes, 2133-6

Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_3)_3\text{SiMe}_2](\text{PMe}_3)_4$, 2589-90

He(I) and He(II) photoelectron spectra of some organozinc and organoaluminum radicals containing 1,2-bis(*t*-butylimino)ethane, 2683-8

1,2-bis(Dimethylphosphino)ethane (dmpe) alkyl compounds of zirconium(IV) and hafnium(IV). Crystal structures of $\text{ZrMe}_2(\text{dmpe})_2$ and $\text{Zr}(\text{CH}_2\text{Ph})_2(\text{dmpe})$, 2789-94

ALKYLAMINE

The kinetics of base hydrolysis of chloropentakis(alkylamine)rhodium(III) ions, 385-8

The kinetics of base hydrolysis of *trans*-dichlorotetrakis(alkylamine)rhodium(III) ions, 1117-22

ALKYLIDENE

The preparation, ^{11}B , ^1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidenetriphenylphosphorane-triborane(7), $[\text{P}(\text{C}_6\text{H}_5)_3\text{CHRB}_3]_n$ ($\text{R} = \text{H}, \text{CH}_3$, or C_6H_5), 2119-26

ALKYNE

Reactions of some iron and tungsten mercapto-complexes with electrophilic acetylenes leading to novel metallacycles. The crystal and molecular structure of the η^2 -vinyl complex $[\text{W}(\eta^2\text{-C}(\text{CF}_3)_2\text{C}(\text{CF}_3)_2\text{C}(\text{OSiMe}_3)(\text{CO})_2\eta^2\text{-C}_2\text{H}_5)]$, 2167-76

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 32. Reactions of the rhodium-tungsten complex $[\text{RhW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_6\text{H}_7)]$ with alkynes; X-ray crystal structure of $[\text{RhW}(\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-4})(\text{Ph})\text{C}(\text{Ph}))(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_6\text{H}_7)]$, 2553-60

Reactions of acetylenes with noble-metal carbonyl halides. Part 7. Synthesis and chemical characterization of cationic and neutral tetrasubstituted cyclobutadiene complexes of platinum(II). X-Ray structure of dichloro(η^4 -1,2-dimethyl-3,4-diphenylcyclobutadiene)triphenylphosphineplatinum(II), 2637-44

ALKYNYL

Synthesis of *cis*-[Pt(CuCR)(PPh₃)₂] and *trans*-[PtCl(CuCR)(PPh₃)₂] complexes. Crystal and molecular structures of *cis*-[Pt(CuCC(OH)Me₂)(PPh₃)₂]-H₂O, *trans*-[PtCl(CuCC(OH)Me₂)(PPh₃)₂]-0.5PhMe, and *trans*-[PtCl(CuCC(OH)MeEt)(PPh₃)₂]-Me₂CO. Influence of bases and their concentration on the reactivity of *cis*-[PtCl₂(PPh₃)₂], 2197-206

Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclotriphosphazene, 2843-6

ALLYL

Zwitterionic adducts from trialkylphosphine and (η -allyl)dicyarbonylnitrosyliron complexes: structure and reactivity, 815-8

Regiospecific hydride abstraction from metallacycles: conversion of metallacyclopentanes to cationic π -allylic complexes, 2517-24

ALUM

Vibrational spectroscopic studies of trivalent hexa-aqua-cations: single-crystal Raman spectra between 275 and 1200 cm^{-1} of the caesium alums of titanium, vanadium, chromium, iron, gallium, and indium, 2611-24

ALUMINATE

Aluminium-27 nuclear magnetic resonance investigations of highly alkaline aluminate solutions, 147-8

Identification and characterisation of three novel compounds in the sodium-aluminium-oxygen system, 1139-46

ALUMINIUM

The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on X-ray emission and X-ray photoelectron spectra, 263-6

Synthesis and properties of tetramethyl(η^5 -pentamethylcyclopentadienyl)iridium(V), dimethyl-di- μ -methylene-bis[(η^5 -pentamethylcyclopentadienyl)iridium(IV)], and related complexes from reactions of di- μ -chloro-dichlorobis[(η^5 -pentamethylcyclopentadienyl)iridium(III)] with hexamethyldialuminium, 929-34

Aluminium-27 nuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 6. Hydrolysis with sodium acetate, 981-4

He(I) and He(II) photoelectron spectra of some organozinc and organoaluminum radicals containing 1,2-bis(*t*-butylimino)ethane, 2683-8

ALUMINIUM-27

Aluminium-27 nuclear magnetic resonance investigations of highly alkaline aluminate solutions, 147-8

Aluminium-27 nuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 6. Hydrolysis with sodium acetate, 981-4

AMIDE

Reaction of $[\text{Rh}(\text{NH}_2\text{C}_6\text{H}_4\text{PPh}_2\text{-}o)_2\text{Cl}]\text{Cl}$ with air; characterisation of the products by X-ray structure analysis of *cis*-[Rh(NH₂C₆H₄PPh₂-*o*)(NHC₆H₄PPh₂-*o*)Cl₂] and *trans*-[Rh(NH₂C₆H₄PPh₂-*o*)Cl₂][*p*-MeC₆H₄SO₃]-MeCN, 2377-82

Trioxorhenium(VII) alkoxides, di-isopropylamides, carboxylates and related compounds, 2695-702

AMIDINE

Rhenium carbonyl complexes. Synthesis and characterisation of *NN'*-diarylamidines, $\text{R}'\text{NHC(R)NR}'$ ($\text{R} = \text{H}, \text{Me}$, or Ph , $\text{R}' = \text{Ph}$ or $\text{C}_6\text{H}_4\text{Me-}p$), and related carbamoyl derivatives, 389-98

AMINE

An investigation on the influence of co-ordinated aliphatic amines on the rates of reduction of tetrachlorodiamineplatinum(IV) complexes, 249-54

Crystal and molecular structure of trisilylamine at 115 K, 563-6

Nucleophilic attack on olefins co-ordinated to platinum. Part 4. Formation of neutral and cationic σ -adducts and of ring compounds: studies of stability, 771-8

The interaction of aliphatic amines with transition metal complexes of aromatic di-imines. Part 1. Kinetics and thermodynamics of reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation with aliphatic amines in dimethylformamide, 1105-10

Reaction of $[\text{Rh}(\text{NH}_2\text{C}_6\text{H}_4\text{PPh}_2\text{-}o)_2\text{Cl}]\text{Cl}$ with air; characterisation of the products by X-ray structure analysis of *cis*-[Rh(NH₂C₆H₄PPh₂-*o*)(NHC₆H₄PPh₂-*o*)Cl₂] and *trans*-[Rh(NH₂C₆H₄PPh₂-*o*)Cl₂][*p*-MeC₆H₄SO₃]-MeCN, 2377-82

AMINO ACID

Kinetics and mechanisms of redox reactions in aqueous solution. Part 8. Osmium(VIII) catalysed oxidation of amino acids by alkaline hexacyanoferrate(III), 999-1004

Stereochemistry and tautomeric equilibria of zinc(II) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033-40

Thermodynamics of metal complexes with ligand-ligand interaction. Mixed complexes of copper(II) and zinc(II) with adenosine 5'-triphosphate and L-histidine or histamine, 1651-8

Complex-forming properties of tyrosine isomers with transition metal ions, 1951-8

Formation constants of silver(I) complexes of some sulphur-containing dipeptides and valylvaline, 2305-8

Magnetic and spectroscopic properties of dimeric copper(II) complexes of *N*-benzyloxycarbonyl-substituted amino acid anions, 2325-6

AMINOBORANE

Crystal and supramolecular structures of complexes of BF_3NH_3 and BH_3NH_3 with 18-crown-6, 63-6

AMINOCARBENE

Sulphur-containing metal complexes. Part 9. Synthesis of trisubstituted aminocarbene-thioether chelates of chromium(0) and tungsten(0), 1041-6

AMINOCARBOXYLATE

Kinetic study of acid dechelation of some vanadium(V)-aminocarboxylate complexes in aqueous solution, 239-44

AMINOETHYLAMMONIUM

Platinum(IV) complexes containing a cationic amine ligand: crystal structure of [(2-aminoethyl)ammonium]pentachloroplatinum(IV) monohydrate, 1467-70

ANALYSIS

Analysis of cobalt complexes by high-performance liquid chromatography using ion-pair reversed-phase, silica, or alumina columns, 2341-4

ANTIMONY

An X-ray photoelectron spectroscopic study of the surface properties of vanadium antimonate and β -antimony tetroxide, 985-8

Studies of dioxamide and dithio-oxamide metal complexes. Part 2. Synthesis and spectral characterisation of RNHC(S)(S)NHR (R = alkyl or aryl) complexes with SbX_3 (X = Cl or Br), BiCl_3 , SnX_4 (X = Cl or Br), and TiCl_4 . Crystal and molecular structures of $\text{NN'$ -di-isopropylidithio-oxamide (L^2) and $\text{SbCl}_3(\text{L}^2)_3$, 1717-22

Kinetics and mechanism of the silver(I)-catalyzed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873-6

Preparation and crystal structure of the 1:2 adduct of phosphorus trifluoride oxide and antimony pentafluoride, 2541-4

AQUATION

Characterisation of $\text{cis}[\text{CoCl}_2\text{L}]^+$ and two diastereoisomeric $\text{trans}[\text{CoCl}_2\text{L}]^+$ complexes and studies of the aquation kinetics (L = *C-meso*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane), 1921-6

Synthesis and aquation kinetics of the *cis*-dichloro- and three diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the macrocyclic ligand *C-rac*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane, 1927-30

ARENE

Synthesis, reactivity, and structures of cationic η^6 -arene carbonyl complexes of rhenium(I). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of rhenium(I) and tungsten(0), 1059-64

Arene ligand exchange reactions in $(\eta^6\text{-cyclo-octa-1,5-diene})(\eta^6\text{-naphthalene})\text{ruthenium}(0)$: a convenient route to new ruthenium(0) complexes, 2255-8

Arene-molybdenum chemistry: olefin and hydride derivatives, 2795-802

ARSENIC

Preparation and characterization of the adduct $\text{UO}_2\text{F}_2 \cdot \text{AsF}_3$, 93-4

Kinetics and mechanism of the silver(I)-catalyzed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873-6

Preparation and crystal structures of $[\text{As}(\text{CF}_3)_2\text{O}(\text{OH})_2]$, $[\text{As}(\text{CF}_3)_2\text{O}(\text{OH})\text{Cl}]_2$, and $\text{As}_4(\text{CF}_3)_6\text{O}_6(\text{OH})_2$; a novel cage structure containing four- and six-co-ordinated arsenic, 2011-4

Interaction between uranium pentafluoride and the pentafluorides of vanadium, arsenic, niobium, tantalum, and bismuth, and the tetrafluoride of sulphur, 2163-6

Preparation and characterization of the adduct uranium pentafluoride-arsenic pentafluoride (1/1), 2345-6

ARSINE

Chromium(III) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex $\text{mer}[\text{Cr}(\text{P}(\text{CH}_2\text{CH}_2\text{PPh}_2)_3)\text{Cl}_3]$, 47-54

Co-ordination chemistry of higher oxidation states. Part 8. Nickel(III) complexes of bi- and multi-dentate phosphorus and arsenic ligands; crystal and molecular structure of $[\text{Ni}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2\text{Br}_2] \cdot \text{C}_6\text{H}_5\text{Me}$, 459-68

ARYL

Combination of aryl and carbonyl ligands in ruthenium(II) complexes: a kinetic study, 539-44

Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*p*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyl(trifluoroacetoxy)tellurium] hydrate, and [bis(trifluoroacetoxy)iodo]benzene, 1709-16

Reductive elimination of ketones from ruthenium(II) complexes, 2133-6

ASCORBIC ACID

Photochemical hydrogen production from ascorbic acid catalysed by tris(2,2'-bipyridyl)ruthenium(II) and hydridotris(triethylphosphine)palladium(II), 809-14

Studies in nickel(IV) chemistry. Part 4. Kinetics of the electron transfer from L-ascorbic acid to tris(dimethylglyoximate)nickelate(IV) in aqueous medium, 1471-6

ASPHALTENE

Structural characterization by X-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095-104

AURABORANE

Synthesis and nuclear magnetic resonance study of the auranoborane and diauradecaborane *arachno*-type compounds, $[\text{4}(\text{S}_2\text{CNEt}_2)\text{-arachno-4-AuB}_{10}\text{H}_{12}]$ and $[\text{6,9}(\text{S}_2\text{CNEt}_2)_2\text{-crachno-6,9-Au}_2\text{B}_8\text{H}_{10}]$; crystal and molecular structure of $[\text{6,9}(\text{S}_2\text{CNEt}_2)_2\text{-arachno-6,9-Au}_2\text{B}_8\text{H}_{10}]$, 1427-32

AZIRIDINE

Reactions of olefin complexes with nitrene precursors. Synthesis of triazoline and aziridine complexes of palladium(II); crystal and molecular structure of *trans*-dichlorobis[11-phenyl-9,10,11-triazabicyclo[6.3.0]undec-9-ene-*N'*]palladium-chloroform(1/2), 2409-14

AZURIN

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 10. The assignment of binding sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners, 2775-80

BARIUM

Barium calcium hydroxyapatite solid solutions, 1091-4

BASE HYDROLYSIS

Proton exchange and base-catalysed hydrolysis of *trans*-dichloro[(RSSR) -1,4,8,11-tetra-azacyclotetradecane]cobalt(III) and *cis*-dichloro[(RRRRSSSS) -1,4,8,11-tetra-azacyclotetradecane]cobalt(III), 581-6

BENZENE

The selective reduction of benzene to cyclohexene mediated by platinum metal complexes: X-ray crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{CH}_2\text{NO}_2)](\text{BF}_4)$, 1747-54

BENZENEDIOLATE

The acceptor properties of some organophosphorus(V) bromides, 1917-20

BENZIMIDAZOLYL

Synthesis, structure, and spectroscopic properties of copper(II) compounds containing nitrogen-sulphur donor ligands; the crystal and molecular structure of aqua[1,7-bis(*N*-methylbenzimidazol-2'-yl)-2,6-dithiaheptane]copper(II) perchlorate, 1349-56

BENZOQUINONE OXIMATE

Studies on copper(II) complexes of *ortho*-quinone mono-oximes: reaction of bis(4-chloro-1,2-benzoquinone 2-oximate)copper(II) with dimethyl acetylenedicarboxylate under various experimental conditions, 1461-2

BICYCLO-OCTADIENYL

The reaction of phosphines with $[\text{Fe}_2(\text{CO})_4\text{L}_2(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16})]^{2+}$ [L = CO or $\text{P}(\text{OPh})_3$]; cyclopropane ring-opening of the bicyclo[5.1.0]octadienyl groups, and the X-ray crystal structure of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16}(\text{PPh}_2)_2)](\text{PF}_6)_2 \cdot 0.5\text{C}_6\text{H}_5\text{Me}$, 161-8

BIPHENYL

Axially asymmetric metal alkyls. Part 1. Lithium alkyls of 2,2'-dimethylbiphenyl and its trimethylsilylmethylated compounds: crystal structures of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\{2\text{-CHRC}_6\text{H}_4\}_2]$ for R = H (polymeric) and R = SiMe₃ (monomeric), 321-30

BIPYRIDINE

Oxidation and reduction of *cis*-bis(2,2'-bipyridine)dibenzoylmolybdenum(0) and -tungsten(0). Preparation of bis(2,2'-bipyridine)dibenzoylmolybdenum(II) bis(tetrafluoroborate) salts and their reaction with isocyanides, 255-62

X-Ray evidence of intermolecular stacking interactions in a ternary complex. Crystal and molecular structure of the complex bis(*N*-benzyloxycarbonylglycinato)(2,2'-bipyridine)(propan-2-ol)copper(II), 2319-24

BIPYRIDYL

Crystal structure of bis(2,2'-bipyridyl)monochlorocopper(II) hexafluorophosphate monohydrate at 298 K and the electron spin resonance spectra of some bis(2,2'-bipyridyl)copper(II) complexes to 4.2 K, 2087-92

BIS(DIPHENYLPHOSPHINO)METHANIDE

Synthesis of polynuclear complexes containing the tridentate bis(diphenylphosphino)methanide ligand. Crystal structures of the

BIS(DIPHENYLPHOSPHINO)METHANIDE (contd.)

compounds $[(C_6F_5)_2Au(Ph_2PCHPPH_2)Au(C_6F_5)_2]$ and $[(C_6F_5)_2Au(Ph_2PCHPPH_2)Au(Ph_2PCHPPH_2)Au(C_6F_5)_2]ClO_4$, 839–44

BISMUTH

Studies of dioxamide and dithio-oxamide metal complexes. Part 3. Confirmation of *NN'*-disubstituted dithio-oxamides as *SS'*-bidentate chelating ligands. Crystal and molecular structures of the six-co-ordinate tin(IV) complex $SnBr_4L^1$ ($L^1 = NN'$ -di-*n*-butyldithio-oxamide) and the seven-co-ordinate bismuth(III) complex $BiCl_3(L^2)_2$ ($L^2 = NN'$ -diethyldithio-oxamide), 1723–6

Synthesis, reactivity, and crystal and molecular structure of tetraphenyldibismuth, Bi_2Ph_4 , 2365–70

X-Ray structural studies on free and co-ordinated 6-amino-8-mercaptopyrimidine cation in bismuth(III) complexes, 2401–8

Reactions of octacarbonyldicobalt with tetraphenyl derivatives of group 5A, including tetraphenyldibismuthine. Synthesis and crystal and molecular structure of tricarboxy(diphenylbismuthido)(triphenylphosphine)cobalt(II), $[Co(BiPh_2)(CO)_2(PPh_3)]$, 2535–40

BIS(PYRIDYL)PYRIDAZINE

Heterobinuclear complexes formed from [3,6-bis(2'-pyridyl)pyridazine]nitrosylbis(triphenylphosphine)iridium(2+) and palladium(II) or platinum(II), 1417–20

BIS(T-BUTYLIMINO)ETHANE

He(I) and He(II) photoelectron spectra of some organozinc and organoaluminium radicals containing 1,2-bis(t-butylimino)ethane, 2683–8

BIS(TRIMETHYLSILYL)AMIDE

Organoimido-complexes of tantalum(V). Preparation and X-ray crystal structure of bis[bis(trimethylsilyl)amido]chloro(t-butylimido)tantalum(V) and bis[bis(trimethylsilyl)amido]-di-μ-bromo-dibromobis(trimethylsilylimido)ditanalium(V), 1069–72

BOND ENERGY

Microcalorimetric studies on the thermal decomposition of platinum and palladium complexes containing phosphine or diene ligands, 371–8

BOND STRENGTH

Scrambling equilibria of some dimetal decacarbonyls, 95–8

BORANE

The 1,5-sigmatropic shift of a BR_2 unit ($R = H, F, OH, NH_2, Cl, or SH$) over a cyclopentadiene system, 2233–6

BORATE

Reactions of boron compounds with difluorophosphoric acid; characterisation of the tetrakis(difluorophosphato)borate anion by multinuclear (^{11}B , ^{19}F , and ^{31}P) nuclear magnetic resonance spectroscopy, 2719–22

BORNAN-2-ONE

Stereochemistry and tautomeric equilibria of zinc(II) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033–40

BORON

A photoelectron spectroscopic study of the $(FBS)_n$ system ($n = 1–3$), 1047–52

Synthesis and nuclear magnetic resonance study of the auranoborane and diauradecaborane *arachno*-type compounds, [4-(S_2CNEt_2)*arachno*-4-AuB₁₀H₁₂] and [6,9-(S_2CNEt_2)*arachno*-6,9-Au₂B₁₀H₁₀]; crystal and molecular structure of [6,9-(S_2CNEt_2)*arachno*-6,9-Au₂B₁₀H₁₀], 1427–32

Iridanonaborane chemistry: preparation and characterization of some *arachno*-4-iridanonorboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903–10

The preparation, ^{11}B , 1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidene(triphenylphosphorane)-triborane(7), $P(C_6H_5)_3CHRB_3H_7$ ($R = H, CH_3, or C_6H_5$), 2119–26

The 1,5-sigmatropic shift of a BR_2 unit ($R = H, F, OH, NH_2, Cl, or SH$) over a cyclopentadiene system, 2233–6

1-[($\eta^3-C_3R_3$)Co]B₄H₈ ($R = H$ or Me) sandwich complexes containing a square cyclic B₄H₈²⁻ ligand analogous to C₄H₄²⁻: structural and spectroscopic studies, 2275–80

A mass spectrometric investigation of the exchange of deuterium with tetraborane(10) in the gas phase, 2435–8

Iridanonaborane chemistry. Some reactions of *arachno*-4-iridanonorboranes: nuclear magnetic resonance investigations and the molecular structure of the *nido* nine-vertex species [2,2,2-

(CO)(PMe₃)₂-*nido*-2-IrB₉H₁₁], 2477–86

The reactions of *arachno*-decaboranyl complexes L₂B₁₀H₁₂ ($L =$ two-electron donor ligand) with some platinum(II) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of [8-Cl-7,7-(PMe₃Ph)₂-*nido*-7-PtB₁₀H₁₁], 2487–96

Preparation, reactions, and nuclear magnetic resonance spectra of disubstituted derivatives of the octahydrotriborate(1-) ion, [B₃H₆XX']⁻ ($X = Cl, X' = Cl, NCS, NCBH_3, or NCBH_2Cl$); molecular structure of [B₃H₆Cl₂]⁻ and partial structure of [B₃H₆C(NCS)]⁻, 2525–34

Reactions of boron compounds with difluorophosphoric acid; characterisation of the tetrakis(difluorophosphato)borate anion by multinuclear (^{11}B , ^{19}F , and ^{31}P) nuclear magnetic resonance spectroscopy, 2719–22

BORON-11

Preparation and boron-11 and proton nuclear magnetic resonance study of the anions [B₉H₁₄]⁻, [B₉H₁₃(NCS)]⁻, and [B₉H₁₃(NC)BH₃]⁻, and a comparison with the neutral derivatives B₉H₁₃(SMe₂), B₉H₁₃(SEt₂), and B₉H₁₃(CH₃CN); isolation of [B₉H₁₂(NCS)]⁻, 415–22

Iridanonaborane chemistry: preparation and characterization of some *arachno*-4-iridanonorboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903–10

The reactions of *arachno*-decaboranyl complexes L₂B₁₀H₁₂ ($L =$ two-electron donor ligand) with some platinum(II) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of [8-Cl-7,7-(PMe₃Ph)₂-*nido*-7-PtB₁₀H₁₁], 2487–96

BOVINE INSULIN

Properties of novel iron-sulphur proteins formed by the introduction of a synthetic iron-sulphur cluster into bovine serum albumin and bovine insulin, 29–36

BOVINE SERUM ALBUMIN

Properties of novel iron-sulphur proteins formed by the introduction of a synthetic iron-sulphur cluster into bovine serum albumin and bovine insulin, 29–36

BROMIDE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 29. Synthesis of rhenium-tungsten compounds; X-ray crystal structures of [ReW₂(μ-Br)(μ-L)(μ-CC₆H₄Me-4)(μ₃-CC₆H₄Me-4)(CO)₃(η-C₅H₅)₂] ($L = CO$ or O), 1597–604

The acceptor properties of some organophosphorus(V) bromides, 1917–20

Hexacarbonyl complexes of dirhenium(II) containing E₂Ph₄ ($E = P, As, or Sb$) ligands; X-ray crystal structure of [Re₂Br₂(CO)₆(Sb₂Ph₄)], 1945–50

Crystal and molecular structure of a complex bromide containing planar diaquadibromochromium(II) units, 2351–2

BUTENE

Phosphomolybdic acid as a reoxidant in the palladium(II)-catalysed oxidation of but-1-ene to butan-2-one, 1223–8

BUTYLIMIDE

Organoimido-complexes of tantalum(V). Preparation and X-ray crystal structure of bis[bis(trimethylsilyl)amido]chloro(t-butylimido)tantalum(V) and bis[bis(trimethylsilyl)amido]-di-μ-bromo-dibromobis(trimethylsilylimido)ditanalium(V), 1069–72

BUTYNE

Reactions of co-ordinated ligands. Part 29. The formation of a 1,3-diene at a molybdenum centre by linking of but-2-yne with an alkene; X-ray crystal structures of [Mo(η²-o-Ph₂PC₆H₄CH=CH₂)(η²-MeC₂Me)(η-C₅H₅)] [BF₄] and [Mo(NCMe)(η²-o-MeC≡CMe-C≡CMe-CH=CHC₆H₄PPh₂)(η-C₅H₅)] [BF₄], 441–50

Carbon-nitrogen bond cleavage in 1-dimethylaminobut-2-yne and derived ligands in triruthenium and triosmium clusters, 1987–92

Reactions of co-ordinated ligands. Part 32. The reaction of sulphur nucleophiles with cationic molybdenum alkyne complexes: alkyne rotation and the molecular structures of the complexes [Mo(SC₆H₄NO₂-p)(P(OMe)₃)(η²-MeC₂Me)(η-C₅H₅)] and [Mo(SC₆H₄SPH-o)(CO)(η²-MeC₂Me)(η-C₅H₅)]], 2747–56

CADMIUM

Metal complexes of the new tetra-aza macrocyclic ligand 1,5,9,13-tetramethyl-1,5,9,13-tetra-azacyclohexadecane; carbon-13 nuclear magnetic resonance study of the complexes of Cd²⁺, Hg²⁺, and Pb²⁺ and X-ray crystal structure of the cadmium complex, 605–10

Formation of mixed-ligand complexes of cadmium(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 935–8

CADMIUM (contd.)

- Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})_2(\text{H}_2\text{O})_6]$; phosphate-only metal bonding, 1401-10
- Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})_2(\text{H}_2\text{O})_6]$; phosphate-only metal bonding (1984, 1401), 2353-4
- Polymeric thiolate complexes in solution. Stability constants of the cadmium(II) complexes of 4-mercapto-1-methylpiperidine, 2671-5
- Heavy-metal macrocyclic complexes: crystal and molecular structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with $\text{Cd}(\text{NO}_3)_2$, HgCl_2 , PbCl_2 , and $\text{Pb}(\text{NO}_3)_2$, 2813-20

CAERULOMYCIN

- Equilibria in complexes of N-heterocyclic molecules. Part 34. Iron binding by caerulomycins, 2245-8

CALCIUM

- Barium calcium hydroxyapatite solid solutions, 1091-4
- Preparation and physico-chemical properties of the ternary complexes formed between adenosine 5'-triphosphoric acid, bis(2-pyridyl)amine, and divalent metal ions. Crystal and molecular structures of the compounds containing Mg^{2+} and Ca^{2+} , 2467-76

CALORIMETRY

- Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 3. The cobalt(II)-tetraethylenepentamine- O_2 system in aqueous solution at 25 °C, 307-10
- Microcalorimetric studies on the thermal decomposition of platinum and palladium complexes containing phosphine or diene ligands, 371-8
- Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 2. Ethylammonium halides, 601-4
- Comparison of the thermochemistry of the difluorides and potassium hexafluorometallates(IV) of the elements of the germanium triad with that of the elements of the nickel triad: a study of the inert-pair effect, 1393-400

CARBAMOYL

- Rhenium carbonyl complexes. Synthesis and characterisation of N,N' -diarylamidines, $\text{R}'\text{NHC}(\text{R})\text{NR}'$ ($\text{R} = \text{H}$, Me, or Ph, $\text{R}' = \text{Ph}$ or $\text{C}_6\text{H}_4\text{Me-p}$), and related carbamoyl derivatives, 389-98

CARBENE

- Reactions of metallabromoalkanes $[\text{M}\{(\text{CH}_2)_n\text{Br}\}(\text{CO})_5(\eta\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Mo}$ or W , $n = 3$ or 4) with transition metal anions. Dimetalla-alkane and cyclic carbene complex formation. Crystal and molecular structures of $[\eta\text{-C}_5\text{H}_5\text{MOC}]_2\text{Mo}\{(\text{CH}_2)_4\}\text{Mo}(\text{CO})_5(\eta\text{-C}_5\text{H}_5)$ and $[\eta\text{-C}_5\text{H}_5\text{C}_2\text{H}_4\text{OC}]_2\text{MoW}(\text{CO})_2\{\text{C}-\text{O}-(\text{CH}_2)_2\text{CH}_2\}(\eta\text{-C}_5\text{H}_5)$, 273-8
- Carbene complexes. Part 18. Synthetic routes to electron-rich olefin-derived monocarbenerhodium(I) neutral and cationic complexes and their chemical and physical properties, 2355-64

CARBIDE

- Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of the $[\text{Co}_3\text{Ni}_6\text{C}(\text{CO})_{20}]^{3-}$ trianion, 1181-6
- Bifunctional activation of a carbonyl group in the pentanuclear carbido-clusters $[\text{Os}_5\text{C}(\text{CO})_{15}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}\text{I}_2]$ by alcohols: X-ray analysis of $[\text{Os}_5\text{C}(\text{CO})_{14}(\text{CO}_2\text{Et})\text{H}]$ and $[\text{Os}_5\text{C}(\text{CO})_{14}(\text{CO}_2\text{Me})\text{I}]$, 1809-14
- New carbide clusters in the cobalt subgroup. Part 12. Synthesis and X-ray characterization of the tetradecanuclear carbido-carbonyl cluster $[\text{Rh}_{14}\text{C}_2(\mu\text{-CO})_{21}(\text{CO})_{12}]^{2-}$, 1837-42

CARBON-13

- Spectroscopic studies on C_3 hydrocarbon fragments. Part 2. Vibrational group frequencies and carbon-13 nuclear magnetic resonance chemical shifts of cluster-bound C_2H_n ($n = 1-4$) fragments, 79-86
- Solution dynamics of the osmium cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}]$ by ^{13}C and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84
- Metal complexes of the new tetra-aza macrocyclic ligand 1,5,9,13-tetramethyl-1,5,9,13-tetra-azacyclohexadecane; carbon-13 nuclear magnetic resonance study of the complexes of Cd^{2+} , Hg^{2+} and Pb^{2+} and X-ray crystal structure of the cadmium complex, 605-10
- Oxygen-17 and carbon-13 relaxation studies of metal carbonyls: improved determination of ^{17}O electric quadrupole couplings,

1863-6

- A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{X}\eta^5\text{-C}_5\text{H}_4\text{R})]$ ($\text{R} = \text{CMe}_2\text{Et}$ or Bu^n) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027-8

CARBONATE

- Studies on metal carbonate equilibria. Part 10. A solubility study of the complex formation in the uranium(VI)-water-carbon dioxide (g) system at 25 °C, 2439-44
- Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly basic aqueous solution containing carbonate ions, 2781-4

CARBON-CARBON BOND CLEAVAGE

- An unusual carbon-carbon σ -bond cleavage reaction on attempted methylation of the anionic alkene cluster $[\text{Os}_3\text{H}(\mu\text{-CO})\{\text{CF}_3(\text{H})\text{C}=\text{C}(\text{H})\text{CF}_3\}(\text{CO})_6]^-$; X-ray crystal structure of $[\text{Os}_3\text{H}(\mu\text{-}\sigma\text{-}\eta^2\text{-C}=\text{CCF}_3)(\text{CO})_6]$, 1769-72

CARBON DIOXIDE

- Synthesis, X-ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato- O,O')hydridotetrakis(trimethylphosphine)molybdenum(II), 695-700

- Studies on metal carbonate equilibria. Part 10. A solubility study of the complex formation in the uranium(VI)-water-carbon dioxide (g) system at 25 °C, 2439-44

CARBON MONOXIDE

- Carbon monoxide reduction. $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}]$: reactions and formation by reduction of the complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})]\text{PF}_6$, 701-10

CARBONYL

- Scrambling equilibria of some dimetal decacarbonyls, 95-8
- Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 1. Raman solution data for $[\text{Ru}_3(\text{CO})_{12}]$, $[\text{Os}_3(\text{CO})_{12}]$, and $[\text{Ru}_4\text{H}_4(\text{CO})_{12}]$ in the CO stretching region, 149-54
- Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for $[\text{Ru}_3(\text{CO})_{12}]$ in the CO stretching region, 155-60
- Photochemistry of alkyltricarbonyl(η^5 -cyclopentadienyl)tungsten (alkyl = Et, Pr^n , Pr^i , Bu^n , or CH_2Ph), tricarbonyl(η^5 -cyclopentadienyl)phenyltungsten, tricarbonyl(η^5 -pentamethylcyclopentadienyl)(n -propyl)tungsten, and tricarbonyl(η^5 -cyclopentadienyl)ethylmolybdenum in gas matrices at 12 K and in solutions at 243 K, 175-86
- Photochemistry of tricarbonyl(η^5 -cyclopentadienyl)hydrido complexes of molybdenum and tungsten and of dicarbonyl(η^5 -cyclopentadienyl)ethylenehydridotungsten in solution and in frozen gas matrices at 12 K, 187-98
- Oxidation and reduction of *cis*-bis(2,2'-bipyridine)dicarbonyl-molybdenum(0) and -tungsten(0). Preparation of bis(2,2'-bipyridine)dicarbonyl(solvent)molybdenum(II) bis(tetrafluoroborate) salts and their reaction with isocyanides, 255-62
- The structure of the mixed-metal cluster anion $[\text{FeOs}_3\text{H}(\text{CO})_{13}]^-$ as its $[\text{N}(\text{PPh}_3)_2]^+$ salt, 301-4
- Nuclear magnetic resonance studies of pyramidal inversion in complexes of tricarbonylrhenium(II) halides with aliphatic and aromatic mixed thio-seleno ethers, 365-70
- Rhenium carbonyl complexes. Synthesis and characterisation of N,N' -diarylamidines, $\text{R}'\text{NHC}(\text{R})\text{NR}'$ ($\text{R} = \text{H}$, Me, or Ph, $\text{R}' = \text{Ph}$ or $\text{C}_6\text{H}_4\text{Me-p}$), and related carbamoyl derivatives, 389-98
- Nuclear magnetic resonance studies of chelate-ring effects in tungsten(0) carbonyl complexes of poly(tertiary phosphines), 455-8
- Synthesis, reactivity, and molecular and crystal structures of some trinuclear diphenylphosphido-bridged carbonyl derivatives of rhodium, 515-26
- Spectroscopic studies on adsorbed metal carbonyls. Part 1. Interaction of $[\text{Rh}_4(\text{CO})_{12}]$ and $[\text{Rh}_6(\text{CO})_{16}]$ with alumina, silica, and titania, 587-94
- The influence of molecular hydrogen on the reaction between $[\text{Ru}_3(\text{CO})_{12}]$ and $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5\text{KC}_2\text{Ph}_2)]$. Synthesis and crystal structure of the new heteropentametallic cluster $[\text{Ni}_2\text{Ru}_3(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\mu\text{-CO})_2(\mu_4\eta^5\text{-C}_2\text{Ph}_2)]$, 627-32
- The synthesis of a dinuclear anionic carbonyl derivative of manganese, $[\text{N}(\text{PPh}_3)_2][\text{Mn}_2(\mu\text{-PPh}_2)(\text{CO})_8]$, and its reactions

CARBONYL (contd.)

- with complexes of group 1B and group 8A metals to give mixed-metal clusters: a comparative study of the X-ray crystal structures of $[\text{Ni}(\text{PPh}_3)_2][\text{Mn}_2(\mu\text{-PPh}_2)(\text{CO})_8]$, $[\text{Mn}_2(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-PPh}_2)(\text{CO})_8]$, and $[\text{Mn}_2(\mu\text{-H})(\mu\text{-PPh}_2)(\text{CO})_8]$, 633-42
- The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6
- Synthesis of styrylcycloheptatriene derivatives via the electrophilic addition of tropylium ions to $[\text{Fe}(\text{CO})_2(\eta^4\text{-C}_8\text{H}_8)]$: X-ray crystal structure of tricarbonyl[1-4- η -7-styrylcyclohepta-1,3,5-triene]iron, 683-8
- Preparation of potential macroligands for alkali-metal ions using open-chain polyether carboxylic acids and tricarbonylbis(triphenylphosphine)ruthenium. X-Ray crystal structure of dicarbonylbis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1-)]bis(triphenylphosphine)-ruthenium(II), 739-42
- Evidence for *cis* effects in carbonyl complexes of bis(dimethylglyoximate)iron(II): a comment, 745-6
- Synthesis of $[\text{M}(\text{CO})_4(\text{Ph}_2\text{PCHRPPH}_3)]$ ($\text{M} = \text{Cr, Mo, or W}$; $\text{R} = \text{COPh or COC}_6\text{H}_4\text{Me-}p$) and photochemically induced reactions of the complex $[\text{W}(\text{CO})_4(\text{Ph}_2\text{PCH(COPh)PPH}_3)]$: crystal structures of the complexes $[\text{W}(\text{CO})_4(\text{Ph}_2\text{POC(Ph)-CHPPH}_3)]$ and $[\text{W}(\text{CO})_4(\text{PPH}_3\text{OH}(\text{PPh}_2\text{CH}_2\text{COPh}))]$, 863-8
- Synthesis of the anion $[\text{Ru}_3\text{H}(\mu_3\text{-PPh})(\text{CO})_9]^-$ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal structures of the complexes $[\text{Ru}_3\text{Rh}_2(\mu_4\text{-PPh})(\text{CO})_{12}(\text{PEt}_3)]$ and $[\text{Ru}_3(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-H})(\mu_3\text{-PPh})(\text{CO})_9]$, 959-68
- A convenient synthesis of $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)(\text{CO})\text{Cl}]$ and the cations $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)_2(\text{CO})]^+$ [$\text{L} = \text{CO, PMe}_3$, or P(OPh)_3], 993-4
- Photochemistry of tricarbonyl(α -di-imine)iron complexes. New mechanistic aspects for CO photostitution in solution and evidence for π , π -co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005-18
- Synthesis, reactivity, and structures of cationic η^6 -arene carbonyl complexes of ruthenium(II). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of ruthenium(II) and tungsten(0), 1059-64
- Spectroscopic studies on adsorbed metal carbonyls. Part 2. Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123-32
- Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of $[\text{Co}_3\text{Ni}_3\text{C}(\text{CO})_{20}]^{3-}$ trianion, 1181-6
- Decomposition reactions of cationic ruthenium formyl complexes, 1203-8
- Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209-14
- Bis(cyclopentadienyl)zirconium(III) complexes containing a metal-metal bond: synthesis and properties of zirconium(II) and zirconium(III) complexes, 1253-6
- The mechanism of displacement of diene from $[\text{M}(\eta^4\text{-diene})(\text{CO})_4]$ ($\text{M} = \text{Cr, Mo, or W}$; diene = norbornadiene; $\text{M} = \text{Mo}$, diene = cyclo-octa-1,5-diene) and the *cis* \rightleftharpoons *trans* isomerization of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes [$\text{L} = \text{P}(\text{Bu})_3$, $\text{P}(\text{OMe})_3$, or P(OPh)_3], 1307-16
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging polymethyldiene ligands; crystal structures of $[\text{FeW}(\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-4})\text{-C}(\text{Me})\text{C}(\text{Me}))(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Fe}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-Me}_3\text{SiC}_2\text{SiMe}_3)(\mu\text{-CO})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$, 1383-92
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 27. Studies on the compounds $[\text{MW}(\mu\text{-}\sigma\text{-CH}(\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2\text{L})(\eta\text{-C}_5\text{H}_5)]$ [$\text{ML}_2 = \text{Pt}(\text{PR}_3)_2$ or $\text{Co}(\text{CO})(\eta\text{-C}_5\text{Me}_5)]$: X-ray crystal structures of $[\text{CoW}(\mu\text{-}\sigma\text{-}\eta^3\text{-C}_6\text{H}_4\text{Me-4})(\text{C}(\text{Me})\text{C}(\text{Me})\text{H})(\mu\text{-CO})(\text{CO})(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{Me}_5)]$ [BF_4], and $[\text{PtW}(\mu\text{-CH}(\text{C}_6\text{H}_4\text{Me-4}))(\mu\text{-CO})(\text{PMe}_3)_2(\eta\text{-C}_5\text{Me}_5)(\eta\text{-C}_5\text{H}_5)]$ [BF_4], 1581-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[\text{MoW}_2(\mu\text{-CR})_2(\mu\text{-CO})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{AuW}_2(\mu\text{-CR})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2][\text{PF}_6]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 1589-96
- Synthesis and reactivity of binuclear cyclopentadienylrhodium nitrosyl cations, and the X-ray structure of $[\text{Rh}_2(\mu\text{-CO})(\mu\text{-NO})(\eta\text{-C}_5\text{Me}_5)_2][\text{PF}_6]$, 1659-66
- Preparation, structural studies, and some reactions of new heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper: X-ray crystal structures of $[\text{MoRh}(\text{CO})(\mu\text{-CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$ and two isomers of $[\text{CuW}(\text{CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1693-702
- Preparation and crystal structure of nonacarbonyl-di- μ -hydrido- μ_3 -phenylimido-triangulo-triruthenium, $[\text{Ru}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-NPh})]$, 1765-8
- An unusual carbon-carbon σ -bond cleavage reaction on attempted methylation of the anionic alkene cluster $[\text{Os}_3\text{H}(\mu\text{-CO})(\text{CF}_3)(\text{H})\text{C}(\text{H})(\text{CF}_3)(\text{CO})_3]^-$: X-ray crystal structure of $[\text{Os}_3\text{H}(\mu_3\text{-}\sigma\text{-}\eta^2\text{-C}_6\text{Me}_6)(\text{CO})_9]$, 1769-72
- Bifunctional activation of a carbonyl group in the pentanuclear carbido-clusters $[\text{Os}_5\text{C}(\text{CO})_{15}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}\text{I}_2]$ by alcohols: X-ray analysis of $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Et})\text{H}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Me})\text{I}]$, 1809-14
- New carbide clusters in the cobalt subgroup. Part 12. Synthesis and X-ray characterization of the tetradecanuclear carbido-carbonyl cluster $[\text{Rh}_{14}\text{C}_2(\mu\text{-CO})_2(\text{CO})_{22}]^{2-}$, 1837-42
- The replacement of one hydride-ligand in $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}(\mu\text{-H})(\text{CO})_6]$ by MPPH_3 ($\text{M} = \text{Cu or Au}$). Crystal structure of $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}(\mu\text{-H})(\mu\text{-AuPPh}_3)(\text{CO})_6]$, the first gold-nickel-osmium cluster, 1843-8
- Oxygen-17 and carbon-13 relaxation studies of metal carbonyls: improved determination of ^{17}O electric quadrupole couplings, 1863-6
- Metal-metal bond fission and the formation of triosmium-alkene complexes via the reaction of $[\text{Os}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-CF}_3\text{C}(\text{H})(\text{CF}_3)(\text{CO})_3)]$ with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931-6
- Hexacarbonyl complexes of dirhenium(II) containing E_2Ph_4 ($\text{E} = \text{P, As, or Sb}$) ligands; X-ray crystal structure of $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Sb}_2\text{Ph}_4)]$, 1945-50
- Synthesis, structure, and isomerisation of triruthenium and triosmium clusters derived from 3-dimethylaminoprop-1-yne; X-ray crystal structure of $[\text{Ru}_3\text{H}(\text{CO})_6(\text{Me}_2\text{N}^+=\text{C}-\text{C}=\text{CH}_2)]$, 1981-6
- Carbon-nitrogen bond cleavage in 1-dimethylaminobut-2-yne and derived ligands in triruthenium and triosmium clusters, 1987-92
- Triosmium clusters with ligands derived from α -unsaturated ketones. X-Ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_6(\text{cis-MeC}=\text{CHCOMe})]$ and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_6(\text{PMe}_2\text{Ph})]$, 2039-46
- Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[\text{Os}_3(\mu\text{-H})(\text{CO})_6]$ with transition-metal hydrides: the X-ray crystal structures of $[\text{Os}_3\text{H}_2(\text{CO})_{10}(\text{CuPPh}_3)]$ and $[\text{Os}_3\text{H}_2(\text{CO})_{11}(\text{InPPh}_3)]$, 2111-8
- Synthesis and X-ray analysis of $[\text{PMePh}_3][\text{Os}_9\text{H}(\text{CO})_{22}]$ and $[\text{Os}_9\text{H}(\text{CO})_{22}\text{I}]$, 2151-62
- The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphine. X-Ray crystal and molecular structures of $[\text{Pd}(\text{E})\text{-PhP}=\text{PPh}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$ and $[\text{Pd}(\text{E})\text{-PhP}=\text{PPh}][\text{W}(\text{CO})_6]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$, 2237-44
- Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organodiruthenium complexes: X-ray crystal structure of $[\text{Ru}_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-CH}_2)(\eta\text{-C}_5\text{H}_5)_2]$, 2293-300
- Anion exchange resin supported cluster carbonyl anions as catalysts, 2309-14
- Activation of water with anionic platinum carbonyl clusters, 2315-8
- Dodecacarbonyltriosmium anchored on poly(4-vinylpyridine), 2327-8
- Synthesis and characterization of $[\text{Cr}(\text{CO})_5\{\text{S}=\text{CHCH}=\text{C}(\text{SEt})_2\}]$ and $[\text{Cr}(\text{CO})_5\{\text{S}=\text{C}(\text{SCH}=\text{CH}_2)\text{SEt}\}]$ by ring-opening of 1,3-dithiolane-2-thione: crystal and molecular structure of $[\text{Cr}(\text{CO})_5\{\text{S}=\text{CHCH}=\text{C}(\text{SEt})_2\}]$, 2337-40
- The synthesis of some bi- and tri-metallic clusters containing rhodium: X-ray crystal structures of $[\text{MoRh}_2(\mu_3\text{-CO})_4(\text{CO})_2(\text{PPh}_3)_3(\eta\text{-C}_5\text{H}_5)]$, CH_2Cl_2 and $[\text{MoRhPt}(\mu\text{-CO})_2(\mu\text{-PPh}_3)(\mu\text{-I}-\sigma\text{-1-2-}\eta\text{-C}_6\text{H}_5)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 2415-22
- Reactions of octacarbonyldicobalt with tetraphenyl derivatives of group 5A, including tetraphenylidibismuthine. Synthesis and crystal and molecular structure of tricarbonyl(diphenylbismuthido)(triphenylphosphine)cobalt(II),

CARBONYL (contd.)[Co(BiPh₂(CO)₃(PPh₃))], 2535-40Rhodium(i) and iridium(i) carbonyl complexes with sulphur-donor ligands; *X*-ray crystal structure of [Rh(CO)₂(BuSCH=CHSBu)]ClO₄, 2665-70

Reduction-oxidation properties of organotransition-metal complexes. Part 19. Carbonylruthenium catecholate and semiquinone complexes, 2713-8

The [Os₃(μ-H)(CO)₁₀(MeCN)₂]⁺ cation: synthesis and *X*-ray crystal structure of [Os₃(μ-H)(CO)₁₀(MeCN)₂][Os(CO)₃Cl₃], 2723-8The analogy between alkenes and the dinuclear species [MRh(μ-CO)₂(η-C₅Me₅)₂] (M = Co or Rh); dynamic nuclear magnetic resonance, *X*-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated CoRh and Rh₂ fragments and the pentacarbonylmolybdenum group, 2757-64Crystal structure and catalytic properties of a platinum-iridium mixed cluster, [Pt₂Ir₂(μ-CO)₂(CO)₄(PPh₃)₃], 2851-4**CARBOXYLATE**Synthesis and reactions of osmium(iii) chloro carboxylates. *X*-Ray crystal structure of tetra(μ-n-butyrate)-dichlorodiosmium(iii) (Os-Os) (1983, 2109), 305-6

Trioxorhenium(vii) alkoxides, di-isopropylamides, carboxylates and related compounds, 2695-702

CARBENEThe reaction of molybdenum and tungsten carbene complexes with sulphur and selenium; crystal structures of [Mo(η²-(S₂CCH₂Bu)₂)(CO)₂(η-C₅H₅)] and [W(η²-(S₂CC₆H₄Me-4))(CO)₂(η-C₅H₅)], 1343-8Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging tolylmethylidyne ligands; crystal structures of [FeW(μ-C(C₆H₄Me-4)-C(Me)Me)(CO)₃(η-C₅H₅)] and [Fe₂W(μ₃-CC₆H₄Me-4)(μ-Me₂SiC₂SiMe₃)(μ-CO)(CO)₄(η-C₅H₅)], 1383-92**CATALYSIS**

Solution photochemistry of tetrakis(tetrabutylammonium) decatungstate(vi) and catalytic hydrogen evolution from alcohols, 793-800

Kinetics and mechanisms of redox reactions in aqueous solution. Part 8. Osmium(viii) catalysed oxidation of amino acids by alkaline hexacyanoferrate(iii), 999-1004

Phosphomolybdic acid as a reoxidant in the palladium(ii)-catalysed oxidation of but-1-ene to butan-2-one, 1223-8

Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh₃ by catalysis of [Mo^{VI}O₂(Cys-OR)₂] (Cys-OR = S-deprotonated cysteine ester; R = Me, Et, Pr, or CH₂Ph) in *NN*-dimethylformamide, 1447-52Kinetics of oxidation of hydrazine and of *t*-butylhydrazine using tris(dimethylglyoximate)nickelate(iv) in the presence of added Cu²⁺ (aq), 1477-84Metal-metal bond fission and the formation of triosmium-alkene complexes *via* the reaction of [Os₃(μ-H)(μ₃-η²-CF₃C=C(H)CF₃)(CO)₁₀] with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931-6

Anion exchange resin supported cluster carbonyl anions as catalysts, 2309-14

Activation of water with anionic platinum carbonyl clusters, 2315-8

Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(viii) in alkaline solutions, 2653-8

CATALYSTCrystal structure and catalytic properties of a platinum-iridium mixed cluster, [Pt₂Ir₂(μ-CO)₂(CO)₄(PPh₃)₃], 2851-4**CATECHOLATE**

Reduction-oxidation properties of organotransition-metal complexes. Part 19. Carbonylruthenium catecholate and semiquinone complexes, 2713-8

C.D.Synthesis and absolute configuration of a series of chiral ruthenium complexes; crystal structure of (R)-[Ru(η⁵-C₅H₅R*)-(CO)(PPh₃)₂] (R* = neomenthyl), 653-62Bis(*O*-methyl (*S*)-penicillaminato)-*cis*-dioxomolybdenum(vi), [MoO₂[(*S*)-pen-OMe]₂]; structure and spectroscopic studies, 1333-42**CHALCOGENIDE**Synthesis and chemical characterization of the new anions [Rh₃(μ₃-E)₂(CO)₆]⁻ (E = S or Se). Crystal and molecular structures of [PPh₄][Rh₃(μ₃-S)₂(CO)₆] and [NMe₄][Rh₃(μ₃-Se)₂(CO)₆], 55-62
Some co-ordination compounds of TaCl₅S and TaBr₅S. *X*-Ray crystal structure of [TaCl₅SiPhSCH₂CH₂SPh], 845-8
Resonance-Raman and infrared spectra of the dimeric iron-chalcogenide complexes [Fe₂X₂(YR)₄]²⁻ (X and Y = S or Se), 1507-16**CHARGE TRANSFER**Synthesis and chemistry of 1,3-dihydrotellurolo[3,4-*b*]quinoxaline and derivatives: crystal and molecular structure of 1,3-dihydro-2,2-di-iodo-2λ⁴-tellurolo[3,4-*b*]quinoxaline-2,3-bis(iodomethyl)quinoxaline (1:1), 23-8

Donor-acceptor complexes of organotellurium compounds.

Physical studies: tellurium-125 Mössbauer spectroscopy for the measure of charge transfer. Crystal and molecular structure of the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-quinodimethane, 1267-74**CHLORAMINE T**

Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(viii) in alkaline solutions, 2653-8

CHLORIDEThe vibrational spectra of some tetrachlorides in rare gas matrices with particular reference to the molecular shapes of ThCl₄ and UCl₄, 819-26

Formation of mixed-ligand complexes of cadmium(ii) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 935-8

On the structure and properties of iron halide-graphite intercalates: a comparison of the reactivity of free and graphite-intercalated iron(iii) chloride, 1283-92

Platinum(iv) complexes containing a cationic amine ligand: crystal structure of [(2-aminoethylammonium)pentachloroplatinum(iv) monohydrate], 1467-70

Displacement by chloride of pyridine-2-carboxylate from dichloro(pyridine-2-carboxylato)gold(iii) in acidic solution; the position of ring opening, 1641-6

Acceptor properties of some methyl- and ethyl-chlorophosphoranes and their derivatives with Lewis acids, 1911-6

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(iv) complexes. Part 5.

Intramolecular rearrangements in the dinuclear platinum(iv) complexes of 1,3,5,7-tetrathioane. *X*-Ray crystal structure of[(PtClMe₃)₂(SCH₂CH₂SCH₂SCH₂)], 2047-58

Preparation and crystal structure of tri-μ-chloro-hexakis(tetrahydrofuran)dimagnesium(ii) pentachloro(tetrahydrofuran)-titanate(iv), 2077-80

Preparation and structure of tetraphenylphosphonium aquatetrachlorothionitrosylruthenate, [PPh₄][Ru(NS)Cl₄(H₂O)], 2081-4Synthesis and co-ordination chemistry of a novel dinucleating chelating triazole ligand. The crystal structure of bis-μ-[4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole-*N'*-μ-*N*¹, μ-*N*², *N'*]-bis[aquachloronickel(ii)] dichloride tetrahydrate, 2093-8Formation and characterization of uranium(vi) chloride fluorides, UF₃Cl_{6-n} (n = 1-5), 2127-32

Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(ii) complexes of ruthenium, osmium, and iridium, 2329-32

Reaction of [RhH(NH₂C₆H₄PPh₂-*o*)Cl]Cl with air; characterization of the products by *X*-ray structure analysis of *cis*-[Rh(NH₂C₆H₄PPh₂-*o*)(NHC₆H₄PPh₂-*o*)Cl₂] and *trans*-[Rh(NH₂C₆H₄PPh₂-*o*)Cl₂][*p*-MeC₆H₄SO₃]-MeCN, 2377-82*X*-Ray structural studies on free and co-ordinated 6-amino-8-mercaptopyrimidine cation in bismuth(iii) complexes, 2401-8Preparation and *X*-ray crystal structure of μ-chloro-bis[bis(imidazole)copper(ii)] chloride, 2581-4**CHROMIUM**Chromium(iii) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex *mer*-[Cr{P(CH₂CH₂PPh₂)₃Cl₃}, 47-54

Sulphur-containing metal complexes. Part 9. Synthesis of trisubstituted aminocarbene-thioether chelates of chromium(0) and tungsten(0), 1041-6

Stereochemical non-rigidity of the indenyl ligand in the compound [CrRh(μ-CO)₂(CO)₂(η-C₆H₅)(η-C₆H₅Me₃-1,3,5)], 1261-4The mechanism of displacement of diene from [M(η²-diene)(CO)₄] (M = Cr, Mo, or W, diene = norbornadiene; M = Mo, diene = cyclo-octa-1,5-diene) and the *cis* ⇌ *trans* isomerization

CHROMIUM (contd.)

of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes [$\text{L} = \text{PBu}_3$, $\text{P}(\text{OMe})_3$, or $\text{P}(\text{OPh})_3$], 1307-16

A kinetic and equilibrium study of the reaction of glycine with chromium(III) in aqueous solution, 1647-50

Synthesis and characterization of $[\text{Cr}(\text{CO})_5(\text{S}-\text{CHCH}-\text{C}(\text{SEt})_2)]$ and $[\text{Cr}(\text{CO})_5(\text{S}-\text{C}(\text{SCH}-\text{CH}_2)\text{SEt})]$ by ring-opening of 1,3-dithiolane-2-thione: crystal and molecular structure of $[\text{Cr}(\text{CO})_5(\text{S}-\text{CHCH}-\text{C}(\text{SEt})_2)]$, 2337-40

Crystal and molecular structure of a complex bromide containing planar diquadrubromochromium(II) units, 2351-2

Synthesis and properties of chromium(VI) trifluoride oxide CrOF_3 and related oxo-anions, 2445-8

Hydrido-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: X-ray crystal structure of $[\text{AuCr}(\mu-\text{H})(\text{CO})_5(\text{PPh}_3)]$, 2497-504

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{dipic})_2]^{2-}$ (dipic = dipicolinate) (oxidants) and $[\text{Ru}(\text{NH}_3)_5(\text{py})]^{2+}$ (py = pyridine) (reductant), 2769-74

CIRCULARLY POLARIZED LUMINESCENCE

Studies of the Pfeiffer effect induced in tris(pyridine)-2,6-dicarboxylato(terbato)(III) by monosaccharide aldose sugars, 1367-70

CIS EFFECT

Evidence for cis effects in carbonyl complexes of bis(dimethylglyoximate)iron(II): a comment, 745-6

CLUSTER

Synthesis and chemical characterization of the new anions $[\text{Rh}_3(\mu_3-\text{E})_2(\text{CO})_6]^-$ ($\text{E} = \text{S}$ or Se). Crystal and molecular structures of $[\text{PPh}_3][\text{Rh}_3(\mu_3-\text{S})_2(\text{CO})_6]$ and $[\text{NMe}_4][\text{Rh}_3(\mu_3-\text{Se})_2(\text{CO})_6]$, 55-62

Spectroscopic studies on C_2 hydrocarbon fragments. Part 2.

Vibrational group frequencies and carbon-13 nuclear magnetic resonance chemical shifts of cluster-bound C_2H_n ($n = 1-4$) fragments, 79-86

Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 1. Raman solution data for $[\text{Ru}_3(\text{CO})_{12}]$, $[\text{Os}_3(\text{CO})_{12}]$, and $[\text{Ru}_4\text{H}_4(\text{CO})_{12}]$ in the CO stretching region, 149-54

Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for $[\text{Ru}_3(\text{CO})_{12}]$ in the CO stretching region, 155-60

Solution dynamics of the osmium cluster $[\text{Os}_3(\mu-\text{H})_2(\text{CO})_{10}]$ by ^{13}C and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84

The structure of the mixed-metal cluster anion $[\text{FeOs}_2\text{H}(\text{CO})_{13}]^-$ as its $[\text{N}(\text{PPh}_3)_2]^+$ salt, 301-4

The stepwise hydrogenation of a nitrile on an osmium cluster: X-ray crystal structures of $[\text{Os}_3(\mu-\text{H})(\mu-\text{NHCH}_2\text{CF}_3)(\text{CO})_{10}]$, $[\text{Os}_3(\mu-\text{H})_2(\mu-\text{NCH}_2\text{CF}_3)(\text{CO})_9]$, and $[\text{Os}_3\text{H}(\mu-\text{H})_2(\mu_3-\text{NCH}_2\text{CF}_3)(\text{CO})_8]$, 433-40

Nb_6I_{11} , $\text{DNb}_6\text{I}_{11}$, and $\text{HNb}_6\text{I}_{11}$: a powder neutron diffraction and inelastic scattering study, 501-6

Synthesis, reactivity, and molecular and crystal structures of some trinuclear diphenylphosphido-bridged carbonyl derivatives of rhodium, 515-26

Spectroscopic studies on adsorbed metal carbonyls. Part 1.

Interaction of $[\text{Rh}_4(\text{CO})_{12}]$ and $[\text{Rh}_4(\text{CO})_{14}]$ with alumina, silica, and titania, 587-94

The influence of molecular hydrogen on the reaction between $[\text{Ru}_2(\text{CO})_{10}]$ and $[\text{Ni}_2(\eta-\text{C}_5\text{H}_5)(\text{C}_2\text{Ph}_2)]$. Synthesis and crystal structure of the new heterometallic cluster $[\text{Ni}_2\text{Ru}_2(\eta-\text{C}_5\text{H}_5)_2(\text{CO})_6(\mu-\text{CO})_2(\mu_3-\eta^2-\text{C}_2\text{Ph}_2)]$, 627-32

The synthesis of a dinuclear anionic carbonyl derivative of manganese, $[\text{Mn}(\text{PPh}_3)_2][\text{Mn}_2(\mu-\text{PPh}_2)(\text{CO})_8]$, and its reactions with complexes of group 1B and group 8A metals to give mixed-metal clusters: a comparative study of the X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Mn}_2(\mu-\text{PPh}_2)(\text{CO})_8]$, $[\text{Mn}_2(\mu-\text{Au}(\text{PMe}_2\text{Ph}))(\mu-\text{PPh}_2)(\text{CO})_8]$, and $[\text{Mn}_2(\mu-\text{H})(\mu-\text{PPh}_2)(\text{CO})_8]$, 633-42

The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6

Synthesis and structure of the mercaptodithiotrinickel complex $[\text{Ni}_2(\mu_3-\text{S})_2(\text{SH})(\text{PEt}_3)_3]\text{BPh}_4$, 939-42

Synthesis of the anion $[\text{Ru}_3\text{H}(\mu_3-\text{PPh})(\text{CO})_9]^-$ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal

structures of the complexes $[\text{Ru}_3\text{Rh}_2(\mu_4-\text{PPh})(\text{CO})_9](\text{PEt}_3)]$ and $[\text{Ru}_3(\mu-\text{Au}(\text{PMe}_2\text{Ph}))(\mu-\text{H})(\mu_3-\text{PPh})(\text{CO})_9]$, 959-68

The crystal structure of chlorotris(3-methylpyridine)copper(I), and its conversion into hexa- μ -chloro-tetrakis(3-methylpyridine)- μ_4 -oxo-tetracopper(II), 989-92

Spectroscopic studies on adsorbed metal carbonyls. Part 2.

Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123-32

Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of the $[\text{Co}_3\text{Ni}_3\text{C}(\text{CO})_{20}]^{3-}$ trianion, 1181-6

Reactions of $[\text{Ni}_2(\eta-\text{C}_5\text{H}_5)_2(\text{HC}_2\text{C}(\text{CH}_3)_2\text{CH}_3)]$ with $[\text{M}_3(\text{CO})_{12}]$ ($\text{M} = \text{Ru}$ or Os) in the presence of hydrogen. Synthesis and crystal structure of the new heterotetrametallic complex

$[\text{Ni}_2\text{Fe}_2(\eta-\text{C}_5\text{H}_5)_2(\text{CO})_8(\text{C}_2\text{H}(\text{C}(\text{CH}_3)_2\text{CH}_3))]$ and spectroscopic characterization of a planar isomer, 1541-6

Preparation and crystal structure of nonacarbonyl-di- μ -hydrido- μ_3 -phenylimido-triangulo-triruthenium, $[\text{Ru}_3(\mu-\text{H})_2(\text{CO})_9(\mu_3\text{-NPh})]$, 1765-8

An unusual carbon-carbon σ -bond cleavage reaction on attempted methylation of the anionic alkene cluster $[\text{Os}_3\text{H}(\mu-\text{CO})(\text{CF}_3)(\text{H})\text{C}(\text{H})(\text{CF}_3)(\text{CO})_6]^-$: X-ray crystal structure of $[\text{Os}_3\text{H}(\mu_3-\sigma\text{-C}_6\text{Me}_6\text{CCF}_3)(\text{CO})_9]$, 1769-72

Bifunctional activation of a carbonyl group in the pentanuclear carbido-clusters $[\text{Os}_5\text{C}(\text{CO})_{15}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}\text{I}_2]$ by alcohols: X-ray analysis of $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Et})\text{H}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Me})\text{I}]$, 1809-14

New carbide clusters in the cobalt subgroup. Part 12. Synthesis and X-ray characterization of the tetradecanuclear carbido-carbonyl cluster $[\text{Rh}_{14}\text{C}_2(\mu-\text{CO})_{12}(\text{CO})_{12}]^{2-}$, 1837-42

The replacement of one hydrido-ligand in $[(\eta-\text{C}_5\text{H}_5)_2\text{NiOs}_2(\mu-\text{H})_2(\text{CO})_6]$ by MPPH_3^+ ($\text{M} = \text{Cu}$ or Au). Crystal structure of $[(\eta-\text{C}_5\text{H}_5)_2\text{NiOs}_2(\mu-\text{H})_2(\mu-\text{AuPPh}_3)(\text{CO})_6]$, the first gold-nickel-osmium cluster, 1843-8

Metal-metal bond fission and the formation of triosmium-alkene complexes via the reaction of $[\text{Os}_3(\mu-\text{H})_2(\mu_3-\eta^2\text{-CF}_3\text{C}(\text{H})(\text{CF}_3)(\text{CO})_{10})]$ with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931-6

Synthesis, structure, and isomerisation of triruthenium and triosmium clusters derived from 3-dimethylaminoprop-1-yne; X-ray crystal structure of $[\text{Ru}_3\text{H}(\text{CO})_9(\text{Me}_2\text{N}^+\text{-C}(\text{C}=\text{CH}_2)_2)]$, 1981-6

Carbon-nitrogen bond cleavage in 1-dimethylaminobut-2-yne and derived ligands in triruthenium and triosmium clusters, 1987-92

Triosmium clusters with ligands derived from α -unsaturated ketones. X-Ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_9(\text{cis-MeC}(\text{H})\text{COMe})]$ and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2039-46

Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[\text{Os}_3(\mu-\text{H})_2(\text{CO})_{10}]$ with transition-metal hydrides: the X-ray crystal structures of $[\text{Os}_3\text{H}_3(\text{CO})_{10}(\text{Cu}(\text{PPh}_3))]^-$ and $[\text{Os}_3\text{H}_3(\text{CO})_{11}(\text{Ir}(\text{PPh}_3))]^-$, 2111-8

Synthesis and X-ray analysis of $[\text{PMePh}_3][\text{Os}_9\text{H}(\text{CO})_{22}]$ and $[\text{Os}_9\text{H}(\text{CO})_{22}\text{I}]$, 2151-62

Anion exchange resin supported cluster carbonyl anions as catalysts, 2309-14

Activation of water with anionic platinum carbonyl clusters, 2315-8

Dodecacarbonyltriosmium anchored on poly(4-vinylpyridine), 2327-8

The synthesis of some bi- and tri-metallic clusters containing rhodium: X-ray crystal structures of $[\text{MoRh}_3(\mu_3-\text{CO})_3(\text{CO})_2(\text{PPh}_3)_2(\eta-\text{C}_5\text{H}_5)]\text{CH}_2\text{Cl}_2$ and $[\text{MoRhPt}(\mu-\text{CO})_2(\mu-\text{PPh}_3)(\mu_3-\sigma\text{-1-2-}\eta-\text{C}_5\text{H}_5)(\text{PPh}_3)_2(\eta-\text{C}_5\text{H}_5)]$, 2415-22

Crystal structure and catalytic properties of a platinum-iridium mixed cluster, $[\text{Pt}_2\text{Ir}_2(\mu-\text{CO})_3(\text{CO})_4(\text{PPh}_3)_3]$, 2851-4

COBALT

Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 3. The cobalt(II)-tetraethylenepentamine- O_2 system in aqueous solution at 25 °C, 307-10

The synthesis and characterization of cobalt complexes with diphosphorus-sulphur and -selenium cyclic units as trihapto ligands. X-Ray crystal structures of $[\text{Co}(\text{CMe}(\text{CH}_2\text{PPh}_2)_3)(\text{P}_2\text{X})]\text{BF}_4\text{-C}_6\text{H}_6$ ($\text{X} = \text{S}$ or Se), 359-64

Kinetics of the electron-transfer reaction, iodine with 'cobalt(II) sepiulchrate', 479-82

Synthesis, structure, and solution behaviour of the compound *trans*-bis(dimethylglyoximate)ethyl(methyl 4-pyridinecarboximidate)cobalt(III), 511-4

Dicobalt(II) complexes of a macrocyclic ligand containing hydroxo-,

COBALT (contd.)

- alkoxo-, phenoxo-, thiolato-, halogeno-, and pseudohalogeno-bridges: structures and magnetic exchange interactions, 545-56
- Proton exchange and base-catalysed hydrolysis of *trans*-dichloro[*RSSR*]-1,4,8,11-tetra-azacyclotetradecane)cobalt(III) and *cis*-dichloro[*RRRR*SSSS]-1,4,8,11-tetra-azacyclotetradecane)cobalt(III), 581-6
- The chemistry of vitamin B₁₂. Part 24. Evidence for hydride complexes of cobalt(III) corrinoids, 595-600
- NN*-Dialkylcarbamato-complexes of cobalt(II), 647-52
- Kinetics of the electron-transfer reaction of pentammine(nitritotriacetato)cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6
- Metal chelates of sulphur-containing polyamine macrocycles and oxygenation of the corresponding cobalt(II) complexes, 673-8
- Metal-exchange reactions between cobalt(II) complexes of polyaminocarboxylic acid ligands and copper(II) ions, 903-8
- Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995-8
- Trithiocarbonate and dithiocarbonate complexes of η -cyclopentadienylcobalt(III): X-ray crystal structure of [Co(η -C₅H₅)(CNBu)(CS₂)], 1111-6
- Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of the [Co₃Ni₃C(CO)₂₀]³⁻ trianion, 1181-6
- Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 3. The X-ray structures of 1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethane (HL) and its acid salt, KHL₂, a possible intermediate in the formation of Co(KL₂)₂, 1187-94
- The ground electronic state of quadridentate salicylaldehyde Schiff base-cobalt(II) complexes in non- and weakly co-ordinating solvents, 1195-202
- Exchange of bridging and terminal hydrides in [Co(terpy)(H₂BH₂)], 1257-60
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 27. Studies on the compounds [MW(μ - σ : η^2 -CH(C₆H₄Me-4)](CO)₂L₂(η -C₅H₅)(BF₄) [ML₂ = Pt(PR₃)₂ or Co(CO)(η -C₅Me₅)]; X-ray crystal structures of [CoW(μ - σ : η^2 -C(C₆H₄Me-4)C(Me)₂(Me)H)](μ -CO)(CO)(η -C₅H₅)(η -C₅Me₅)(BF₄) and [PtW(μ -CH(C₆H₄Me-4)](μ -CO)(PMe₃)₂(η -MeC₅Me(η -C₅H₅))(BF₄)], 1581-8
- Some aspects of the radiolysis of cobalt(II) iminodiacetate in aqueous solution, 1629-34
- Electronic structure and reactivity of pentamethylcyclopentadienyl complexes of cobalt, rhodium, and iridium: He-I and He-II photoelectron spectroscopic investigation, 1877-82
- A study of the electronic structure of the dimers [Co₂(η -C₅Me₅)₂(CO)₂], [Rh₂(η -C₅Me₅)₂(CO)₂], [Co₂(η -C₅Me₅)₂(NO)₂], and [Co₂(η -C₅Me₅)₂(CO)(NO)] by He-I and He-II photoelectron spectroscopy, 1883-8
- Characterisation of *cis*-[CoCl₂L]⁺ and two diastereoisomeric *trans*-[CoCl₂L]⁺ complexes and studies of the aquation kinetics (L = *C-meso*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane), 1921-6
- Synthesis and aquation kinetics of the *cis*-dichloro- and three diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the macrocyclic ligand *C-rac*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane, 1927-30
- Kinetics of the solvolysis of *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ions in water + *t*-butyl alcohol mixtures, 1969-74
- Synthesis and co-ordination chemistry of a novel dinucleating chelating triazole ligand. The crystal structure of bis- μ -[4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole-*N'*, μ -*N*¹, μ -*N*²,*N'*]-bis[aquachloronickel(II)] dichloride tetrahydrate, 2093-8
- Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with [IrCl₆]²⁻, [Co(C₂O₄)₃]³⁻, and aquavanadium(IV), 2099-106
- 1-[(η^2 -C₃R₂)Co]B₄H₈ (R = H or Me) sandwich complexes containing a square cyclic B₄H₈²⁻ ligand analogous to C₄H₄²⁻: structural and spectroscopic studies, 2275-80
- Analysis of cobalt complexes by high-performance liquid chromatography using ion-pair reversed-phase, silica, or alumina columns, 2341-4
- Reactions of octacarbonyldicobalt with tetraphenyl derivatives of group 5A, including tetraphenylbisbismuthine. Synthesis and crystal and molecular structure of tricarbonyl(diphenylbismuthido)(triphenylphosphine)cobalt(I),

[Co(BiPh₂(CO)₃(PPh₃)₂), 2535-40

Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631-6

The analogy between alkenes and the dinuclear species [MRh(μ -CO)₂(η -C₅Me₅)₂] (M = Co or Rh); dynamic nuclear magnetic resonance, X-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated CoRh and Rh₂ fragments and the pentacarbonylmolybdenum group, 2757-64Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with [Co(phen)]²⁺ (phen = 1,10-phenanthroline), [Fe(CN)₆]³⁻, [Co(dipic)]²⁺ (dipic = dipicolinate) (oxidants) and [Ru(NH₃)₅(py)]²⁺ (py = pyridine) (reductant), 2769-74Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly basic aqueous solution containing carbonate ions, 2781-4**COMPARTMENTAL LIGAND**Compartmental ligands. Part 8. Metal complexes of ligands derived from 2,3-dihydro-2-hydroxy-4*H*-1-benzopyran-4-one and α,ω -diamines: crystal and molecular structures of two mononuclear nickel(II) and one mononuclear copper(II) complexes, 1073-82**CONDENSATION**Stereochemistry and tautomeric equilibria of zinc(II) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033-40**CONDUCTIVITY**

Studies on the salts of planar metal dithiolate anions with the redox active 3,7-bis(dimethylamino)phenothiazin-5-ium cation (methylene blue), 2333-6

CONFIGURATIONBis[*O*-methyl (*S*)-penicillaminato]-*cis*-dioxomolybdenum(VI), [MoO₂[(*S*)-pen-OMe]₂]; structure and spectroscopic studies, 1333-42**CONFIGURATIONAL INVERSION**Kinetics and mechanism of inversion at asymmetric nitrogen centres in the blue copper(II) complex of *C-rac*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane, 109-14**CONFORMATION**

Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulphoxide, 267-72

Chemistry of 2,3-dihydro-2-methallaphenalenones. Part 1. Synthesis of

 $\text{CHRSiMe}_2\text{CHR}'\text{C}_{10}\text{H}_6$ (R = R' = H; R = R' = SiMe₃; and R,R' = H,SiMe₃) and formation of the compound,[Li(Me₂NCH₂CH₂NMe₂)₂]⁺[CHSiMe₂C(SiMe₃)C₁₀H₆]⁻ via decomposition of [Li(Me₂NCH₂CH₂NMe₂)₂]⁺[1,8-(CHSiMe₂)₂C₁₀H₆]⁻; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311-20Synthesis and absolute configuration of a series of chiral ruthenium complexes: crystal structure of (R)-[Ru(η^2 -C₅H₄R*)-(CO)(PPh₃)₂] (R* = neomenthyl), 653-62

Preparation and nuclear magnetic resonance study of phosphorus-fluorine compounds undergoing intramolecular exchange. Part 4. Rotameric forms of 1-piperidyltrifluorophosphoranes, 1547-54

Conformational changes of nickel(II) diamine complexes in the solid state, 2591-8

COPPER

The crystal structure and electronic properties of bis(2,2'-bipyridyl)copper(II) bis(hexafluorophosphate), 1-6

The low-temperature crystal structure (203 and 123 K) and electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO₆ chromophore, 7-14The crystal structure of bis(*NN*-diethylethylenediamine)copper(II) dinitrate and the electronic properties of some square planar CuN₄ chromophores, 15-8Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometalates [CuI₃]²⁻, [CuBr₃]²⁻, and [AgI₃]²⁻. Crystal structure of [PMePh₃]₂[CuI₃], 37-46Kinetics and mechanism of inversion at asymmetric nitrogen centres in the blue copper(II) complex of *C-rac*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane, 109-14

Tetrakis(imidazole)copper(II) fluorides. The crystal and molecular

COPPER (contd.)

- structure of diquatetrakis(imidazole)copper(II) difluoride, 429-32
- Studies on transition-metal-peptide complexes. Part 9. Copper(II) complexes of tripeptides containing histidine, 611-4
- Crystal structures of *N*-benzenesulphonyl-DL-alanine and aqua [*N*-benzenesulphonyl-DL-alaninato(2-)]copper(II) monohydrate: a model for metal ion-sulphonamide binding, 779-84
- Crystal structures and spectroscopic properties of the polymeric adducts formed from Cu(CN) and Cu(NCS) with 2,9-dimethyl-1,10-phenanthroline, 785-92
- Metal-exchange reactions between cobalt(II) complexes of polyaminocarboxylic acid ligands and copper(II) ions, 903-8
- Electron spin resonance spectra and crystal and molecular structures of magnetic-dipole coupled bis(1,4-dioxane-*O*)bis[(*p*-methoxybenzoyl)trifluoroacetato-*O,O'*]copper(II) bis(1,4-dioxane) solvate and catena- μ -(1,4-dioxane-*O,O'*)-bis[(*p*-nitrobenzoyl)trifluoroacetato-*O,O'*]copper(II), 943-52
- The crystal structure of chlorotris(3-methylpyridine)copper(II), and its conversion into hexa- μ -chloro-tetrakis(3-methylpyridine)- μ_4 -oxo-tetracopper(II), 989-92
- Compartmental ligands. Part 8. Metal complexes of ligands derived from 2,3-dihydro-2-hydroxy-4*H*-1-benzopyran-4-one and α,ω -diamines: crystal and molecular structures of two mononuclear nickel(II) and one mononuclear copper(II) complexes, 1073-82
- Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group IB metal halide complexes MX(PPh₃)₂, 1249-52
- Synthesis, structure, and spectroscopic properties of copper(II) compounds containing nitrogen-sulphur donor ligands; the crystal and molecular structure of aqua [1,7-bis(*N*-methylbenzimidazol-2'-yl)-2,6-dithiaheptane]copper(II) perchlorate, 1349-56
- Studies on copper(II) complexes of *ortho*-quinone mono-oximes: reaction of bis(4-chloro-1,2-benzoquinone-2-oximate)copper(II) with dimethyl acetylenedicarboxylate under various experimental conditions, 1461-2
- Kinetics of oxidation of hydrazine and of *t*-butylhydrazine using tris(dimethylglyoximate)nickelate(IV) in the presence of added Cu²⁺ (aq), 1477-84
- Oxidation and reduction behaviour of copper(II) complexes with open-chain analogues of tetra-aza macrocycles, 1495-500
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 24. Complexes of the pentamethylcyclopentadienylcopper group and the crystal structures of the compounds [CuPtW(μ_3 -CC₅H₄Me-4)(CO)₂(PMe₃)₂(η -C₅H₃(η -C₅Me₃))] and [CuRh(μ -CO)₂(η -C₅Me₃)₂], 1555-62
- Thermodynamics of metal complexes with ligand-ligand interaction. Mixed complexes of copper(II) and zinc(II) with adenosine 5'-triphosphate and L-histidine or histamine, 1651-8
- Solid state and ethanolic solution behaviour of *N*-tosylglycinate-copper(II) complexes. Crystal and molecular structure of a strongly coupled polymeric *N*-tosylglycinatecopper(II) complex, 1687-92
- Preparation, structural studies, and some reactions of new heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper; X-ray crystal structures of [MoRh(CO)(μ -CO)₂(PPh₃)₂(η -C₅H₅)] and two isomers of [CuW(CO)₂(PPh₃)₂(η -C₅H₅)], 1693-702
- Studies of Pendant-arm Macrocyclic Ligands. Part 1. Synthesis of two new penta-aza ligands, and observation of pH-dependent reversible equilibria between trigonal-bipyramidal and square-planar forms of their nickel(II) and copper(II) complexes. Crystal structure of a trigonal-bipyramidal nickel(II) complex, 1937-44
- Crystal structure of bis(2,2'-bipyridyl)monochlorocopper(II) hexafluorophosphate monohydrate at 298 K and the electron spin resonance spectra of some bis(2,2'-bipyridyl)copper(II) complexes to 4.2 K, 2087-92
- Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster [Os₂(μ -H)₂(CO)₁₀] with transition-metal hydrides: the X-ray crystal structures of [Os₂H₂(CO)₁₀](Cu(PPh₃)) and [Os₂H₂(CO)₁₀](Ir(PPh₃)), 2111-8
- Dinuclear metal complexes. Part 3. Preparation and properties of hydroxo-bridged dicopper(II) complexes, 2141-50
- The:chromism in copper(II) complexes: spectroscopic, thermal, and electrical properties and room-temperature crystal structure of bis(2,2-dimethylpropane-1,3-diamine)copper(II) dinitrate, 2187-92

- Synthesis and study of imidazole-bearing copper(II) complexes and their reversible reaction with dioxygen, 2207-22
- Compartmental ligands. Part 9. Crystal and molecular structure of 6,11-dimethyl-7,10-diazaheptadeca-5,11-diene-2,4,13,15-tetraone and of the related mononuclear copper(II) complex having N₂O₂ occupancy, 2289-92
- X-Ray evidence of intermolecular stacking interactions in a ternary complex. Crystal and molecular structure of the complex bis(*N*-benzyloxycarbonylglycinato)(2,2'-bipyridine)(propan-2-ol)copper(II), 2319-24
- Magnetic and spectroscopic properties of dimeric copper(II) complexes of *N*-benzyloxycarbonyl-substituted amino acid anions, 2325-6
- Studies of pendant-arm macrocyclic ligands. Part 2. Comparison of the nickel(II), copper(II), and zinc(II) complexes of 11-(2'-dimethylaminoethyl)-1,4,7,11-tetra-azacyclotetradecane, a pyridine analogue, and a related new tetra-aza macrocycle, 11-methyl-1,4,7,11-tetra-azacyclotetradecane, 2371-6
- Preparation and X-ray crystal structure of μ -chloro-bis[bis(imidazole)copper(II)] chloride, 2581-4
- Properties and structural characterization of copper(II) mixed complexes with 2,2':6,2'-terpyridyl and iminodiacetate or pyridine-2,6-dicarboxylate, 2625-30
- Compartmental ligands. Part 10. Syntheses and crystal and molecular structures of the copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione and 1,3-bis(2-aminophenoxy)propane, and from pyrrole-2-carbaldehyde and 3,6-dioxaoctane-1,8-diamine, 2741-6
- Synthesis of phenoxo-bridged dicopper(II) complexes of *N*-(2-aminoalkyl)salicylaldehydes and their use in the formation of monohalogeno-complexes and non-symmetrical quadridentate Schiff-base complexes, 2839-42

CORRINOID

- The chemistry of vitamin B₁₂. Part 24. Evidence for hydride complexes of cobalt(III) corrinoids, 595-600

CROWN

- Crystal and supramolecular structures of complexes of BF₃NH₃ and BH₃NH₃ with 18-crown-6, 63-6

CROWN ETHER

- Synthetic and structural studies of tin(IV) complexes of crown ethers, 1239-44
- Template synthesis and ionophorous properties of substituted crown ethers towards alkali-metal ions, 1421-6

CRUDE OIL

- Structural characterization by X-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095-104

CRYPTAND

- Complexation of the lanthanides by cryptand 2.2.2 in propylene carbonate: an electrochemical determination of the thermodynamic parameters, 2847-50

CRYSTAL STRUCTURE

- Metal complexes of the new tetra-aza macrocyclic ligand 1,5,9,13-tetramethyl-1,5,9,13-tetra-azacyclohexadecane; carbon-13 nuclear magnetic resonance study of the complexes of Cd²⁺, Hg²⁺, and Pb²⁺ and X-ray crystal structure of the cadmium complex, 605-10

CRYSTAL STRUCTURE

- The crystal structure and electronic properties of bis(2,2'-bipyridyl)copper(II) bis(hexafluorophosphate), 1-6
- The low-temperature crystal structure (203 and 123 K) and electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO₆ chromophore, 7-14
- The crystal structure of bis(*N,N*-diethylethylenediamine)copper(II) dinitrate and the electronic properties of some square planar CuN₄ chromophores, 15-8
- Synthesis and chemistry of 1,3-dihydro-2-tellurolo[3,4-*b*]quinoxaline and derivatives: crystal and molecular structure of 1,3-dihydro-2,2-di-iodo-2 λ^4 -tellurolo[3,4-*b*]quinoxaline-2,3-bis(iodomethyl)quinoxaline (1:1), 23-8
- Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometalates [CuI₃]²⁻, [CuBr₃]²⁻, and [AgI₃]²⁻. Crystal structure of [PMePh₃]₂[CuI₃], 37-46
- Chromium(III) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex *mer*-[Cr(P(CH₂CH₃)₃)(PPh₃)₂Cl₃], 47-54
- Synthesis and chemical characterization of the new anions [Rh₂(μ_3 -E)₂(CO)₆]⁻ (E = S or Se). Crystal and molecular structures of

CRYSTAL STRUCTURE (contd.)

- [PPh₃][Rh₃(μ₃-Si)₂(CO)₆] and [NMe₄][Rh₃(μ₃-Se)₂(CO)₆], 55–62
 Crystal and supramolecular structures of complexes of BF₃NH₃ and BH₃NH₃ with 18-crown-6, 63–6
 Cyclopentadienyl complexes of uranium(IV) chlorides. Crystal structures of trichloro(η⁵-cyclopentadienyl)bis(triphenylphosphine oxide)uranium(IV) tetrahydrofuran solvate and of trichloro(η⁵-cyclopentadienyl)bis(hexamethylphosphoramide)uranium(IV), 67–74
 Complexes of rhodium(I) with 1,8-naphthyridine and related ligands. Crystal structure of [Rh₂(μ-napy)₂(nbd)₂][ClO₄]₂·H₂O, 125–32
 The reaction of phosphines with [Fe₃(CO)₉L₂(η⁵-C₅H₅)₂]²⁺ [L = CO or P(Ph)₃]; cyclopropane ring-opening of the bicyclo[5.1.0]octadienyl groups, and the X-ray crystal structure of [Fe₃(CO)₉(η⁵-C₅H₅)₂][PF₆]₂·0.5C₆H₅Me, 161–8
 Preparation and X-ray crystal structure of (S₃N₃)₂NaF₆, containing the bis(thiodithiazolyl)ammonium(1+) cation, 211–8
 Lewis-base adducts of Group IB metal(I) compounds. Part 4. Synthesis and crystal structure of the 1:1 adduct of silver(I) chloride with quinoline, 225–8
 Lewis-base adducts of Group IB metal(I) compounds. Part 5. Synthesis and crystal structures of adducts of silver(I) thiocyanate with 2- and 3-methylpyridine, 2,6-dimethylpyridine, and quinoline, 229–38
 A new series of neutral nitrosyl(η⁴-tetraphenylcyclobutadiene)-iron(0) complexes: crystal and molecular structure of (NN-diethyldithiocarbamato-S,S')nitrosyl(η⁴-tetraphenylcyclobutadiene)iron(0), 245–8
 Reactions of metallabromooalkanes [M{(CH₂)_nBr}(CO)₃(η-C₅H₅)] (M = Mo or W, n = 3 or 4) with transition metal anions. Dimetalla-alkane and cyclic carbene complex formation. Crystal and molecular structures of [(η-C₅H₅)Mo(CO)₃Mo{(CH₂)_nBr}(CO)₃(η-C₅H₅)] and [(η-C₅H₅)MoW(CO)₃{C-O-(CH₂)_nCH₂}(η-C₅H₅)]₂, 273–8
 Synthesis and reactivity of bimetallic Au–Ag polyfluorophenyl complexes; crystal and molecular structures of [(AuAg(C₆F₅)₂(SC₆H₅))_n] and [(AuAg(C₆F₅)₂(C₆H₅))_n], 285–92
 The structure of the mixed-metal cluster anion [FeO₃H(CO)₁₁]³⁻ as its [N(PPh₃)₂]⁺ salt, 301–4
 Synthesis and reactions of osmium(III) chloro carboxylates. X-Ray crystal structure of tetra(μ-n-butyrate)-dichlorodiosmium(III)(Os–Os) (1983, 2109), 305–6
 Chemistry of 2,3-dihydro-2-methallaphenalenones. Part 1. Synthesis of CHR₂SiMe₂CHR₂C₁₀H₆ (R = R' = H; R = R' = SiMe₃; and R, R' = H, SiMe₃) and formation of the compound, [(Li(Me₂NCH₂CH₂NMe₂))₂·(CHSiMe₂Cl(SiMe₃)C₁₀H₆)] via decomposition of [(Li(Me₂NCH₂CH₂NMe₂))₂·(1,8-(CHSiMe₂)₂C₁₀H₆)]₂; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311–20
 Axially asymmetric metal alkyls. Part 1. Lithium alkyls of 2,2'-dimethylbiphenyl and its trimethylsilylmethylated compounds: crystal structures of [(Li(Me₂NCH₂CH₂NMe₂))₂·(2-CHRC₆H₄)₂]₂ for R = H (polymeric) and R = SiMe₃ (monomeric), 321–30
 Axially asymmetric metal alkyls. Part 2. Synthesis of the di-Grignard reagent [(Mg(thf)₂Cl)₂R] [thf = tetrahydrofuran, R = (2-CH₂C₆H₄)₂]²⁻ and 6,7-dihydro-5H-dibenzo[c,e]-silepines and -stannepines; X-ray crystal structures of [SnPh₂R] and 6-Ss- and λ-RR-[SnPh₂][2-CH(SiMe₃)C₆H₄]₂], 331–40
 Synthesis of cationic palladium(II) and platinum(II) complexes with a monodentate trialkylphosphoniumdithiocarboxylate ligand: molecular structure of trans-[Pd(C₆F₅)₂(PEt₃)₂(S₂C-PEt₃)]ClO₄·CHCl₃, 345–50
 The template synthesis and crystal and molecular structure of a sexidentate Schiff-base macrocyclic complex of samarium(III), [Sm(C₁₈H₁₈N₆O₃OH)(H₂O)]NO₃·2MeOH, 351–4
 The synthesis and characterization of cobalt complexes with diphosphorus-sulphur and -selenium cyclic units as trihapto ligands. X-Ray crystal structures of [Co{CMe(CH₂PPh₂)₂}(P,X)]BF₄·C₆H₆ (X = S or Se), 359–64
 Preparation and properties of tetrahalofulvalene (ttf) and tetramethyltetraselenafulvalene salts of tin(IV) halide anions and X-ray crystal structure of [ttf]₂[SnCl₆], 379–84

Chemistry of *o*-xylylene-metal complexes. Part 2. Preparation and properties of the *o*-xylylene-metal(IV) complexes

- [M(CH₂C₆H₄CH₂-*o*)(η-C₅H₄R)₂] (M = Ti, Zr, Hf, or Nb; R = H or SiMe₃) and [(M'(CH₂C₆H₄CH₂-*o*)₂(OC₄H₉))_n] (M' = Ti, Zr, or Hf); X-ray crystal structures of the metallalindanes [M(CH₂C₆H₄CH₂-*o*)(η-C₅H₄R)₂] (R = H, M = Ti, Zr, or Hf; R = SiMe₃, M = Nb), 399–414
 Tetrakis(imidazole)copper(II) fluorides. The crystal and molecular structure of diaquatetrakis(imidazole)copper(II) difluoride, 429–32
 The stepwise hydrogenation of a nitrile on an osmium cluster: X-ray crystal structures of [Os₃(μ-H)(μ-NHCH₂CF₃)(CO)₁₀], [Os₃(μ-H)₂(μ₂-NCH₂CF₃)(CO)₉], and [Os₃(μ-H)₃(μ₃-NCH₂CF₃)(CO)₈], 433–40
 Reactions of co-ordinated ligands. Part 29. The formation of a 1,3-diene at a molybdenum centre by linking of but-2-yne with an alkene; X-ray crystal structures of [Mo(η²-*o*-Ph₂PC₆H₄CH=CH₂)(η²-MeC₆H₄Me)(η-C₅H₅)](BF₄) and [Mo(NCMe)(η²-*o*-MeCH=CMe-CH=CHC₆H₄PPh₂)(η-C₅H₅)](BF₄), 441–50
 Co-ordination chemistry of higher oxidation states. Part 8. Nickel(III) complexes of bi- and multi-dentate phosphorus and arsenic ligands; crystal and molecular structure of [Ni(Ph₂PCH₂CH₂PPh₂)Br]·C₆H₅Me, 459–68
 Donor properties of arylphosphines towards selenium: X-ray crystal structure of tris(*m*-trifluoromethylphenyl)phosphine selenide, 483–6
 Synthesis, structure, and solution behaviour of the compound trans-bis(dimethylglyoximate)(ethyl)(methyl 4-pyridinecarboximidate)cobalt(III), 511–4
 Synthesis, reactivity, and molecular and crystal structures of some trinuclear diphenylphosphido-bridged carbonyl derivatives of rhodium, 515–26
 Synthesis and some reactions of binuclear η-cyclopentadienyl rhodium complexes containing bis(diphenylphosphino)methane and small molecules (CO, SO₂, or SnCl₂) as bridging ligands. Crystal and molecular structure of [Rh₂(η-C₅H₅)₂(μ-CO)(μ-Ph₂PCH₂PPh₂)], 533–8
 Dicobalt(II) complexes of a macrocyclic ligand containing hydroxo-, alkoxo-, phenoxo-, thiolato-, halogeno-, and pseudohalogeno-bridges: structures and magnetic exchange interactions, 545–56
 Bis[2-(phenylazo)phenyl-C¹N']gold(III) complexes. Crystal and molecular structure of bis[2-(phenylazo)phenyl-C¹N']gold(III) tetrachloroaurate, 557–62
 Crystal and molecular structure of trisilylamine at 115 K, 563–6
 Alkane (or arene)-sulphinato and -sulphonato-iron(III) porphyrins: synthesis and physicochemical properties; crystal structure of benzenesulphonato(5,10,15,20-tetraphenylporphyrinato)iron(III), 567–74
 Synthesis and characterisation of the five diastereoisomers of 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane: crystal structure of the nickel bromide complex of the β-isomer, 575–80
 Studies of phosphazenes. Part 17. Reaction of hexachlorocyclotriphosphazatriene with *N*-methylethanolamine: X-ray crystal structure of a dispirocyclotriphosphazatriene, N₃P₃(NMeCH₂CH₂O)₂Cl₂, 621–6
 The influence of molecular hydrogen on the reaction between [Ru₃(CO)₁₂] and [Ni₂(η-C₅H₅)₂(C₂Ph₂)]. Synthesis and crystal structure of the new heteropentametallic cluster [Ni₂Ru₃(η-C₅H₅)₂(CO)₆(μ-CO)₂(μ₄-η-C₃Ph₂)], 627–32
 The synthesis of a dinuclear anionic carbonyl derivative of manganese, [N(PPh₃)₂][Mn₂(μ-PPh₂)(CO)₆], and its reactions with complexes of group IB and group 8A metals to give mixed-metal clusters: a comparative study of the X-ray crystal structures of [N(PPh₃)₂][Mn₂(μ-PPh₂)(CO)₆], [Mn₂(μ-Au(PMe₂Ph))(μ-PPh₂)(CO)₆], and [Mn₂(μ-H)(μ-PPh₂)(CO)₆], 633–42
 NN-Dialkylcarbamato-complexes of cobalt(II), 647–52
 Synthesis and absolute configuration of a series of chiral ruthenium complexes; crystal structure of (R)-[Ru(η⁵-C₅H₄R*)-(CO)(PPh₃)₂] (R* = neomenthyl), 653–62
 Actinide structural studies. Part 6. A confirmed non-linear uranyl group in dioxobis(pentane-2,4-dionato)pyridineuranium(VI), 679–82
 Synthesis of styrylcycloheptatriene derivatives via the electrophilic addition of tropylium ions to [Fe(CO)₅(η⁵-C₅H₅)]: X-ray crystal structure of tricarbonyl(1-4-η-7-styrylcyclohepta-1,3,5-

CRYSTAL STRUCTURE (contd.)

- triene)iron, 683-8
- Synthesis, X-ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato-*O,O'*)dihydridotetrakis(trimethylphosphine)molybdenum(II), 695-700
- Preparation and crystal structure of trichloro(thionitrosyl)bis(triphenylphosphine)osmium, [Os(NS)Cl₃(PPh₃)₂], 719-22
- Preparation and crystal structures of two phosphorus-sulphur rings: (PhP)₂S₂ and (PhP)₂S₄, 723-6
- A seven-co-ordinate actinoid complex: crystal and molecular structure of tetrachlorotris(trimethylamine)thorium(IV), 727-30
- Deoxygenation reaction of 2-nitrophenol. Synthesis and X-ray crystal structure of [Ru(OC₆H₄NO-*o*)(OC₆H₄NO₂-*o*)(CO)(PPh₃)₂], 735-8
- Preparation of potential macroligands for alkali-metal ions using open-chain polyether carboxylic acids and tricarbonylbis(triphenylphosphine)ruthenium. X-Ray crystal structure of dicarbonylbis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanol(1-)]bis(triphenylphosphine)ruthenium(II), 739-42
- Reactions of platinum(II) acetylides with organolithium compounds: formation of lithium-bridged dinuclear platinum(II) complexes and of triorganoplatinatate(II) complexes: crystal structure of the complex [Pt₂(C≡CPh)₄(PEt₃)₂(Bu⁺)₂(μ-Li)₂], 747-56
- Crystal structures of *N*-benzenesulphonyl-L-alanine and aqua[*N*-benzenesulphonyl-L-alaninato(2-)]copper(II) monohydrate: a model for metal ion-sulphonamide binding, 779-84
- Crystal structures and spectroscopic properties of the polymeric adducts formed from Cu(CN) and Cu(NCS) with 2,9-dimethyl-1,10-phenanthroline, 785-92
- Rhodium(I) and -(III) complexes of diphenylphosphinous acid and secondary phosphites, 801-8
- Structural studies of technetium complexes. Part 4. The crystal structure of *trans,trans*-acetoneitrilediisothiocyanato(nitrido)bis(triphenylphosphine)technetium(V)-acetonitrile (1/0.5), 833-8
- Synthesis of polynuclear complexes containing the tridentate bis(diphenylphosphino)methanide ligand. Crystal structures of the compounds [(C₆F₅)₂Au(Ph₂PCHPPh₂)Au(C₆F₅)] and [(C₆F₅)₂Au(Ph₂PCHPPh₂)Au(Ph₂PCHPPh₂)Au(C₆F₅)₂]ClO₄, 839-44
- Some co-ordination compounds of TaCl₅S and TaBr₅S. X-Ray crystal structure of [TaCl₅S(PhSCH₂CH₂SPh)], 845-8
- Synthesis of [M(CO)₄(Ph₂PCHRPPh₂)] (M = Cr, Mo, or W; R = COPh or COC₆H₄Me-*p*) and photochemically induced reactions of the complex [W(CO)₄(Ph₂PCH(COPh)PPh₂)]: crystal structures of the complexes [W(CO)₄(Ph₂POC(Ph)CHPPh₂)] and [W(CO)₄(PPh₂OH(Ph)CH₂COPh)], 863-8
- Secondary bonding. Part 12. Aryltellurium iodides: crystal and molecular structures of *cis*- and *trans*-phenyltellurium(IV) triiodide and two modifications of diphenyltellurium(IV) diiodide, 869-76
- Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-Ray crystal structure of the metallacycle Os[(CH₂)₂SiMe₂](PMe₃)₄, 877-82
- Chemistry of *o*-xylylene-metal complexes. Part 3. Tungsten *o*-xylylene complexes derived from tetrachloro(oxo)-tungsten(VI): X-ray crystal structures of [W(CH₂C₆H₄CH₂-*o*)₂]-0.5C₆H₆ and [W(CH₂C₆H₄CH₂-*o*)₂]-Mg(C₄H₉O)₂, 883-92
- Chemistry of *o*-xylylene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles [M{CH(SiMe₃)C₆H₄CH(SiMe₃-*o*)(η-C₃H₅)₂}] (M = Ti, Zr, Hf, or Nb), their reversible one-electron reduction (M = Ti, Zr, Hf, or Nb) and oxidation (M = Nb); and the X-ray crystal structure of the zirconium complex, 893-902
- Synthesis and structure of the mercaptodithiotrinickel complex [Ni₂(μ₂-S)₂(SH)(PEt₃)₃]BPh₄, 939-42
- Electron spin resonance spectra and crystal and molecular structures of magnetic-dipole coupled bis(1,4-dioxane-*O*)bis[(*p*-methoxybenzoyl)trifluoroacetato-*O,O'*]copper(II) bis(1,4-dioxane) solvate and *catena*-μ-(1,4-dioxane-*O,O'*)-bis[(*p*-nitrobenzoyl)trifluoroacetato-*O,O'*]copper(II), 943-52
- Organothiometallic compounds. Crystal structure and spectroscopic properties of (isopropylthio)mercury(II) chloride, 953-8
- Synthesis of the anion [Ru₂H(μ₂-PPh(CO))₃]⁻ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal structures of the complexes [Ru₂Rh₂(μ₄-PPh(CO))₃](PEt₃) and [Ru₂(μ-Au(PMe₂Ph))(μ-H)(μ₂-PPh(CO))₃], 959-68
- Stable gold(I) complexes with chelate rings: solution studies of bis(phosphino)ethane complexes and X-ray crystal structure of bis[1,2-bis(diphenylphosphino)ethane]gold(I) hexafluoroantimonate-acetone (1/1), 969-74
- The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 10. Characterisation and stability constants of nickel(II) species isolated from a mixed-ligand solution: crystal structure of tris(1,2-diaminoethane)nickel(II) bispyridine-2,6-dicarboxylato)nickelate(II) tetrahydrate, 975-80
- The crystal structure of chlorotris(3-methylpyridine)copper(II), and its conversion into hexa-μ-chloro-tetrakis(3-methylpyridine)-μ₄-oxo-tetracopper(II), 989-92
- Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995-8
- Transition-metal co-ordination compounds containing a novel tridentate pyrazole chelating ligand. X-Ray crystal structure of [N,N-bis(3,5-dimethylpyrazol-1-ylmethyl)aminoethane]nitratato-*O*(nitratato-*O,O'*)nickel(II), 1053-8
- Synthesis, reactivity, and structures of cationic η⁶-arene carbonyl complexes of rhenium(I). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of rhenium(I) and tungsten(O), 1059-64
- Organoimido-complexes of tantalum(V). Preparation and X-ray crystal structure of bis[bis(trimethylsilyl)amido]chloro(t-butylimido)tantalum(V) and bis[bis(trimethylsilyl)amido]-di-μ-bromo-dibromobis(trimethylsilylimido)ditanalium(V), 1069-72
- Compartmental ligands. Part 8. Metal complexes of ligands derived from 2,3-dihydro-2-hydroxy-4*H*-1-benzopyran-4-one and α,ω-diamines: crystal and molecular structures of two mononuclear nickel(II) and one mononuclear copper(II) complexes, 1073-82
- Studies of niobium seleno-halides: crystal structure of [Nb₂Cl₄(Se₂)₂(SMe₂)₄], 1087-90
- Trithiocarbonate and dithiocarbonate complexes of η-cyclopentadienylcobalt(III): X-ray crystal structure of [Co(η-C₅H₅)(CNBu⁺)(CS₃)], 1111-6
- Identification and characterisation of three novel compounds in the sodium-aluminium-oxygen system, 1139-46
- Reactions of co-ordinated ligands. Part 30. The transformation of methylenecyclopropanes into cationic η⁴-trimethylenemethanemolybdenum complexes, reactions with nucleophilic reagents, and the molecular structure of [Mo(η⁴-C(CH₃)₃)(CO)₂(η-C₃Me₃)](BF₄), 1157-70
- Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of the [Co₃Ni₆C(CO)₂₀]³⁻ trianion, 1181-6
- Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 3. The X-ray structures of 1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethane (HL) and its acid salt, KHL₂, a possible intermediate in the formation of Co(KL₂)₂, 1187-94
- Synthesis and characterisation of disubstituted di-μ-methylene-bis(η-pentamethylcyclopentadienyl)dirhodium(IV) complexes; X-ray structure of [(C₅Me₅Rh)₂(μ-CH₂)₂(CO)₂]²⁺, 1215-22
- Synthetic and structural studies of tin(IV) complexes of crown ethers, 1239-44
- Preparation and X-ray crystal structure of (S₃N₂)₂NaF₆, containing the bis(thiodithiazyl)aminylum(1+) cation (1984, 211), 1265-6
- Donor-acceptor complexes of organotellurium compounds. Physical studies: tellurium-125 Mössbauer spectroscopy for the measure of charge transfer. Crystal and molecular structure of the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-quinodimethane, 1267-74
- Hydrogen bonds in Na₂S·5H₂O: X-ray diffraction and vibrational spectroscopic study, 1275-8

CRYSTAL STRUCTURE (contd.)

- Novel tin(II) sites in X-ray crystal structures of the tin(II) halide sulphates $K_2Sn_2(SO_4)_4$ ($X = Br$ or Cl), 1301-6
- Bis(*O*-methyl (*S*)-penicillaminato)-*cis*-dioxomolybdenum(vi), $[MoO_2((S)\text{-pen-OMe})_2]$; structure and spectroscopic studies, 1333-42
- The reaction of molybdenum and tungsten carbene complexes with sulphur and selenium: crystal structures of $[Mo(\eta^2\text{-}(S_2CCH_2Bu'))(CO)_2(\eta\text{-}C_5H_5)]$ and $[W(\eta^2\text{-}(S_2CC_6H_4Me-4))(CO)_2(\eta\text{-}C_5H_5)]$, 1343-8
- Synthesis, structure, and spectroscopic properties of copper(II) compounds containing nitrogen-sulphur donor ligands; the crystal and molecular structure of aqua[1,7-bis(*N*-methylbenzimidazol-2'-yl)-2,6-dithiaheptane]copper(II) perchlorate, 1349-56
- Synthesis and characterisation of 1,7-dimethyl-1,4,7,10-tetraazacyclododecane: crystal structure of the nickel(II) bromide monohydrate complex of this macrocycle; thermodynamic studies of protonation and metal complex formation, 1357-62
- Hexasulphur tetranitrogen dichloride, $S_6N_4Cl_2$; crystal growth and crystal structure, 1377-82
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging tolylmethylidyne ligands; crystal structures of $[FeW(\mu\text{-}C(C_6H_4Me-4)C(Me)C(Me)(CO)_2(\eta\text{-}C_5H_5))]_2$ and $[Fe_2W(\mu\text{-}CC_6H_4Me-4)(\mu\text{-}Me_3SiC_2SiMe_3)(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$, 1383-92
- Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[Cd(5'\text{-UMP})(H_2O)_2] \cdot 2H_2O$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[Cd(5'\text{-dUMP})(H_2O)_2]$; phosphate-only metal bonding, 1401-10
- High oxidation state fluoro-rhenium species: preparation and characterization of $[ReF_6]^-$, $[ReF_6O]^+$, and $[Re_2F_{10}O_2]^+$, and the crystal structure of $[Re_2F_{10}O_2]^{2+}[Sb_2F_{11}]^{2-}$, 1411-6
- Synthesis and nuclear magnetic resonance study of the auranonaborane and diauradecaborane *arachno*-type compounds, $[4(S_2CNEt_2)\text{-}arachno\text{-}4\text{-}AuB_{10}H_{12}]$ and $[6,9\text{-}(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_{10}H_{10}]$; crystal and molecular structure of $[6,9\text{-}(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_{10}H_{10}]$, 1427-32
- Co-ordination chemistry of higher oxidation states. Part 11. The reaction of nickel(II) iodo-complexes with molecular iodine; crystal and molecular structure of $[Ni(\eta\text{-}C_6H_4(PMe_2)_2)_2][I_3] \cdot 2I_2$, 1433-40
- Synthesis and X-ray structure of tris(*N,N*-diethyldithiocarbamate)hydrogensulphidomolybdenum(IV)-tetrahydrofuran (1/1), 1463-6
- Platinum(IV) complexes containing a cationic amine ligand: crystal structure of $[(2\text{-aminoethyl})ammonium]pentachloroplatinum(IV)$ monohydrate, 1467-70
- Reactions of $[Ni_2(\eta\text{-}C_4H_9)_2](HC_2Cl=CH_2)CH_3]$ with $[M_3(CO)_2]$ ($M = Ru$ or Os) in the presence of hydrogen. Synthesis and crystal structure of the new heterotetrametallic complex $[Ni_2Fe_2(\eta\text{-}C_4H_9)_2(CO)_8(C_2H_5)(CH_2=CH_2)CH_3]$ and spectroscopic characterization of a planar isomer, 1541-6
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 24. Complexes of the pentamethylcyclopentadienylcopper group and the crystal structures of the compounds $[CuPtW(\mu_3\text{-}CC_6H_4Me-4)(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)]$ and $[CuRh_2(\mu\text{-}CO)_2(\eta\text{-}C_5Me_5)_3]$, 1555-62
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten-chromium, -cobalt, and -platinum bonds and the X-ray crystal structure of $[PtW(\mu\text{-}\sigma\text{-}\eta^3\text{-}CH(C_6H_4Me-4))(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)][BF_4]$, 1563-70
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 26. Reactions of the compounds $[PtW(\mu\text{-}\sigma\text{-}\eta^3\text{-}CH(C_6H_4Me-4))(CO)_2(PR_3)_2(\eta\text{-}C_5H_5)]$ ($PR_3 = PMe_3, PMe_2Ph$, or $PMPh_2$) and $[PtW(\mu\text{-}\sigma\text{-}\eta^3\text{-}C(Me)_6H_4Me-4)(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)][SO_2CF_3]$ with nucleophiles; X-ray crystal structure of $[PtW(\mu\text{-}H)(\mu\text{-}CH(C_6H_4Me-4))(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)]$, 1571-80
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 27. Studies on the compounds $[MW(\mu\text{-}\sigma\text{-}\eta^3\text{-}CH(C_6H_4Me-4))(CO)_2L_n(\eta\text{-}C_5H_5)][BF_4]$ ($[ML_n = Pt(PR_3)_2]$ or $Co(CO)(\eta\text{-}C_5Me_5)]$; X-ray crystal structures of $[CoW(\mu\text{-}\sigma\text{-}\eta^3\text{-}C(C_6H_4Me-4)C(Me)_2C(Me)H)(\mu\text{-}CO)(CO)(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)][BF_4]$ and $[PtW(\mu\text{-}CH(C_6H_4Me-4))(\mu\text{-}CO)(PMe_3)_2(\eta\text{-}MeC_2Me)(\eta\text{-}C_5H_5)][BF_4]$, 1581-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[MoW_2(\mu\text{-}CR)_2(\mu\text{-}CO)_2(CO)_4(\eta\text{-}C_5H_5)_2]$ and $[AuW_2(\mu\text{-}CR)_2(CO)_4(\eta\text{-}C_5H_5)_2][PF_6]$ ($R = C_6H_4Me-4$), 1589-96
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 29. Synthesis of rhenium-tungsten compounds; X-ray crystal structures of $[ReW_2(\mu\text{-}Br)(\mu\text{-}L)(\mu\text{-}CC_6H_4Me-4)(\mu_3\text{-}CC_6H_4Me-4)(CO)_3(\eta\text{-}C_5H_5)_2]$ ($L = CO$ or O), 1597-604
- Chemistry of di- and tri-metal complexes with bridging carbene or carbene ligands. Part 30. Synthesis of the vanadium-tungsten complexes $[VW(\mu\text{-}CR)(CO)_2(\eta\text{-}C_5H_5)_3]$ ($R = C_6H_4Me-4$ or Me) and the crystal structure of the tolylmethylidyne compound, 1605-8
- Mercury(II) halide complexes of tertiary phosphines. Part 9. Study of the tris(2-cyanoethyl)phosphine complexes $[HgX_2\{P(CH_2CH_2CN)_3\}_m]$ ($X = Cl, Br$, or I ; $m = 1$ or 2); Crystal structures of $[HgBr_2\{P(CH_2CH_2CN)_3\}_2] \cdot Me_2CO$ and $[HgCl_2\{P(CH_2CH_2CN)_3\}_2]$, 1621-4
- Synthesis and reactivity of binuclear cyclopentadienylrhodium nitrosyl cations, and the X-ray structure of $[Rh_2(\mu\text{-}CO)(\mu\text{-}NO)(\eta\text{-}C_5Me_5)_2][PF_6]$, 1659-66
- Organic chemistry of dinitrogen and related ligands. Part 6. Crystal and molecular structure of $[WBr(dppe)_2\{N_2CN(Me)CH_2CH_2NMe\}][PF_6]$ ($dppe = Ph_2PCH_2CH_2PPh_2$), a complex in which fluxional behaviour results from steric destabilisation of the ground state, 1675-80
- Solid state and ethanolic solution behaviour of *N*-tosylglycinate-copper(II) complexes. Crystal and molecular structure of a strongly coupled polymeric *N*-tosylglycinatecopper(II) complex, 1687-92
- Preparation, structural studies, and some reactions of new heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper; X-ray crystal structures of $[MoRh(CO)(\mu\text{-}CO)_2(PPh_3)_2(\eta\text{-}C_5H_5)]$ and two isomers of $[CuW(CO)_2(PPh_3)_2(\eta\text{-}C_5H_5)]$, 1693-702
- Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*o*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyltrifluoroacetoxytellurium] hydrate, and [bis(trifluoroacetoxyl)iodo]benzene, 1709-16
- Studies of dioxamide and dithio-oxamide metal complexes. Part 2. Synthesis and spectral characterisation of $RNH(CS)(CS)NHR$ ($R = \text{alkyl or aryl}$) complexes with SbX_3 ($X = Cl$ or Br), $BiCl_3$, SnX_4 ($X = Cl$ or Br), and $TiCl_4$. Crystal and molecular structures of *NN*-di-isopropylidithio-oxamide (L^3) and $SbCl_3(L^3)_3$, 1717-22
- Studies of dioxamide and dithio-oxamide metal complexes. Part 3. Confirmation of *NN*-disubstituted dithio-oxamides as *SS*-bidentate chelating ligands. Crystal and molecular structures of the six-co-ordinate tin(IV) complex $SnBr_4L^1$ ($L^1 = NN$ -di-n-butylidithio-oxamide) and the seven-co-ordinate bismuth(III) complex $BiCl_3(L^2)_2$ ($L^2 = NN$ -diethylidithio-oxamide), 1723-6
- Unexpected cyclisation of *NN*-diethylidithiomalonamide. Crystal and molecular structure of $[EtNH(CS)(CH(CS)NHET)]_2[SnCl_6]$, 1727-30
- Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri- μ -chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis[*cis*-methyltetakis(trimethylphosphine)ruthenium]mercury(II)-tetrahydrofuran (1/1), 1731-8
- The selective reduction of benzene to cyclohexene mediated by platinum metal complexes: X-ray crystal structure of $[(\eta^5\text{-}C_5Me_5)Ir(\eta^5\text{-}C_6H_4CH_2NO_2)] [BF_4]$, 1747-54
- Crystal structure and electrical conduction properties of $Rb[Pt(S_2C_2(CN)_2)_2] \cdot 2H_2O$. The precursor of a one-dimensional metal, 1759-62
- Preparation and crystal structure of nonacarbonyl-di- μ -hydrido- μ_3 -phenylimido-triangulo-triruthenium, $[Ru_3(\mu\text{-}H)_2(\text{-CO})_9(\mu_3\text{-}NPh)]$, 1765-8
- An unusual carbon-carbon σ -bond cleavage reaction on attempted methylation of the anionic alkene cluster $[Os_3H(\mu\text{-}CO)(CF_3)(H)C=C(H)CF_3](CO)_3]^-$; X-ray crystal structure of $[Os_3H(\mu_3\text{-}\sigma\text{-}\eta^2\text{-}CCF_3)(CO)_3]$, 1769-72
- Synthesis and X-ray structure of $[Ag_2(Ph_2X_2)_4][AsF_6]_2$ ($X = S$ or

CRYSTAL STRUCTURE (contd.)

Se); six-membered silver-sulphur and silver-selenium rings, 1781-4

Reactions of bis(η -cyclopentadienyl)dihydro-molybdenum and tungsten with acetotrimethyl-lead. X-Ray structure and reactivity of the methylated lead product containing molybdenum-lead bonds: μ -diacetatoplumbio-bis[bis(η -cyclopentadienyl)dihydromolybdenum](2 Pb-Mo), 1791-4
An X-ray study at 298 and 120 K of the strong, symmetrical NHN bond in hydrogen diquinoxidine-3-one perchlorate, 1795-800
 α -Lithium alkyls of α -trimethylsilyl-*p*-xylenes and the synthesis of p -C₆H₄(CH₂SnMe₃)₂ from a new di-Grignard reagent: crystal structure of $\{[\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2(p\text{-C}_6\text{H}_4(\text{CHSiMe}_3)_2)]\}$, 1801-8

Bifunctional activation of a carbonyl group in the pentanuclear carbido-clusters $[\text{Os}_5\text{C}(\text{CO})_{15}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}\text{I}_2]$ by alcohols: X-ray analysis of $[\text{Os}_5\text{C}(\text{CO})_{14}(\text{CO}_2\text{Et})\text{H}]$ and $[\text{Os}_5\text{C}(\text{CO})_{14}(\text{CO}_2\text{Me})\text{I}]$, 1809-14

Bimetallic systems. Part 6. Chromium(0)-, molybdenum(0)-, or tungsten(0)-platinum(II) acetylide complexes containing bridging Ph₂PCH₂PPh₂, including their efficient formation from platinum-silver complexes by transmetallation. Crystal structure of $[(p\text{-MeC}_6\text{H}_4\text{C}\equiv\text{C})\text{Pt}(\mu\text{-C}\equiv\text{C}_6\text{H}_4\text{Me})\text{P}(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2\text{W}(\text{CO})_2]$, 1815-22

New methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of $\{[\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{mpz})\text{O}(\text{Me})_2][\text{ClO}_4]\}$ (mpz = 3-methylpyrazolate), $\{[\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{Hdmpz})(\text{OH})_2][\text{BF}_4]\}$ (Hdmpz = 3,5-dimethylpyrazole), and $\{[\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{pz})_2(\text{OH})][\text{ClO}_4]\}$ (pz = pyrazolate), 1823-30

Synthesis and reactions of heterobimetallic manganese-palladium complexes. Crystal and molecular structure of $[\text{MnPdBr}(\text{CO})_2(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2]$, 1831-6

New carbide clusters in the cobalt subgroup. Part 12. Synthesis and X-ray characterization of the tetradecanuclear carbido-carbonyl cluster $[\text{Rh}_{14}\text{C}_2(\mu\text{-CO})_{11}(\text{CO})_{12}]^{2-}$, 1837-42

The replacement of one hydrido-ligand in $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}(\mu\text{-H})_2(\text{CO})_5]$ by MPPPh₃⁺ (M = Cu or Au). Crystal structure of $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}(\mu\text{-H})_2(\mu\text{-AuPPh}_3)(\text{CO})_5]$, the first gold-nickel-osmium cluster, 1843-8

Iridanoborane chemistry: preparation and characterization of some *arachno*-4-iridanoboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903-10

Studies of pendant-arm macrocyclic ligands. Part 1. Synthesis of two new penta-aza ligands, and observation of pH-dependent reversible equilibria between trigonal-bipyramidal and square-planar forms of their nickel(II) and copper(II) complexes. Crystal structure of a trigonal-bipyramidal nickel(II) complex, 1937-44

Hexacarbonyl complexes of dirhenium(I) containing E₂Ph₄ (E = P, As, or Sb) ligands: X-ray crystal structure of $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Sb}_2\text{Ph}_4)]$, 1945-50

Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalatostannates(II) and malonatostannates(II), 1965-8

Synthesis, structure, and isomerisation of triruthenium and trisodium clusters derived from 3-dimethylaminoprop-1-yne; X-ray crystal structure of $[\text{Ru}_3\text{H}(\text{CO})_6(\text{Me}_2\text{N}^+\text{C}\equiv\text{C}-\text{CH}_2)]$, 1981-6

Chemistry of metallacyclobutanones. Part 1. Synthesis and ring inversion of some highly puckered metallacyclobutan-3-one (slipped oxodimethylenemethane) complexes of platinum; crystal structure of 2,4-bis(methoxycarbonyl)-1,1-bis(triphenylphosphine)platinacyclobutan-3-one monohydrate, 1993-2002

Complexes of rhenium and osmium polyhydrides with metallic Lewis acids: X-ray crystal structure of $[\text{Ag}(\text{ReH}_4(\text{PPhPr}^t)_2)_2][\text{PF}_6]$, 2003-10

Preparation and crystal structures of $[\text{As}(\text{CF}_3)_3\text{O}(\text{OH})_2]$, $[\text{As}(\text{CF}_3)_3\text{O}(\text{OH})\text{Cl}]_2$, and $\text{As}_4(\text{CF}_3)_4\text{O}_6(\text{OH})_2$; a novel cage structure containing four- and six-co-ordinated arsenic, 2011-4

Crystal structure and variable-temperature hydrogen-1 nuclear magnetic resonance spectrum of (dimethylnitrosyl)-[methylidiphenylsilyl]bis(trimethylsilyl)methane, $\text{C}(\text{SiMe}_3)_2(\text{SiMePh})(\text{SiMe}_2\text{ONO})_2$, 2015-8

Aminodifluorophosphine: crystal and molecular structure at 95 K, and vibrational spectra of condensed phases, 2029-34

Reactions of *cis*-di-isocyanidebis(perfluorophenyl)gold(III) complexes with hydrazines. Crystal and molecular structure of *cis*-

$[\text{Au}(\text{C}(\text{NHC}_6\text{H}_4\text{Me}-p)=\text{N}-\text{N}(\text{Ph})\text{C}(\text{NHC}_6\text{H}_4\text{Me}-p))(\text{C}_6\text{F}_5)_2]$, 2035-8

Trisodium clusters with ligands derived from $\alpha\beta$ -unsaturated ketones. X-Ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_9]_3$, *cis*-MeC=CHCOMe and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2039-46
Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 5. Intramolecular rearrangements in the dinuclear platinum(IV) complexes of 1,3,5,7-tetrathioane. X-Ray crystal structure of

$\{[\text{PtClMe}_2]_2(\text{SCH}_2\text{SCH}_2\text{SCH}_2\text{SCH}_2)\}$, 2047-58

Evidence for through-space interactions between sulphur and nitrogen lone pairs in 2,2a,4,4a,6,6a-hexahydro-1,3,5-trithia-7-azacyclopenta[cd]pentane, 2073-6

Preparation and crystal structure of tri- μ -chloro-hexakis(tetrahydrofuran)dimagnesium(II) pentachloro(tetrahydrofuran)-titanate(IV), 2077-80

Preparation and structure of tetraphenylphosphonium aquatetrachlorothionitrosylruthenate, $[\text{PPh}_4][\text{Ru}(\text{NS})\text{Cl}_4(\text{H}_2\text{O})]$, 2081-4

Crystal structure of bis(2,2'-bipyridyl)monochlorocopper(II) hexafluorophosphate monohydrate at 298 K and the electron spin resonance spectra of some bis(2,2'-bipyridyl)copper(II) complexes to 4.2 K, 2087-92

Synthesis and co-ordination chemistry of a novel dinucleating chelating triazole ligand. The crystal structure of bis- μ -[4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole-*N'*, μ -*N'*, μ -*N'*, μ -*N'*]-bis[aquachloronickel(II)] dichloride tetrahydrate, 2093-8

Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9]$ with transition-metal hydrides: the X-ray crystal structures of $[\text{Os}_3\text{H}_2(\text{CO})_{10}(\text{Cu}(\text{PPh}_3))_2]$ and $[\text{Os}_3\text{H}_2(\text{CO})_{10}(\text{Ir}(\text{PPh}_3))_2]$, 2111-8

Synthesis and X-ray analysis of $[\text{PMePh}_3][\text{Os}_4\text{H}(\text{CO})_{12}]$ and $[\text{Os}_4\text{H}(\text{CO})_{12}\text{I}]$, 2151-62

Reactions of some iron and tungsten mercapto-complexes with electrophilic acetylenes leading to novel metallacycles. The crystal and molecular structure of the η^2 -vinyl complex $[\text{W}(\eta^2\text{-C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{C}(\text{OSMe})(\text{CO})_2(\eta^2\text{-C}_5\text{H}_5))]$, 2167-76

The preparation and co-ordination chemistry of 2,2':6,2'-terpyridine macrocycles. Part 3. Transient template effects involving dimethyltin(IV), 2177-86

Thermochromism in copper(II) complexes: spectroscopic, thermal, and electrical properties and room-temperature crystal structure of bis(2,2-dimethylpropane-1,3-diamine)copper(II) dinitrate, 2187-92

Synthesis of *cis*- $[\text{Pt}(\text{C}\equiv\text{CR})_2(\text{PPh}_3)_2]$ and *trans*- $[\text{PtCl}(\text{C}\equiv\text{CR})(\text{PPh}_3)_3]$ complexes. Crystal and molecular structures of *cis*- $[\text{Pt}(\text{CaC}(\text{OH})\text{Me})_2(\text{PPh}_3)_2]\cdot\text{H}_2\text{O}$, *trans*- $[\text{PtCl}(\text{C}\equiv\text{CC}(\text{OH})\text{Me})_2(\text{PPh}_3)_2]\cdot 0.5\text{PhMe}$, and *trans*- $[\text{PtCl}(\text{C}\equiv\text{CC}(\text{OH})\text{MeEt})(\text{PPh}_3)_2]\cdot\text{Me}_2\text{CO}$. Influence of bases and their concentration on the reactivity of *cis*- $[\text{PtCl}_2(\text{PPh}_3)_2]$, 2197-206

Preparation and co-ordination properties of *trans*-chloro[1-(*p*-methoxyphenylimino)-2-(methylimino)propyl]bis(triphenylphosphine)platinum. Crystal and molecular structure of the ionic compound

$[\text{PtCl}(\text{C}(\text{N}=\text{R})\text{CMe}=\text{NMe}[\text{Rh}(\text{CO})_2])(\text{PPh}_3)_2][\text{RhCl}_2(\text{CO})_2]$ (R = C₆H₄OMe-*p*), 2223-32

The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. X-Ray crystal and molecular structures of $[\text{Pd}(\{(\text{E})\text{-PhP}=\text{PPh}\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2))_2]$ and $[\text{Pd}(\{(\text{E})\text{-PhP}=\text{PPh}\}[\text{W}(\text{CO})_2]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2))]$, 2237-44

Macrocyclic polyphosphane ligands: synthesis and characterisation of three diastereoisomers of 5,8,16,19-tetraphenyl-1,12-dithia-5,8,16,19-tetraphosphacyclododecane and the X-ray crystal structure of a dinuclear nickel(II) complex of the β isomer, 2265-70

Preparation and crystal structure of a sulphynitrile complex of rhodium(I): *trans*- $[\text{Rh}(\text{CO})(\text{NSO})(\text{PPh}_3)_2]$, 2271-4

1- $[(\eta^3\text{-C}_3\text{R}_3)\text{Co}]_2\text{B}_4\text{H}_8$ (R = H or Me) sandwich complexes containing a square cyclic B₄H₈²⁻ ligand analogous to C₄H₄²⁻: structural and spectroscopic studies, 2275-80

Dinucleating macrocyclic Schiff bases derived from thiophene and their metal complexes: the crystal structures of a free macrocycle and of a disilver complex, 2281-8

CRYSTAL STRUCTURE (contd.)

- Compartmental ligands. Part 9. Crystal and molecular structure of 6,11-dimethyl-7,10-diazahexadeca-5,11-diene-2,4,13,15-tetraene and of the related mononuclear copper(II) complex having N_2O_2 occupancy, 2289–92
- Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organodiruthenium complexes: *X*-ray crystal structure of $[Ru_2(CO)_2(\mu-CO)(\mu-CH_2)(\eta-C_5H_5)_2]$, 2293–300
- X*-Ray evidence of intermolecular stacking interactions in a ternary complex. Crystal and molecular structure of the complex bis(*N*-benzyloxycarbonyl)glycinate(2,2'-bipyridine)(propan-2-ol)copper(II), 2319–24
- Synthesis and characterization of $[Cr(CO)_3\{S-CHCH=C(SEt)_2\}]$ and $[Cr(CO)_3\{S-C(SCH=CH_2)SEt\}]$ by ring-opening of 1,3-dithiolane-2-thione: crystal and molecular structure of $[Cr(CO)_3\{S-CHCH=C(SEt)_2\}]$, 2337–40
- η^5 -Cyclopentadienyl and η^5 -methylcyclopentadienyl 1,2-bis(dimethylphosphino)ethane complexes of titanium(II). The crystal structure of $Ti(C_5H_5Me)_2(dmpe)$, 2347–50
- Crystal and molecular structure of a complex bromide containing planar diaquadibromochromium(II) units, 2351–2
- Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[Cd(5'-UMP)(H_2O)_2] \cdot 2H_2O$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[Cd_2(5'-dUMP)_2(H_2O)_6]$: phosphate-only metal bonding (1984, 1401), 2353–4
- Synthesis, reactivity, and crystal and molecular structure of tetraphenyldibismuth, Bi_2Ph_4 , 2365–70
- Reaction of $[RhH(NH_2C_6H_4PPh_2-o)_2]Cl$ with air; characterisation of the products by *X*-ray structure analysis of *cis*- $[Rh(NH_2C_6H_4PPh_2-o)(NHC_6H_4PPh_2-o)Cl_2]$ and *trans*- $[Rh(NH_2C_6H_4PPh_2-o)_2Cl_2]$ [$\mu-MeC_6H_4SO_3$]-MeCN, 2377–82
- Studies of technetium complexes. Part 6. The preparation, characterisation, and electron spin resonance spectra of salts of tetrachloro- and tetrabromo-nitridotecnate(vi): crystal structure of tetraphenylarsonium tetrachloronitridotecnate(vi), 2395–400
- X*-Ray structural studies on free and co-ordinated 6-amino-8-mercaptopyrimidin cation in bismuth(III) complexes, 2401–8
- The synthesis of some bi- and tri-metallic clusters containing rhodium: *X*-ray crystal structures of $[MoRh_2(\mu_3-CO)_3(CO)_3(PPh_3)_3(\eta-C_5H_5)]CH_2Cl_2$ and $[MoRhPt(\mu-CO)_2(\mu-PPh_3)_2(\mu-1-o:1-2-\eta-C_6H_4PPh_3)_2(\eta-C_5H_5)]$, 2415–22
- The complex chemistry of scandium. Part 1. Preparation and properties of some scandium(III) complexes of polyamines. *X*-ray crystal structures of tri-nitrate(*OO'*) 2,2':6,2'-terpyridyl-*NN'* scandium(III) and [1,2-bis(pyridine- α -carbaldimino)ethane-*NN''* scandium(III)] di- μ -hydroxo-di-nitrate(*OO'*) dicanthium(III) dinitrate bis(acetonitrile), 2449–54
- Reactions of co-ordinated ligands. Part 31. The synthesis, structure, and protonation of the octamethyloctatrienediylidenedimolybdenum complex $[Mo_2(\mu-C_8Me_8)(\eta-C_5H_5)_2]$, evidence for three-centre carbon-hydrogen-molybdenum interactions, 2455–66
- Preparation and physico-chemical properties of the ternary complexes formed between adenine 5'-triphosphoric acid, bis(2-pyridyl)amine, and divalent metal ions. Crystal and molecular structures of the compounds containing Mg^{II} and Ca^{II} , 2467–76
- Iridanonaborane chemistry. Some reactions of *arachno*-4-iridanonaboranes: nuclear magnetic resonance investigations and the molecular structure of the *nido* nine-vertex species $[2,2,2-(CO)(PMe_3)_2-nido-2-IrB_9H_{11}]$, 2477–86
- The reactions of *arachno*-decaboranyl complexes $L_2B_{10}H_{12}$ (L = two-electron donor ligand) with some platinum(II) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of $[8-Cl-7,7-(PMe_2Ph)_2-nido-7-PtB_{10}H_{11}]$, 2487–96
- Hydrido-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: *X*-ray crystal structure of $[AuCr(\mu-H)(CO)_3(PPh_3)]$, 2497–504
- Synthesis and characterization of technetium(v) oxo-complexes with quadridentate schiff-base ligands: *X*-ray structures of μ -oxo-bis[oxo(*N,N'*-propane-1,3-diylbis(salicylideneiminato))]technetium(v) and chloro-oxo(*N,N'*-propane-1,3-diylbis(salicylideneiminato))]technetium(v), 2505–12
- Preparation, reactions, and nuclear magnetic resonance spectra of disubstituted derivatives of the octahydrotriborate(1-) ion, $[B_3H_6XX]^-$ ($X = Cl, X' = Cl, NCS, NCBH_3$, or $NCBH_2Cl$); molecular structure of $[B_3H_6Cl_2]^-$ and partial structure of $[B_3H_6Cl(NCS)]^-$, 2525–34
- Reactions of octacarbonyldicobalt with tetraphenyl derivatives of group 5A, including tetraphenyldibismuthine. Synthesis and crystal and molecular structure of tricarbonyl(diphenylbismuthido)(triphenylphosphine)cobalt(I), $[Co(BiPh_2)(CO)_3(PPh_3)]$, 2535–40
- The preparation and crystal structure of the 1:2 adduct of phosphorus trifluoride oxide and antimony pentafluoride, 2541–4
- Chemistry of Di- and Tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds $[AuW(\mu-CHR)(CO)_2(PPh_3)(\eta-C_5H_5)]-CH_2Cl_2$ and $[AuPtW(\mu_3-CR)(CO)_2(PMe_3)_3(\eta-C_5H_5)] [PF_6]^-$ ($R = C_6H_4Me-4$), 2545–52
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 32. Reactions of the rhodium-tungsten complex $[RhW(\mu-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5)(\eta-C_6H_5)]$ with alkynes: *X*-ray crystal structure of $[RhW(\mu-C(C_6H_4Me-4)(Ph)(Ph))(CO)_2(\eta-C_5H_5)(\eta-C_6H_5)]$, 2553–60
- Synthesis, crystal structure and some reactions of *trans*- $[Ir(CO)Cl_2(Pet_3)_2(PCI_2)]$, 2561–8
- Preparation and *X*-ray crystal structure of μ -chloro-bis[bis(imidazole)copper(II)] chloride, 2581–4
- Synthesis and crystal structure of $[W(SET)(PMe_2Ph)]_2(\mu-S)(\mu-SEt)_2$, 2585–8
- Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). *X*-ray crystal structure of the metallacycle $Os[(CH_2)_2SiMe_2](PMe_3)_4$, 2589–90
- Properties and structural characterization of copper(II) mixed complexes with 2,2':6,2'-terpyridyl and iminodiacetate or pyridine-2,6-dicarboxylate, 2625–30
- Reactions of acetylenes with noble-metal carbonyl halides. Part 7. Synthesis and chemical characterization of cationic and neutral tetrasubstituted cyclobutadiene complexes of platinum(II). *X*-Ray structure of dichloro(η^4 -1,2-dimethyl-3,4-diphenylcyclobutadiene)(triphenylphosphine)platinum(II), 2637–44
- Chemistry of platinum sulphido-complexes. Part 4. Dimeric μ -alkylsulphido-complexes: crystal and molecular structures of $[Pt_2(\mu-S)(\mu-SMe)(PPh_3)_4]PF_6 \cdot MeOH$ and *cis*- $[Pt_2(\mu-SMe)_2(NO_2)_2(PPh_3)_2]$, 2645–52
- Rhodium(I) and iridium(I) carbonyl complexes with sulphur-donor ligands: *X*-ray crystal structure of $[Rh(CO)_2(BuSCH=CHSBu)]ClO_4$, 2665–70
- Vanadium(II) porphyrins: synthesis and physicochemical properties. Crystal structures of bis(dimethylphenylphosphine)- and bis(tetrahydrofuran)-(2,3,7,8,12,13,17,18-octaethylporphyrinato)vanadium(II), 2677–82
- Reduction-oxidation properties of organotransition-metal complexes. Part 18. The stabilisation of paramagnetic cyclopentadienylrhodium compounds *via o*-quinone complexation: *X*-ray crystal structure of $[Rh(PPh_3)\{o-C(O)OC_6Cl_4O\}(\eta-C_5H_5)] \cdot 0.25CH_2Cl_2$, 2703–12
- The $[Os_3(\mu-H)(CO)_6(MeCN)_2]^+$ cation: synthesis and *X*-ray crystal structure of $[Os_3(\mu-H)(CO)_6(MeCN)_2][Os(CO)_2Cl_2]$, 2723–8
- Iron complexes of *N*(substituted thiosalicylidene)imines. Part 3. Structure, magnetism, and Mössbauer spectra of the complex chloro(*N,N'*-ethylenebis(thiosalicylideneiminato))iron(III), an intermediate-spin complex which exists in three crystalline forms, 2733–40
- Compartmental ligands. Part 10. Syntheses and crystal and molecular structures of the copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione and 1,3-bis(2-aminophenoxy)propane, and from pyrrole-2-carbaldehyde and 3,6-dioxaoctane-1,8-diamine, 2741–6
- Reactions of co-ordinated ligands. Part 32. The reaction of sulphur nucleophiles with cationic molybdenum alkyne complexes: alkyne rotation and the molecular structures of the complexes $[Mo(SC_6H_4NO_2-p)(POMe)_3](\eta^2-MeC_2Me)(\eta-C_5H_5)]$ and $[Mo(SC_6H_4SPh-o)(CO)(\eta^2-MeC_2Me)(\eta-C_5H_5)]$, 2747–56
- The analogy between alkenes and the dinuclear species $[MRh(\mu-CO)_2(\eta-C_5Me_5)_2]$ ($M = Co$ or Rh); dynamic nuclear magnetic resonance, *X*-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated $CoRh$ and Rh_2 fragments and the pentacarbonylmolybdenum group, 2757–64
- 1,2-bis(Dimethylphosphino)ethane (dmpe) alkyl compounds of zirconium(IV) and hafnium(IV). Crystal structures of $ZrMe_4(dmpe)_2$ and $Zr(CH_2Ph)_4(dmpe)$, 2789–94

CRYSTAL STRUCTURE (contd.)

- Heavy-metal macrocyclic complexes: crystal and molecular structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with $\text{Cd}(\text{NO}_3)_2$, HgCl_2 , PbCl_2 , and $\text{Pb}(\text{NO}_3)_2$, 2813–20
- Crystal structure and catalytic properties of a platinum-iridium mixed cluster, $[\text{Pt}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CO})_4(\text{PPh}_3)_2]$, 2851–4
- Preparation and crystal structures of two phosphorus-sulphur rings: (RPS)₂ and (RPS)₂ (R = $\text{C}_6\text{H}_5\text{Me}_2$ -2,4,6), 2855–8
- Reactions of olefin complexes with nitrene precursors. Synthesis of triazoline and aziridine complexes of palladium(II); crystal and molecular structure of *trans*-dichlorobis(11-phenyl-9,10,11-triazabicyclo[6.3.0]undec-9-ene-*N*)palladium-chloroform (1/2), 2409–14

CYANIDE

- Kinetics of the reactions of 5,7,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,14-dienickel(II) and 5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,11-dienickel(II) with cyanide, 121–4
- Crystal structures and spectroscopic properties of the polymeric adducts formed from $\text{Cu}(\text{CN})$ and $\text{Cu}(\text{NCS})$ with 2,9-dimethyl-1,10-phenanthroline, 785–92
- The shapes and energetics of dimeric lithium and sodium cyanides. *Ab initio* molecular-orbital calculations, 1279–82
- Preparation and properties of cyano(triphenylphosphoniummethanide)gold(II) and its oxidative-addition products with halogens, 2859

CYANOETHYL

- Structures, vibrational spectra, and ligand behaviour of tris(2-cyanoethyl)phosphine and its oxide, sulphide, and selenide, 1849–56

CYANOGEN

- Kinetics and mechanism of the oxidative addition of cyanogen to $[\text{Ni}(\text{CO})_2(\text{PPh}_3)_2]$, 2513–6

CYCLISATION

- Unexpected cyclisation of *N,N'*-diethylthiomalonamide. Crystal and molecular structure of $[\text{EtNHC}(\text{S})\text{CHC}(\text{S})\text{NHEt}]_2[\text{SnCl}_6]$, 1727–30

CYCLOBUTADIENE

- Reactions of acetylenes with noble-metal carbonyl halides. Part 7. Synthesis and chemical characterization of cationic and neutral tetrasubstituted cyclobutadiene complexes of platinum(II). *X*-ray structure of dichloro(η^5 -1,2-dimethyl-3,4-diphenylcyclobutadiene)(triphenylphosphine)platinum(II), 2637–44

CYCLOHEXENE

- The selective reduction of benzene to cyclohexene mediated by platinum metal complexes: *X*-ray crystal structure of $[(\eta^5\text{-C}_6\text{Me}_5)_3\text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{CH}_2\text{NO}_2)](\text{BF}_4)$, 1747–54

CYCLO-OCTADIENE

- Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(II), 1635–40

- Arene ligand exchange reactions in $(\eta^5\text{-cyclo-octa-1,5-diene})(\eta^6\text{-naphthalene})\text{ruthenium}(0)$: a convenient route to new ruthenium(0) complexes, 2255–8

CYCLO-OCTATRIENE

- Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(II), 1635–40

CYCLOPALLADIATION

- Cyclopalladiation of 4-methyl-4'-nitrodibenzyl sulphide, 99–102

CYCLOPENTADIENYL

- Cyclopentadienyl complexes of uranium(IV) chlorides. Crystal structures of trichloro(η^5 -cyclopentadienyl)bis(triphenylphosphine oxide)uranium(IV) tetrahydrofuran solvate and of trichloro(η^5 -cyclopentadienyl)bis(hexamethylphosphoramide)uranium(IV), 67–74

- Photochemistry of alkyltricarbonyl(η^5 -cyclopentadienyl)tungsten (alkyl = Et, Prⁿ, Prⁱ, Buⁿ, or CH₂Ph), tricarbonyl(η^5 -cyclopentadienyl)(phenyl)tungsten, tricarbonyl(η^5 -pentamethylcyclopentadienyl)(*n*-propyl)tungsten, and tricarbonyl(η^5 -cyclopentadienyl)(ethyl)molybdenum in gas matrices at 12 K and in solutions at 243 K, 175–86

- Photochemistry of tricarbonyl(η^5 -cyclopentadienyl)hydrido complexes of molybdenum and tungsten and of dicarbonyl(η^5 -cyclopentadienyl)(ethylene)hydridotungsten in solution and in frozen gas matrices at 12 K, 187–98

- Synthesis and some reactions of binuclear η -cyclopentadienyl rhodium complexes containing bis(diphenylphosphino)methane and small molecules (CO, SO₂, or SnCl₂) as bridging ligands. Crystal and molecular structure of $[\text{Rh}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CO})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)]$, 533–8

- Trithiocarbonate and dithiocarbonate complexes of η -cyclopentadienylcobalt(III): *X*-ray crystal structure of $[\text{Co}(\eta\text{-C}_5\text{H}_5)(\text{CNBu}^t)(\text{CS}_2)]$, 1111–6

- Bis(cyclopentadienyl)zirconium(III) complexes containing a metal-metal bond: synthesis and properties of zirconium(II) and zirconium(III) complexes, 1253–6

- Synthesis and reactivity of binuclear cyclopentadienylrhodium nitrosyl cations, and the *X*-ray structure of $[\text{Rh}_2(\mu\text{-CO})(\mu\text{-NO})(\eta\text{-C}_5\text{Me}_5)_2](\text{PF}_6)$, 1659–66

- Preparation, structural studies, and some reactions of new heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper; *X*-ray crystal structures of $[\text{MoRh}(\text{CO})(\mu\text{-CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$ and two isomers of $[\text{CuW}(\text{CO})_3(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1693–702

- A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{R})]$ (R = CMe_2Et or Buⁿ) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027–8

- The 1,5-sigmatropic shift of a BR₂ unit (R = H, F, OH, NH₂, Cl, or SH) over a cyclopentadiene system, 2233–6

- 1- $[(\eta^5\text{-C}_5\text{R}_5)\text{Co}]B_4H_8$ (R = H or Me) sandwich complexes containing a square cyclic $B_4H_8^{2-}$ ligand analogous to $C_4H_4^{2-}$: structural and spectroscopic studies, 2275–80

- Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organoruthenium complexes: *X*-ray crystal structure of $[\text{Ru}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-CH}_3)(\eta\text{-C}_5\text{H}_5)_2]$, 2293–300
- η^5 -Cyclopentadienyl and η^5 -methylcyclopentadienyl 1,2-bis(dimethylphosphino)ethane complexes of titanium(II). The crystal structure of $\text{Ti}(\text{C}_5\text{H}_5\text{Me})_2(\text{dmpe})$, 2347–50

- Reduction-oxidation properties of organotransition-metal complexes. Part 18. The stabilisation of paramagnetic cyclopentadienylrhodium compounds *via o*-quinone

complexation: *X*-ray crystal structure of $[\text{Rh}(\text{PPh}_3)_3(o\text{-C}(\text{O})\text{OC}_2\text{Cl}_4\text{O})(\eta\text{-C}_5\text{H}_5)] \cdot 0.25\text{CH}_2\text{Cl}_2$, 2703–12

CYCLOPENTENECARBODITHIOATE

- Chemistry of molybdenum. Part 2. Complexes of molybdenum with 2-aminocyclopent-1-ene-1-carbodithioate. Synthesis, characterisation, and electrochemical studies, 115–20

CYCLOPENTENEDITHIOCARBOXYLATE

- Metal complexes of sulphur-nitrogen chelating agents. Part 11. Synthesis, characterisation, and thermodynamics of nucleophilic substitution reactions of monohalogeno nickel(II) complexes of tridentate ligands of the type SNN in solution and the solid state, 1681–6

CYCLOPHOSPHATHIANE

- Preparation and crystal structures of two phosphorus-sulphur rings: (RPS)₂ and (RPS)₂ (R = $\text{C}_6\text{H}_5\text{Me}_2$ -2,4,6), 2855–8

CYCLOPHOSPHAZENE

- Adducts of silicon tetrafluoride with aminocyclophosphazenes: synthesis and characterization, 1787–90

CYCLOPROPANE

- The reaction of phosphines with $[\text{Fe}_2(\text{CO})_4\text{L}_2(\eta^5\text{-C}_{10}\text{H}_{16})]^{2+}$ [L = CO or P(OPh)₃]: cyclopropane ring-opening of the bicyclo[5.1.0]octadienyl groups, and the *X*-ray crystal structure of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-C}_{10}\text{H}_{16})(\text{PPh}_3)_2](\text{PF}_6)_2 \cdot 0.5\text{C}_6\text{H}_5\text{Me}$, 161–8

CYCLOTRIPHOSPHAZENE

- Controlled hydrolysis of hexachlorocyclophosphazene and related, sulphur-containing ring systems, 1027–32

Geminal

- bis[(triphenylphosphoranylidene)amino]cyclophosphazenes: synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521–6

- Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclophosphazene, 2843–6

CYCLOTRITHIAZOLE

- Preparation and *X*-ray crystal structure of $(\text{S}_3\text{N}_2)_2\text{NaSF}_6$, containing the bis(thiodithiazyl)aminium(1+) cation, 211–8
- Preparation and *X*-ray crystal structure of $(\text{S}_3\text{N}_2)_2\text{NaSF}_6$, containing the bis(thiodithiazyl)aminium(1+) cation (1984, 211), 1265–6

CYSTEINE ESTER

- Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh₃ by catalysis of $[\text{Mo}^{10}\text{O}_2(\text{Cys-OR})_2]$ (Cys-OR = S-deprotonated cysteine ester; R = Me, Et, Prⁿ, or CH₂Ph) in *N,N*-dimethylformamide, 1447–52

CYTOCHROME C

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 10. The assignment of binding sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners, 2775-80

DECATRIENE

Reactions of co-ordinated ligands. Part 31. The synthesis, structure, and protonation of the octamethylcyclotrienediylidenedimolybdenum complex $[\text{Mo}_2(\mu\text{-C}_8\text{Me}_8)(\eta\text{-C}_3\text{H}_5)_2]$, evidence for three-centre carbon-hydrogen-molybdenum interactions, 2455-66

DECHELATION

Kinetic study of acid dechelation of some vanadium(v)-aminocarboxylate complexes in aqueous solution, 239-44

DECOMPOSITION

Vibrational spectra of hydrazinium(1+) and hydrazinium(2+) hexafluorotitanates(iv) and the decomposition of hydrazinium(2+) hexafluorotitanate(iv) difluoride followed by Raman spectroscopy, 297-300

Decomposition reactions of cationic ruthenium formyl complexes, 1203-8

Nitrogen tracer studies on the decomposition of hydroxylamine in nitric acid, 2835-8

DEOXYGENATION

Deoxygenation reaction of 2-nitrophenol. Synthesis and X-ray

crystal structure of $[\text{Ru}(\text{OC}_6\text{H}_4\text{NO}_2)_2(\text{OC}_6\text{H}_4\text{NO}_2)_2(\text{CO})(\text{PPh}_3)_2]$, 735-8

The role of titanium and iron complexes in the deoxygenation of aromatic nitroso-compounds, 2577-80

DEUTERIUM

A mass spectrometric investigation of the exchange of deuterium with tetraborane(10) in the gas phase, 2435-8

DIALKYL CARBAMATE

N,N-Dialkylcarbamato-complexes of cobalt(II), 647-52

DIAMINE

Conformational changes of nickel(II) diamine complexes in the solid state, 2591-8

DIASTEREOISOMER

Synthesis and characterisation of the five diastereoisomers of 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane: crystal structure of the nickel bromide complex of the β -isomer, 575-80

Characterisation of $\text{cis}[\text{CoCl}_2\text{L}]^+$ and two diastereoisomeric $\text{trans}[\text{CoCl}_2\text{L}]^+$ complexes and studies of the aquation kinetics ($\text{L} = \text{C-meso-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane}$), 1921-6

Synthesis and aquation kinetics of the *cis*-dichloro- and three diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the macrocyclic ligand *C-rac-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane*, 1927-30

Macrocyclic polyphosphane ligands: synthesis and characterisation of three diastereoisomers of 5,8,16,19-tetraphenyl-1,12-dithia-5,8,16,19-tetraphosphacyclodocosane and the X-ray crystal structure of a dinuclear nickel(II) complex of the β isomer, 2265-70

DIASTEREOISOMERISM

Diastereoisomeric organophosphorus compounds. Part 4. Proton and phosphorus-31 nuclear magnetic resonance spectra of compounds of the type $[\text{RR}'\text{P}(\text{X})_2]\text{Y}$ and $[\text{RR}'\text{P}(\text{X})_2\text{Y}(\text{Z})\text{PRR}']$ ($\text{R} = \text{CH}_3$, $\text{R}' = \text{t-C}_4\text{H}_9$), 2803-12

DIAZABUTADIENE

Photochemistry of tricarbonyl(α -di-imine)iron complexes. New mechanistic aspects for CO photosubstitution in solution and evidence for π,π -co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005-18

DIAZOMETHANE

Organic chemistry of dinitrogen and related ligands. Part 6. Crystal and molecular structure of

$[\text{WBr}(\text{dppe})_2(\text{N}_2\text{CN}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe})][\text{PF}_6]$ ($\text{dppe} = \text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$), a complex in which fluxional behaviour results from steric destabilisation of the ground state, 1675-80

DIBENZOTELLUROLE

Donor-acceptor complexes of organotellurium compounds.

Physical studies: tellurium-125 Mössbauer spectroscopy for the measure of charge transfer. Crystal and molecular structure of the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-quinodimethane, 1267-74

DICHLOROPHOSPHIDE

Synthesis, crystal structure and some reactions of *trans*- $[\text{Ir}(\text{CO})\text{Cl}_2(\text{Pet}_3)_2(\text{PCl}_2)]$, 2561-8

DIENE

Complexations of 1,4-dienes to rhodium(I) pentane-2,4-dionates; thermal rearrangements of the complexes, 219-24

Reactions of co-ordinated ligands. Part 29. The formation of a 1,3-diene at a molybdenum centre by linking of but-2-yne with an alkene; X-ray crystal structures of $[\text{Mo}(\eta^2\text{-o-Ph}_2\text{PC}_6\text{H}_4\text{CH}=\text{CH}_2)(\eta^2\text{-MeC}_6\text{Me}_4)(\eta\text{-C}_3\text{H}_5)](\text{BF}_4)$ and $[\text{Mo}(\text{NCMe})(\eta^4\text{-o-MeCH}=\text{CMe}-\text{CH}=\text{CHC}_6\text{H}_4\text{PPh}_2)(\eta\text{-C}_3\text{H}_5)](\text{BF}_4)$, 441-50

Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation, 1171-80

The mechanism of displacement of diene from $[\text{M}(\eta^4\text{-diene})(\text{CO})_4]$ ($\text{M} = \text{Cr, Mo, or W}$, diene = norbornadiene; $\text{M} = \text{Mo}$, diene = cyclo-octa-1,5-diene) and the *cis* \rightleftharpoons *trans* isomerization of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes [$\text{L} = \text{PBu}_3$, $\text{P}(\text{OMe})_3$, or $\text{P}(\text{OPh})_3$], 1307-16

Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation (1984, 1171), 1785-6

DIETHYLENTRIAMINEPENTA-ACETATE

Spectroscopic studies of transition-metal ion complexes of diethylenetriaminepenta-acetic acid and diethylenetriaminepenta-methylphosphonic acid, 1133-8

DIETHYLENTRIAMINEPENTAMETHYLPHOSPHONATE

Spectroscopic studies of transition-metal ion complexes of diethylenetriaminepenta-acetic acid and diethylenetriaminepenta-methylphosphonic acid, 1133-8

DIFLUOROPHOSPHATE

Reactions of boron compounds with difluorophosphoric acid; characterisation of the tetrakis(difluorophosphato)borate anion by multinuclear (^{11}B , ^{19}F , and ^{31}P) nuclear magnetic resonance spectroscopy, 2719-22

DIHYDROGEN

The influence of molecular hydrogen on the reaction between $[\text{Ru}_3(\text{CO})_{12}]$ and $[\text{Ni}_2(\eta\text{-C}_3\text{H}_5)_2(\text{C}_2\text{Ph}_2)]$. Synthesis and crystal structure of the new heterometallic cluster $[\text{Ni}_2\text{Ru}_3(\eta\text{-C}_3\text{H}_5)_2(\text{CO})_6(\mu\text{-CO})_2(\mu_4\eta^4\text{-C}_3\text{Ph}_2)]$, 627-32

Solution photochemistry of tetrakis(tetrabutylammonium) decatungstate(vi) and catalytic hydrogen evolution from alcohols, 793-800

Photochemical hydrogen production from ascorbic acid catalysed by tris(2,2'-bipyridyl)ruthenium(II) and hydrottris(triethylphosphine)palladium(II), 809-14

Reactions of $[\text{Ni}_2(\eta\text{-C}_3\text{H}_5)_2(\text{HC}_2\text{C}(\text{CH}_3)_2\text{CH}_3)]$ with $[\text{M}_3(\text{CO})_{12}]$ ($\text{M} = \text{Ru or Os}$) in the presence of hydrogen. Synthesis and crystal structure of the new heterometallic complex $[\text{Ni}_2\text{Fe}_2(\eta\text{-C}_3\text{H}_5)_2(\text{CO})_6(\text{C}_2\text{H}_5\text{C}(\text{CH}_3)_2\text{CH}_3)]$ and spectroscopic characterization of a planar isomer, 1541-6

DIHYDROXYBENZENE

Mechanisms of reduction of a nickel(IV) oxime complex by 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 103-8

Kinetics and mechanisms of reduction of a sixdentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6

DI-IMINE

Photochemistry of tricarbonyl(α -di-imine)iron complexes. New mechanistic aspects for CO photosubstitution in solution and evidence for π,π -co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005-18

Preparation and co-ordination properties of *trans*-chloro[1-(*p*-methoxyphenylimino)-2-(methylimino)propyl]bis(triphenylphosphine)platinum. Crystal and molecular structure of the ionic compound

$[\text{PtCl}(\text{C}(\text{NR})\text{CMe}=\text{NMe}[\text{Rh}(\text{CO})_2])(\text{PPh}_3)_2][\text{RhCl}_2(\text{CO})_2]$ ($\text{R} = \text{C}_6\text{H}_4\text{OMe-p}$), 2223-32

DIMER

The shapes and energetics of dimeric lithium and sodium cyanides. *Ab initio* molecular-orbital calculations, 1279-82

DIMETALLA-ALKANE

Reactions of metallabromoalkanes $[\text{M}(\text{CH}_2)_n\text{Br}](\text{CO})_3(\eta\text{-C}_3\text{H}_5)]$ ($\text{M} = \text{Mo or W}$, $n = 3$ or 4) with transition metal anions.

Dimetalla-alkane and cyclic carbene complex formation. Crystal and molecular structures of $[(\eta\text{-C}_3\text{H}_5)\text{XOC}]_3$

DIMETALLA-ALKANE (contd.)

$\text{Mo}[(\text{CH}_2)_4]\text{Mo}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ and $[(\eta\text{-C}_5\text{H}_5)(\text{OC})\text{MoW}(\text{CO})_2\{\text{C}-\text{O}-(\text{CH}_2)_2\text{CH}_2\}(\eta\text{-C}_5\text{H}_5)]$, 273-8

DIMETHYLFORMAMIDE

The interaction of aliphatic amines with transition metal complexes of aromatic di-imines. Part 1. Kinetics and thermodynamics of reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation with aliphatic amines in dimethylformamide, 1105-10

DIMETHYLGLOXIMATE

Synthesis, structure, and solution behaviour of the compound *trans*-bis(dimethylglyoximate)(ethyl)(methyl 4-pyridinecarboximate)cobalt(III), 511-4

Evidence for *cis* effects in carbonyl complexes of bis(dimethylglyoximate)iron(II): a comment, 745-6

Studies in nickel(IV) chemistry. Part 4. Kinetics of the electron transfer from L-ascorbic acid to

tris(dimethylglyoximate)nickelate(IV) in aqueous medium, 1471-6

Kinetics of oxidation of hydrazine and of *t*-butylhydrazine using tris(dimethylglyoximate)nickelate(IV) in the presence of added Cu^{2+} (aq), 1477-84

DIMETHYL SULPHIDE

Studies of niobium selenido-halides: crystal structure of $[\text{Nb}_2\text{Cl}_4(\text{Se}_2)_2(\text{SMe}_2)_4]$, 1087-90

Fluorination of dimethyl sulphide. Formation of the fluorodimethylsulphonium cation, $[\text{Me}_2\text{SF}]^+$, and dimethylsulphur difluoride, Me_2SF_2 , 2827-34

DIMETHYL SULPHOXIDE

Polymeric complexes from molybdenum trioxide, with notes on derivatives and related compounds, 495-500

DINITROGEN

Spectroscopy of terminal dinitrogen complexes: nitrogen-15 and phosphorus-31 nuclear magnetic resonance, 469-74

Dinitrogen binding and electrochemistry in complexes of molybdenum and tungsten, 1703-8

Reactions between *trans*-bis[1,2-bis(diethylphosphino)ethane]bis(dinitrogen)molybdenum and hydrogen chloride in tetrahydrofuran: a mechanistic study, 2259-64

Nitrogen-15 nuclear magnetic resonance spectroscopy of dinitrogen-bridged complexes, 2429-34

Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729-32

DIOXANE

Electron spin resonance spectra and crystal and molecular structures of magnetic-dipole coupled bis(1,4-dioxane-*O*)bis[(*p*-methoxybenzoyl)trifluoroacetato-*O,O'*]copper(II) bis(1,4-dioxane) solvate and *catenic*- μ -(1,4-dioxane-*O,O'*)-bis[(*p*-nitrobenzoyl)trifluoroacetato-*O,O'*]copper(II), 943-52

DIOXIME

Kinetics and mechanisms of reduction of a sexidentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6

DIOXYGEN

Liposomal heme as oxygen carrier under semi-physiological conditions, 1147-52

Nickel(II), cobalt(II), and iron(II) lacunar complexes having very small cavities: syntheses, properties, and reactions with dioxygen, 1491-4

Synthesis of iron(II) 'C₂-capped strapped' porphyrin complexes and their reaction with dioxygen, 1739-46

Photochemically generated superoxides of rhodium(III), 1895-902

Synthesis and study of imidazole-bearing copper(I) complexes and their reversible reaction with dioxygen, 2207-22

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

Preparation of 6,6-diarylfulvene complexes of rhodium(I) and their reaction with dioxygen, 2423-8

DIPEPTIDE

Formation constants of silver(I) complexes of some sulphur-containing dipeptides and valylvaline, 2305-8

DIPHENYLBISMUTHIDE

Reactions of octacarbonyldicobalt with tetraphenyl derivatives of group 5A, including tetraphenyldibismuthine. Synthesis and crystal and molecular structure of tricarboxyl(diphenylbismuthido)(triphenylphosphine)cobalt(II), $[\text{Co}(\text{BiPh}_2\text{CO})_2(\text{PPh}_3)]$, 2535-40

DIPHENYLPHOSPHIDE

Synthesis, reactivity, and molecular and crystal structures of some trinuclear diphenylphosphido-bridged carbonyl derivatives of rhodium, 515-26

DIPHENYLPHOSPHINOUS ACID

Rhodium(-I) and (-III) complexes of diphenylphosphinous acid and secondary phosphites, 801-8

DIPHOSPHANE

Diastereoisomeric organophosphorus compounds. Part 4. Proton and phosphorus-31 nuclear magnetic resonance spectra of compounds of the type $[\text{RR}'\text{P}(\text{X})]_2\text{Y}$ and $\text{RR}'\text{P}(\text{X})\text{-Y-(Z)PRR}'$ ($\text{R} = \text{CH}_3$, $\text{R}' = \text{t-C}_4\text{H}_9$), 2803-12

DIPHOSPHENE

The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. X-Ray crystal and molecular structures of $[\text{Pt}(\text{E-PhP=PPh})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$ and $[\text{Pd}(\text{E-PhP=PPh})[\text{W}(\text{CO})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]]$, 2237-44

DIPHOSPHINE

Bimetallic systems. Part 3. Complexes containing the ligand bis(diphenylphosphino)methane bridging from the platinumacycle

$\text{PtCH}_2\text{CH}_2\text{CH}_2\text{CH}_2$ to another metal, 849-54

Bimetallic systems. Part 4. Synthesis and characterisation of mixed copper(I)-, silver(I)-, or gold(I)-platinum(II) acetylide complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, 855-62

Stable gold(I) complexes with chelate rings: solution studies of bis(phosphino)ethane complexes and X-ray crystal structure of bis[1,2-bis(diphenylphosphino)ethane]gold(I) hexafluoroantimonate-acetone (1/1), 969-74

Decomposition reactions of cationic ruthenium formyl complexes, 1203-8

Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209-14

Bimetallic systems. Part 5. Isonitrile-platinum(II)- or -palladium(II)-bis(diphenylphosphino)methane complexes including heterobimetallics with silver(I), gold(I), or rhodium(I), 1233-8

Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(II), 1635-40

Dinitrogen binding and electrochemistry in complexes of molybdenum and tungsten, 1703-8

Bimetallic systems. Part 6. Chromium(0)-, molybdenum(0)-, or tungsten(0)-platinum(II) acetylide complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, including their efficient formation from platinum-silver complexes by transmetalation. Crystal structure of $[(\mu\text{-MeC}_6\text{H}_4\text{C}\equiv\text{C})\text{Pt}(\mu\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2]\text{W}(\text{CO})_2$, 1815-22

Synthesis and reactions of heterobimetallic manganese-palladium complexes. Crystal and molecular structure of $[\text{MnPdBr}(\text{CO})_2(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2]$, 1831-6

Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067-72

Reactions between *trans*-bis[1,2-bis(diethylphosphino)ethane]bis(dinitrogen)molybdenum and hydrogen chloride in tetrahydrofuran: a mechanistic study, 2259-64

η^5 -Cyclopentadienyl and η^5 -methylcyclopentadienyl 1,2-bis(dimethylphosphino)ethane complexes of titanium(II). The crystal structure of $\text{Ti}(\text{C}_5\text{H}_4\text{Me})_2(\text{dmpe})$, 2347-50

1,2-bis(Dimethylphosphino)ethane (dmpe) alkyl compounds of zirconium(IV) and hafnium(IV). Crystal structures of $\text{ZrMe}_4(\text{dmpe})_2$ and $\text{Zr}(\text{CH}_2\text{Ph})_4(\text{dmpe})$, 2789-94

DISELENIDE

Studies of niobium selenido-halides: crystal structure of $[\text{Nb}_2\text{Cl}_4(\text{Se}_2)_2(\text{SMe}_2)_4]$, 1087-90

Synthesis and X-ray structure of $[\text{Ag}_2(\text{Ph}_2\text{X}_2)_4][\text{AsF}_6]_2$ ($\text{X} = \text{S}$ or Se); six-membered silver-sulphur and silver-selenium rings, 1781-4

DISPIROCYCLOTRIPHOSPHAZATRIENE

Studies of phosphazenes. Part 17. Reaction of hexachlorocyclophosphazatriene with *N*-methylethanamine: X-ray crystal structure of a dispirocyclophosphazatriene, $\text{N}_3\text{P}_3(\text{NMeCH}_2\text{CH}_2\text{O})_2\text{Cl}_2$, 621-6

DISPROPORTIONATION

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a comment, 743-2

DISPROPORTIONATION (contd.)

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a reply, 743-4

DISTIBANE

Hexacarbonyl complexes of dirhenium(I) containing E_2Ph_4 ($E = P, As, \text{ or } Sb$) ligands; X-ray crystal structure of $[Re_2Br_4(CO)_6(Sb_2Ph_4)]$, 1945-50

DISULPHIDE

Reactions of tetraphosphorus trisulphide with organic disulphides under ultraviolet irradiation, and with sulphuryl chloride, 1517-20

Synthesis and X-ray structure of $[Ag_2(Ph_2X_2)_4][AsF_6]_2$ ($X = S \text{ or } Se$); six-membered silver-sulphur and silver-selenium rings, 1781-4

DITELLURIDE

A kinetic and mechanistic study of the oxidative addition of diaryl ditellurides to *trans*-carbonylchlorobis(triphenylphosphine)iridium(I) in toluene, 1065-8

DITHIADIPHOSPHETANE

Preparation and crystal structures of two phosphorus-sulphur rings: $(PhP)_2S_2$ and $(PhP)_2S_4$, 723-6

DITHIAHEPTANE

Synthesis, structure, and spectroscopic properties of copper(II) compounds containing nitrogen-sulphur donor ligands; the crystal and molecular structure of aqua[1,7-bis(*N*-methylbenzimidazol-2'-yl)-2,6-dithiaheptane]copper(II) perchlorate, 1349-56

DITHIATETRAPHOSPHACYCLO-OCTADECANE

Synthesis and characterisation of the five diastereoisomers of 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane: crystal structure of the nickel bromide complex of the β -isomer, 575-80

Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995-8

DITHIATRIPHOSPHOLANE

Preparation and crystal structures of two phosphorus-sulphur rings: $(PhP)_2S_3$ and $(PhP)_2S_4$, 723-6

DITHIOBUTANOATE

The reaction of molybdenum and tungsten carbyne complexes with sulphur and selenium; crystal structures of $[Mo(\eta^2-(S_2CCH_2Bu'))(CO)_2(\eta^2-C_6H_5)]$ and $[W(\eta^2-(S_2CC_6H_4Me-4))(CO)_2(\eta^2-C_6H_5)]$, 1343-8

DITHIOCARBAMATE

A new series of neutral nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0) complexes: crystal and molecular structure of (*NN*-diethyldithiocarbamate-*SS*)nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0), 245-8

Synthesis and nuclear magnetic resonance study of the auranonaborane and diauradecaborane *arachno*-type compounds, $[4-(S_2CNEt_2)_2\text{-}arachno\text{-}4\text{-}AuB_{10}H_{12}]$ and $[6,9-(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_{10}H_{10}]$; crystal and molecular structure of $[6,9-(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_{10}H_{10}]$, 1427-32

Synthesis and X-ray structure of tris(*NN*-diethyldithiocarbamate)hydrogensulphidomolybdenum(IV)-tetrahydrofuran (1/1), 1463-6

DITHIOCARBAZATE

Platinum complexes of the methyl esters of dithiocarbamic acid and 3-phenyldithiocarbamic acid, 1293-300

DITHIOCARBONATE

Triithiocarbonate and dithiocarbonate complexes of η -cyclopentadienylcobalt(III): X-ray crystal structure of $[Co(\eta^5-C_5H_5)(CNBu)(CS_3)]$, 1111-6

DITHIOCARBOXYLATE

Synthesis of cationic palladium(II) and platinum(II) complexes with a monodentate trialkylphosphoniumdithiocarboxylate ligand: molecular structure of *trans*- $[Pd(C_6F_5)(PEt_3)_2(S_2C-PEt_3)]ClO_4 \cdot CHCl_3$, 35-50

DITHIOLATE

Studies on the salts of planar metal dithiolate anions with the redox active 3,7-bis(dimethylamino)phenothiazin-5-ium cation (methylene blue), 2333-6

DITHIOLYLUM

Unexpected cyclisation of *NN*'-diethyldithiomalonamide. Crystal and molecular structure of $[EtNH(CS)CH(CS)NHEt]_2[SnCl_4]$, 1727-30

DITHIOMALONAMIDE

Unexpected cyclisation of *NN*'-diethyldithiomalonamide. Crystal and molecular structure of $[EtNH(CS)CH(CS)NHEt]_2[SnCl_4]$, 1727-30

The production of class-II mixed-valence complexes in the redox reaction between dithiomalonamide and platinum(IV) or palladium(IV), 1975-80

DITHIO-OXAMIDE

Studies of dioxamide and dithio-oxamide metal complexes. Part 2. Synthesis and spectral characterisation of $RNHC(S)C(S)NHR$ ($R = \text{alkyl or aryl}$) complexes with SbX_3 ($X = Cl \text{ or } Br$), $BiCl_3$, SnX_4 ($X = Cl \text{ or } Br$), and $TiCl_4$. Crystal and molecular structures of *NN*'-di-isopropylidithio-oxamide (L^2) and $SbCl_3(L^2)_{1.5}$, 1717-22

Studies of dioxamide and dithio-oxamide metal complexes. Part 3. Confirmation of *NN*'-disubstituted dithio-oxamides as *SS*'-bidentate chelating ligands. Crystal and molecular structures of the six-co-ordinate tin(IV) complex $SnBr_4L^1$ ($L^1 = \text{NN'-di-n-butylidithio-oxamide}$) and the seven-co-ordinate bismuth(III) complex $BiCl_3(L^2)_2$ ($L^2 = \text{NN'-diethyldithio-oxamide}$), 1723-6

DITHIOTOLUATE

The reaction of molybdenum and tungsten carbyne complexes with sulphur and selenium; crystal structures of $[Mo(\eta^2-(S_2CCH_2Bu'))(CO)_2(\eta^2-C_6H_5)]$ and $[W(\eta^2-(S_2CC_6H_4Me-4))(CO)_2(\eta^2-C_6H_5)]$, 1343-8

EHMO

The analogy between alkenes and the dinuclear species $[MRh(\mu-CO)_2(\eta^2-C_5Me_5)_2]$ ($M = Co \text{ or } Rh$); dynamic nuclear magnetic resonance, X-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated $CoRh$ and Rh fragments and the pentacarbonylmolybdenum group, 2757-64

ELECTRICAL CONDUCTIVITY

Crystal structure and electrical conduction properties of $Rb[Pt(S_2C_2(CN)_2)_2] \cdot 2H_2O$. The precursor of a one-dimensional metal, 1759-62

ELECTROCHEMISTRY

Chemistry of molybdenum. Part 2. Complexes of molybdenum with 2-aminocyclopropyl-ene-1-carbodithioate. Synthesis, characterisation, and electrochemical studies, 115-20

Photochemistry of manganese porphyrins. Part 8. Electrochemistry, 141-6

Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(III) and -zirconium(III) derivatives $[M(\eta^5-C_5H_5)R_2]$ involving chelated phosphinomethyl ($R = CH_2PPh_2$) and phosphinoacetate ($R = O_2CCH_2PPh_2$) ligands, 915-8

Functional metal-porphyrine derivatives and their polymers. Part 11. Secondary fuel cells based on oxygen reduction at a platinum electrode modified by metal-2,9,16,23-tetracarboxyphthalocyanine covalently bound to poly(2-vinylpyridine-styrene), 1485-90

Oxidation and reduction behaviour of copper(II) complexes with open-chain analogues of tetra-aza macrocycles, 1495-500

Comparative electrochemistry of *cis*- $MoOS_2^{2+}$, MoO_4^{2+} , and MoS_2^{2+} centres in complexes of the type *cis*- $[MoY_2L_2]$ ($Y = O \text{ and/or } S$, $HL = 1\text{-hydroxypiperidine}$). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617-20

Dinitrogen binding and electrochemistry in complexes of molybdenum and tungsten, 1703-8

Iron hexacyanoferrate films: spectroelectrochemical distinction and electrodeposition sequence of 'soluble' (K^+ -containing) and 'insoluble' (K^+ -free) Prussian Blue, and composition changes in polyelectrochromic switching, 2059-62

Dinuclear metal complexes. Part 3. Preparation and properties of hydroxo-bridged dicopper(II) complexes, 2141-50

Complexation of the lanthanides by cryptand 2.2.2 in propylene carbonate: an electrochemical determination of the thermodynamic parameters, 2847-50

ELECTRON DIFFRACTION

Determination by electron diffraction of the molecular structure of tris(trimethylsilyl)methylphosphine in the gas phase, 689-94

The molecular structure of trimethylamine-gallane in the gas phase as determined by electron diffraction, 1755-8

ELECTRONIC

The crystal structure and electronic properties of bis(2,2'-bipyridyl)copper(II) bis(hexafluorophosphate), 1-6

The low-temperature crystal structure (203 and 123 K) and

ELECTRONIC (contd.)

- electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO_6 chromophore, 7-14
The crystal structure of bis(*N,N*-diethylethylenediamine)copper(II) dinitrate and the electronic properties of some square planar CuN_4 chromophores, 15-8

ELECTRON TRANSFER

- Kinetics of the electron-transfer reaction, iodine with cobalt(II) sepiolchrate, 479-82
Kinetics of the electron-transfer reaction of pentaammine(nitritotriacetato)cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6
Platinum complexes of the methyl esters of dithiocarbamic acid and 3-phenyldithiocarbamic acid, 1293-300
Studies in nickel(IV) chemistry. Part 4. Kinetics of the electron transfer from L-ascorbic acid to tris(dimethylglyoximate)nickelate(IV) in aqueous medium, 1471-6
Kinetics and mechanism of electron-transfer reactions of bis(1,4,7-triazacyclononane)nickel(II) and -(III) complexes, 1501-6
Excited state redox properties of phthalocyanines: influence of the axial ligand on the rates of relaxation and electron-transfer quenching of the lowest $^3\pi\pi^*$ excited state, 2137-40
Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631-6
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{dipic})_2]^{3-}$ (dipic = dipicolinate) (oxidants) and $[\text{Ru}(\text{NH}_3)_5(\text{py})]^{2+}$ (py = pyridine) (reductant), 2769-74
Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 10. The assignment of binding sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners, 2775-80

ELECTROPHILIC ATTACK

- Cyclopalladation of 4-methyl-4'-nitrodibenzyl sulphide, 99-102

ENONE

- Triosmium clusters with ligands derived from β -unsaturated ketones. X-Ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{cis-MeC}=\text{CHCOMe})]$ and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_5(\text{PMe}_2\text{Ph})]$, 2039-46

ENTHALPY

- Enthalpies of sublimation of transition metal complexes, 75-8

EQUILIBRIUM

- Scrambling equilibria of some dimetal decacarbonyls, 95-8
Stereochemistry and tautomeric equilibria of zinc(II) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033-40
Studies of Pendant-arm Macrocyclic Ligands. Part I. Synthesis of two new penta-aza ligands, and observation of pH-dependent reversible equilibria between trigonal-bipyramidal and square-planar forms of their nickel(II) and copper(II) complexes. Crystal structure of a trigonal-bipyramidal nickel(II) complex, 1937-44
Equilibria in complexes of N-heterocyclic molecules. Part 34. Iron binding by caerulomycins, 2245-8
Studies on metal carbonate equilibria. Part 10. A solubility study of the complex formation in the uranium(VI)-water-carbon dioxide (g) system at 25 °C, 2439-44

E.S.R.

- Chemistry of molybdenum. Part 2. Complexes of molybdenum with 2-aminocyclopent-1-ene-1-carbodithioate. Synthesis, characterisation, and electrochemical studies, 115-20
An electron spin resonance study of bis(tetraphenylarsonium)pentakis(isothiocyanato)nitrosyltechnetate(II): a six-co-ordinate low-spin $4d^5$ technetium(II) complex, 827-32
Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(III) and -zirconium(III) derivatives $[\text{M}(\eta^5\text{-C}_5\text{H}_5\text{R}_2)]$ involving chelated phosphinomethyl ($\text{R} = \text{CH}_2\text{PPh}_2$) and phosphinoacetate ($\text{R} = \text{O}_2\text{CCH}_2\text{PPh}_2$) ligands, 915-8
Electron spin resonance spectra and crystal and molecular structures of magnetic-dipole coupled bis(1,4-dioxane-*O*)bis[(*p*-methoxybenzoyl)trifluoroacetato-*O,O'*]copper(II) bis(1,4-dioxane) solvate and catena- μ -(1,4-dioxane-*O,O'*)-bis[(*p*-nitrobenzoyl)trifluoroacetato-*O,O'*]copper(II), 943-52
Electron spin resonance studies of a range of stannane radical cations, 1667-74
Crystal structure of bis(2,2'-bipyridyl)monochlorocopper(II) hexafluorophosphate monohydrate at 298 K and the electron spin resonance spectra of some bis(2,2'-bipyridyl)copper(II)

- complexes to 4.2 K, 2087-92

Iron(III) phthalocyanines: oxidation and spin states of iron in iron phthalocyanines with carboxyl groups, 2107-10

Electron addition to dirhodium complexes: an electron spin resonance study, 2193-6

Studies of technetium complexes. Part 6. The preparation, characterisation, and electron spin resonance spectra of salts of tetrachloro- and tetrabromo-nitridotechnetate(VI): crystal structure of tetraphenylarsonium tetrachloronitridotechnetate(VI), 2395-400

Properties and structural characterization of copper(II) mixed complexes with 2,2':6',2''-terpyridyl and iminodiacetate or pyridine-2,6-dicarboxylate, 2625-30

ETHANETHIOLATE

Synthesis and crystal structure of $[\{\text{W}(\text{SEt})\text{O}(\text{PMe}_2\text{Ph})\}_2(\mu\text{-S})(\mu\text{-SEt})_2]$, 2585-8

ETHANOL

Solid state and ethanolic solution behaviour of *N*-tosylglycinate-copper(II) complexes. Crystal and molecular structure of a strongly coupled polymeric *N*-tosylglycinatecopper(II) complex, 1687-92

ETHYLAMMONIUM

Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 2. Ethylammonium halides, 601-4

ETHYLENEDIAMINE

The co-ordination chemistry of divalent cobalt, nickel, and copper.

Part 10. Characterisation and stability constants of nickel(II) species isolated from a mixed-ligand solution: crystal structure of tris(1,2-diaminoethane)nickel(II) bis(pyridine-2,6-dicarboxylate)nickelate(II) tetrahydrate, 975-80

Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly basic aqueous solution containing carbonate ions, 2781-4

The interaction of aliphatic amines with transition-metal complexes of aromatic di-imines. Part 2. Concurrent nucleophilic attack at the central metal and co-ordinated ligand in the reaction between ethylenediamine and dichloro(5-nitro-1,10-phenanthroline)palladium(II) in dimethylformamide, 2785-8

ETHYLENEDIAMINETETRA-ACETATE

Kinetics of the decomposition and formation of ethylenedinitritotetra-acetovanadate(III) in dilute aqueous perchloric acid, 451-4

ETHYLENEDITHIOLATE

Crystal structure and electrical conduction properties of $\text{Rb}[\text{Pt}\{\text{S}_2\text{C}_2(\text{CN})_2\}_2]\cdot 2\text{H}_2\text{O}$. The precursor of a one-dimensional metal, 1759-62

ETHYNYL

Stereospecific transfer of ethynyl groups between platinum(II) and mercury(II), 199-204

Stereospecific transfer reactions of phenyl and ethynyl groups between platinum(II) atoms, 205-10

EXAFS

Structural characterization by X-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095-104

EXCHANGE

Exchange of bridging and terminal hydrides in $[\text{Co}(\text{terpy})(\text{H}_2\text{BH}_2)]$, 1257-60

Arene ligand exchange reactions in (η^6 -cyclo-octa-1,5-diene)(η^6 -naphthalene)ruthenium(0): a convenient route to new ruthenium(0) complexes, 2255-8

A mass spectrometric investigation of the exchange of deuterium with tetraborane(10) in the gas phase, 2435-8

Polyhydrated phases in the exchange of H^+ and K^+ in α -titanium phosphate, 2605-10

EXCITED STATE

Excited state redox properties of phthalocyanines: influence of the axial ligand on the rates of relaxation and electron-transfer quenching of the lowest $^3\pi\pi^*$ excited state, 2137-40

FLUORIDE

Preparation and characterization of the adduct $\text{UO}_2\text{F}_2\cdot\text{AsF}_5$, 93-4

Tetrakis(imidazole)copper(II) fluorides. The crystal and molecular structure of diaquatetrakis(imidazole)copper(II) difluoride, 429-32

Comparison of the thermochemistry of the difluorides and potassium hexafluorometallates(IV) of the elements of the germanium triad with that of the elements of the nickel triad: a

FLUORIDE (contd.)

- study of the inert-pair effect, 1393–400
- High oxidation state fluoro-rhenium species: preparation and characterization of $[\text{ReF}_6]^{+}$, $[\text{ReF}_5\text{O}]^{+}$, and $[\text{Re}_2\text{F}_9\text{O}_2]^{+}$, and the crystal structure of $[\text{Re}_2\text{F}_9\text{O}_2]^{+}[\text{Sb}_2\text{F}_{11}]^{-}$, 1411–6
- The vibrational spectrum of a strong O–H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625–8
- Synthesis of tetrafluoronickelate(II) and tetrafluorozincate(II) complexes from aqueous media: a novel route to fluorometalates, 1763–4
- Formation and characterization of uranium(VI) chloride fluorides, $\text{UF}_n\text{Cl}_{6-n}$ ($n = 1-5$), 2127–32
- Interaction between uranium pentafluoride and the pentafluorides of vanadium, arsenic, niobium, tantalum, and bismuth, and the tetrafluoride of sulphur, 2163–6
- Preparation and characterization of the adduct uranium pentafluoride-arsenic pentafluoride (1/1), 2345–6
- Synthesis and properties of chromium(VI) trifluoride oxide CrOF_3 and related oxo-anions, 2445–8
- The preparation and crystal structure of the 1:2 adduct of phosphorus trifluoride oxide and antimony pentafluoride, 2541–4
- Ligand properties of the $-\text{OSeF}_3$ and $-\text{OTeF}_3$ groups in pseudo-trigonal-bipyramidal molecules, 2821–6
- Fluorination of dimethyl sulphide. Formation of the fluorodimethylsulphonium cation, $[\text{Me}_2\text{SF}]^{+}$, and dimethylsulphur difluoride, Me_2SF_2 , 2827–34

FLUORINATION

- Fluorination of dimethyl sulphide. Formation of the fluorodimethylsulphonium cation, $[\text{Me}_2\text{SF}]^{+}$, and dimethylsulphur difluoride, Me_2SF_2 , 2827–34

FLUORINE

- A photoelectron spectroscopic study of the $(\text{FBS})_n$ system ($n = 1-3$), 1047–52
- Preparation and nuclear magnetic resonance study of phosphorus-fluorine compounds undergoing intramolecular exchange. Part 4. Rotameric forms of 1-piperidyltrifluorophosphoranes, 1547–54

FLUORINE-19

- Formation and characterization of uranium(VI) chloride fluorides, $\text{UF}_n\text{Cl}_{6-n}$ ($n = 1-5$), 2127–32

FLUXIONALITY

- The low-temperature crystal structure (203 and 123 K) and electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO_6 chromophore, 7–14
- Organic chemistry of dinitrogen and related ligands. Part 6. Crystal and molecular structure of
- $[\text{WBr}(\text{dppe})_2][\text{N}_2\text{CN}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}][\text{PF}_6]$ ($\text{dppe} = \text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$), a complex in which fluxional behaviour results from steric destabilisation of the ground state, 1675–80
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 5. Intramolecular rearrangements in the dinuclear platinum(IV) complexes of 1,3,5,7-tetrathioecane. X-Ray crystal structure of $[(\text{PtClMe}_3)_2(\text{SCH}_2\text{SCH}_2\text{SCH}_2\text{SCH}_2)]$, 2047–58

FORMATE

- Synthesis, X-ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato- O,O')hydridotetakis(trimethylphosphine)molybdenum(II), 695–700

FORMYL

- Decomposition reactions of cationic ruthenium formyl complexes, 1203–8
- Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209–14

FUEL CELL

- Functional metal-porphyrine derivatives and their polymers. Part 11. Secondary fuel cells based on oxygen reduction at a platinum electrode modified by metal-2,9,16,23-tetracarboxyphthalocyanine covalently bound to poly(2-vinylpyridine-styrene), 1485–90

FULVENE

- Preparation of 6,6-diarylfulvene complexes of rhodium(I) and their reaction with dioxygen, 2423–8

FURYLY

- Heteroarylthi compounds. Preparation and characterisation of

some 3-furylthi halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroarylthi compounds, 1889–94

GALLANE

- The molecular structure of trimethylamine-gallane in the gas phase as determined by electron diffraction, 1755–8

GALLIUM

- The molecular structure of trimethylamine-gallane in the gas phase as determined by electron diffraction, 1755–8

GERMANIUM

- Thermal behaviour of germanium bis(monohydrogenphosphate) monohydrate and characterization of derived germanium pyrophosphates, 527–32

- Comparison of the thermochemistry of the difluorides and potassium hexafluorometallates(IV) of the elements of the germanium triad with that of the elements of the nickel triad: a study of the inert-pair effect, 1393–400

GERMANIUM-73

- Application of proton polarization transfer to a high-spin nucleus, germanium-73, 133–40

GLYCINATE

- X-Ray evidence of intermolecular stacking interactions in a ternary complex. Crystal and molecular structure of the complex bis(*N*-benzyloxycarbonylglycinate)(2,2'-bipyridine)(propan-2-ol)copper(II), 2319–24

GLYCINE

- A kinetic and equilibrium study of the reaction of glycine with chromium(III) in aqueous solution, 1647–50

GLYCOLIC ACID

- Kinetics and mechanism of the oxidation of glycolic and glyoxylic acids by thallium(III) in acidic perchlorate solutions, 1867–72

GLYCYLGLYCINATE

- The palladium(II)-promoted hydrolysis of methyl and isopropyl glycyglycinate, 1083–6

GLYOXYLIC ACID

- Kinetics and mechanism of the oxidation of glycolic and glyoxylic acids by thallium(III) in acidic perchlorate solutions, 1867–72

GOLD

- Synthesis and reactivity of bimetallic Au–Ag polyfluorophenyl complexes: crystal and molecular structures of $[(\text{AuAg}(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_5))_2]$ and $[(\text{AuAg}(\text{C}_6\text{F}_5)_2(\text{C}_6\text{H}_5))_2]$, 285–92
- Bis[2-(phenylazo)phenyl- C^1N']gold(III) complexes. Crystal and molecular structure of bis[2-(phenylazo)phenyl- C^1N']gold(III) tetrachloroaurate, 557–62
- The redox behaviour of square-planar trans-dicyanodihaloaurate(III) complexes in acetonitrile, 715–8
- Synthesis of polynuclear complexes containing the tridentate bis(diphenylphosphino)methanide ligand. Crystal structures of the compounds $[(\text{C}_6\text{F}_5)_2\text{Au}(\text{Ph}_2\text{PCHPPH}_2)_2\text{Au}(\text{C}_6\text{F}_5)_2]$ and $[(\text{C}_6\text{F}_5)_2\text{Au}(\text{Ph}_2\text{PCHPPH}_2)_2\text{Au}(\text{Ph}_2\text{PCHPPH}_2)_2\text{Au}(\text{C}_6\text{F}_5)_2]\text{ClO}_4$, 839–44

- Stable gold(I) complexes with chelate rings: solution studies of bis(phosphino)ethane complexes and X-ray crystal structure of bis[1,2-bis(diphenylphosphino)ethane]gold(I)

- hexafluoroantimonate-acetone (1/1), 969–74
- Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group IB metal halide complexes $\text{MX}(\text{PPh}_3)_n$, 1249–52

- Synthesis and nuclear magnetic resonance study of the auranoborane and diauradecaborane *arachno*-type compounds, $[4-(\text{S}_2\text{CNEt}_2)\text{-arachno-4-AuB}_{10}\text{H}_{12}]$ and $[6,9-(\text{S}_2\text{CNEt}_2)_2\text{-arachno-6,9-Au}_2\text{B}_{10}\text{H}_{10}]$; crystal and molecular structure of $[6,9-(\text{S}_2\text{CNEt}_2)_2\text{-arachno-6,9-Au}_2\text{B}_{10}\text{H}_{10}]$, 1427–32

- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[\text{MoW}_2(\mu\text{-CR})_2(\mu\text{-CO})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{AuW}_2(\mu\text{-CR})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2][\text{PF}_6]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 1589–96

- Mössbauer and nuclear magnetic resonance spectroscopic studies on 'Myocrisin', 'Solganol', 'Auranofin', and related gold(I) thiolates, 1609–16

- Displacement by chloride of pyridine-2-carboxylate from dichloro(pyridine-2-carboxylato)gold(III) in acidic solution; the position of ring opening, 1641–6

- The replacement of one hydrido-ligand in $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_6]$ by MPPH_3^+ ($\text{M} = \text{Cu or Au}$). Crystal structure of

GOLD (contd.)

$[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}_2(\mu\text{-H})_2(\mu\text{-AuPPh}_3\text{CO})_2]$, the first gold-nickel-osmium cluster, 1843-8

Reactions of *cis*-di-isocyanidebis(perfluorophenyl)gold(III) complexes with hydrazines. Crystal and molecular structure of *cis*-

$[\text{Au}\{\text{C}(\text{NHC}_6\text{H}_4\text{Me-}p)\}\text{N-N}(\text{Ph})\{\text{C}(\text{NHC}_6\text{H}_4\text{Me-}p)\}(\text{C}_6\text{F}_5)_2]$, 2035-8

Hydride-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: X-ray crystal structure of $[\text{AuCr}(\mu\text{-H})(\text{CO})_2(\text{PPh}_3)]$, 2497-504

Chemistry of Di- and Tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds $[\text{AuW}(\mu\text{-CHR})(\text{CO})_2(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)]\text{-CH}_2\text{Cl}_2$ and $[\text{AuPtW}(\mu_3\text{-CR})(\text{CO})_2(\text{PMe}_3)_3(\eta\text{-C}_5\text{H}_5)]\text{PF}_6$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 2545-52

Preparation and properties of cyano(triphenylphosphoniomethanide)gold(I) and its oxidative-addition products with halogens, 2859

GOLD-197

Gold-197 Mössbauer and ^{31}P - ^1H nuclear magnetic resonance spectroscopic studies on gold(I) complexes with tertiary phosphines, 491-4

GRAPHITE

On the structure and properties of iron halide-graphite intercalates: a comparison of the reactivity of free and graphite-intercalated iron(III) chloride, 1283-92

GRIGNARD

Axially asymmetric metal alkyls. Part 2. Synthesis of the di-Grignard reagent $[\{\text{Mg}(\text{thf})_2\text{Cl}_2\text{R}\}]\text{[thf} = \text{tetrahydrofuran, R} = (2\text{-CH}_2\text{C}_6\text{H}_4)_2\text{ and 6,7-dihydro-5H-dibenzo}[c,e]\text{-silepines and -stannepines; X-ray crystal structures of } [\text{SnPh}_2\text{R}] \text{ and } \delta\text{-SS- and } \lambda\text{-RR-}[\text{SnPh}_2\{2\text{-CH}(\text{SiMe}_3)\text{C}_6\text{H}_4\}_2]$, 331-40

α -Lithium alkyls of α -trimethylsilyl-*p*-xylenes and the synthesis of *p*- $\text{C}_6\text{H}_4(\text{CH}_2\text{SnMe}_3)_2$ from a new di-Grignard reagent: crystal structure of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}\{p\text{-C}_6\text{H}_4(\text{CHSiMe}_3)_2\}]$, 1801-8

HAEM

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

HAFNIUM

Chemistry of *o*-xylidene-metal complexes. Part 2. Preparation and properties of the *o*-xylidene-metal(IV) complexes

$[\text{M}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o(\eta\text{-C}_5\text{H}_5\text{R}_2)]$ ($\text{M} = \text{Ti, Zr, Hf, or Nb; R} = \text{H or SiMe}_3$) and $[\text{M}'(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o)_2(\text{OC}_6\text{H}_5)_n]$ ($\text{M}' = \text{Ti, Zr, or Hf; X-ray crystal structures of the$

metallaindanes $[\text{M}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o(\eta\text{-C}_5\text{H}_5\text{R}_2)]$ ($\text{R} = \text{H, M} = \text{Ti, Zr, or Hf; R} = \text{SiMe}_3, \text{M} = \text{Nb}$), 399-414

1,2-bis(Dimethylphosphino)ethane (dmpe) alkyl compounds of zirconium(IV) and hafnium(IV). Crystal structures of $\text{ZrMe}_4(\text{dmpe})_2$ and $\text{Zr}(\text{CH}_2\text{Ph})_4(\text{dmpe})$, 2789-94

HALIDE

Cyclopentadienyl complexes of uranium(IV) chlorides. Crystal structures of trichloro(η^5 -cyclopentadienyl)bis(triphenylphosphine oxide)uranium(IV) tetrahydrofuran solvate and of trichloro(η^5 -cyclopentadienyl)bis(hexamethylphosphoramide)uranium(IV), 67-74

Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 2. Ethylammonium halides, 601-4

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a comment, 743-2

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a reply, 743-4

Some co-ordination compounds of TaCl_5S and TaBr_5S . X-Ray crystal structure of $[\text{TaCl}_5\text{S}(\text{PhSCH}_2\text{CH}_2\text{SPh})]$, 845-8

Tin-119 nuclear magnetic resonance studies of some mixed halogeno-complexes of tin(IV), 1245-8

Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group 1B metal halide complexes $\text{MX}(\text{PPh}_3)_2$, 1249-52

Novel tin(II) sites in X-ray crystal structures of the tin(II) halide sulphates $\text{K}_2\text{Sn}_2(\text{SO}_4)_3\text{X}$ ($\text{X} = \text{Br or Cl}$), 1301-6

Mercury(II) halide complexes of tertiary phosphines. Part 9. Study of the tria(2-cyanoethyl)phosphine complexes $[\text{HgX}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_m]$ ($\text{X} = \text{Cl, Br, or I; m} = 1 \text{ or } 2$);

Crystal structures of $[\text{HgBr}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2]\text{Me}_2\text{CO}$ and $[(\text{HgCl}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\})_2]$, 1621-4

Metal complexes of sulphur-nitrogen chelating agents. Part 11.

Synthesis, characterisation, and thermodynamics of nucleophilic substitution reactions of monohalogeno nickel(II) complexes of tridentate ligands of the type SNN in solution and the solid state, 1681-6

Studies of dioxamide and dithio-oxamide metal complexes. Part 2.

Synthesis and spectral characterisation of $\text{RNHC}(\text{S})(\text{S})\text{NHR}$ ($\text{R} = \text{alkyl or aryl}$) complexes with SbX_3 ($\text{X} = \text{Cl or Br}$), BiCl_3 , SnX_4 ($\text{X} = \text{Cl or Br}$), and TiCl_4 . Crystal and molecular structures of *NN*-di-isopropylidithio-oxamide (L^3) and $\text{SbCl}_3(\text{L}^3)$, 1717-22

Studies of dioxamide and dithio-oxamide metal complexes. Part 3.

Confirmation of *NN*-disubstituted dithio-oxamides as SS^2 -bidentate chelating ligands. Crystal and molecular structures of the six-co-ordinate tin(IV) complex SnBr_4L^1 ($\text{L}^1 = \text{NN}$ -di-n-butylidithio-oxamide) and the seven-co-ordinate bismuth(III) complex $\text{BiCl}_3(\text{L}^2)_2$ ($\text{L}^2 = \text{NN}$ -diethylidithio-oxamide), 1723-6

Heteroaryl tin compounds. Preparation and characterisation of some 3-furyl tin halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroaryl tin compounds, 1889-94

The production of class-II mixed-valence complexes in the redox reaction between dithiomalonamide and platinum(IV) or palladium(IV), 1975-80

Studies of technetium complexes. Part 6. The preparation, characterisation, and electron spin resonance spectra of salts of tetrachloro- and tetrabromo-nitridotechnetate(VI): crystal structure of tetraphenylarsonium tetrachloronitridotechnetate(VI), 2395-400

HALOGEN

Preparation and properties of cyano(triphenylphosphoniomethanide)gold(I) and its oxidative-addition products with halogens, 2859

HALOGENOMETALATE

Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometalates $[\text{CuI}_3]^{2-}$, $[\text{CuBr}_3]^{2-}$, and $[\text{AgI}_3]^{2-}$. Crystal structure of $[\text{PMePh}_2]_2[\text{CuI}_3]$, 37-46

HALOGENOMETHYL

Behaviour of α -functional organotransition metal compounds: nuclear magnetic resonance investigation of a novel Friedel-Crafts metallacyclisation of halogenomethyl(arylphosphine)platinum(II) complexes, 2019-26

HEME

Liposomal heme as oxygen carrier under semi-physiological conditions, 1147-52

HETEROCYCLE

Chemistry of 2,3-dihydro-2-methallaphenalenenes. Part 1. Synthesis of

$\text{CHRSiMe}_2\text{CHR}'\text{C}_{10}\text{H}_6$ ($\text{R} = \text{R}' = \text{H; R} = \text{R}' = \text{SiMe}_3$; and $\text{R, R}' = \text{H, SiMe}_3$) and formation of the compound,

$[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}\{\text{CHSiMe}_2\text{C}(\text{SiMe}_3)\text{C}_{10}\text{H}_6\}]$ via decomposition of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}\{1,8\text{-(CHSiMe}_3)_2\text{C}_{10}\text{H}_6\}]$; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311-20

Axially asymmetric metal alkyls. Part 2. Synthesis of the di-Grignard reagent $[\{\text{Mg}(\text{thf})_2\text{Cl}_2\text{R}\}]\text{[thf} = \text{tetrahydrofuran, R} = (2\text{-CH}_2\text{C}_6\text{H}_4)_2\text{ and 6,7-dihydro-5H-dibenzo}[c,e]\text{-silepines and -stannepines; X-ray crystal structures of } [\text{SnPh}_2\text{R}] \text{ and } \delta\text{-SS- and } \lambda\text{-RR-}[\text{SnPh}_2\{2\text{-CH}(\text{SiMe}_3)\text{C}_6\text{H}_4\}_2]$, 331-40

HETEROPOLYANION

Study of heteropolyanions by solid-state nuclear magnetic resonance spectroscopy, 2765-8

HEXACYANOFERRATE

Kinetics and mechanisms of redox reactions in aqueous solution.

Part 8. Osmium(VIII) catalysed oxidation of amino acids by alkaline hexacyanoferrate(III), 999-1004

Iron hexacyanoferrate films: spectroelectrochemical distinction and electrodeposition sequence of 'soluble' (K^+ -containing) and 'insoluble' (K^+ -free) Prussian Blue, and composition changes in polyelectrochromic switching, 2059-62

Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599-604

HEXAFLUOROTITANATE

Vibrational spectra of hydrazinium(1+) and hydrazinium(2+) hexafluorotitanates(iv) and the decomposition of hydrazinium(2+) hexafluorotitanate(iv) difluoride followed by Raman spectroscopy, 297–300

HISTIDINE

Studies on transition-metal-peptide complexes. Part 9. Copper(II) complexes of tripeptides containing histidine, 611–4

H.P.L.C.

Convenient preparation of cyclo-eicosasulphur (S_{20}) from bis(η -cyclopentadienyl)(peniasulphido)titanium(iv), 1775–8
Analysis of cobalt complexes by high-performance liquid chromatography using ion-pair reversed-phase, silica, or alumina columns, 2341–4

HYDRAZIDE

Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329–32

HYDRAZINE

Kinetics of the oxidation of hydrazine by periodate, 919–22
Quantum yields and reaction rates in the photo-oxidation of hydrazine by uranyl ion, 923–8
Kinetics of oxidation of hydrazine and of *t*-butylhydrazine using tris(dimethylglyoximate)nickelate(iv) in the presence of added Cu^{2+} (aq), 1477–84
Reactions of *cis*-di-isocyanidebis(perfluorophenyl)gold(III) complexes with hydrazines. Crystal and molecular structure of *cis*-



Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599–604

HYDRAZINIUM

Vibrational spectra of hydrazinium(1+) and hydrazinium(2+) hexafluorotitanate(iv) and the decomposition of hydrazinium(2+) hexafluorotitanate(iv) difluoride followed by Raman spectroscopy, 297–300

HYDRIDE

Photochemistry of tricarbonyl(η^5 -cyclopentadienyl)hydrido complexes of molybdenum and tungsten and of dicarbonyl(η^5 -cyclopentadienyl)ethylenehydridotungsten in solution and in frozen gas matrices at 12 K, 187–98

The chemistry of vitamin B₁₂. Part 24. Evidence for hydride complexes of cobalt(III) corrinoids, 595–600

Synthesis, X-ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato-*O,O'*)hydridotetrakis(trimethylphosphine)molybdenum(II), 695–700

Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-Ray crystal structure of the metallacycle $Os[(CH_2)_2SiMe_2](PMe_3)_4$, 877–82

Exchange of bridging and terminal hydrides in $[Co(terpy)(H_2BH_2)]$, 1257–60

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 26. Reactions of the compounds $[PtW(\mu-\sigma-\eta^5-CH(C_6H_4Me-4))_2(CO)_2(PR_3)_2(\eta-C_3H_5)]$ ($PR_3 = PMe_3, PMe_2Ph$, or $PMePh_2$) and $[PtW(\mu-\sigma-\eta^5-C(Me)C_6H_4Me-4)(CO)_2(PMe_3)_2(\eta-C_3H_5)]$ [SO_2CF_3] with nucleophiles; X-ray crystal structure of $[PtW(\mu-H)(\mu-CH(C_6H_4Me-4))_2(CO)_2(PMe_3)_2(\eta-C_3H_5)]$, 1571–80

Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(II), 1635–40

Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri- μ -chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis[*cis*-methyltetrakis(trimethylphosphine)ruthenium]mercury(II)-tetrahydrofuran(1/1), 1731–8

Preparation and crystal structure of nonacarbonyl-di- μ -hydrido- μ_3 -phenylimido-triangulo-triruthenium, $[Ru_3(\mu-H)_2-(CO)_9(\mu_3-NPh)]$, 1765–8

An unusual carbon-carbon σ -bond cleavage reaction on attempted methylation of the anionic alkene cluster $[Os_3H(\mu-CO)(CF_3(H)C-C(H)CF_3)(CO)_6]^-$; X-ray crystal structure of $[Os_3H(\mu_3-\sigma-\eta^2-C=CCF_3)(CO)_6]$, 1769–72

Reactions of bis(η -cyclopentadienyl)dihydrido-molybdenum and -tungsten with acetatotrimethyl-lead. X-Ray structure and reactivity of the demethylated lead product containing molybdenum-lead bonds: μ -diacetatoplumbio-bis[bis(η -cyclopentadienyl)hydridomolybdenum] $(2 Pb-Mo)$, 1791–4

The replacement of one hydrido-ligand in $[(\eta-C_3H_5)NiOs_3(\mu-H)_3(CO)_3]$ by $MPPPh_3$ ($M = Cu$ or Au). Crystal structure of $[(\eta-C_3H_5)NiOs_3(\mu-H)_2(\mu-AuPPh_3)(CO)_3]$, the first gold-nickel-osmium cluster, 1843–8

Metal-metal bond fission and the formation of triosmium-alkene complexes via the reaction of $[Os_3(\mu-H)(\mu_3-\eta^2-CF_3C-C(H)CF_3)(CO)_{10}]$ with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931–6

Synthesis, structure, and isomerisation of triruthenium and triosmium clusters derived from 3-dimethylaminoprop-1-yne; X-ray crystal structure of $[Ru_3H(CO)_6(Me_2N^+=C-C=CH_2)]$, 1981–6

Carbon-nitrogen bond cleavage in 1-dimethylaminobut-2-yne and derived ligands in triruthenium and triosmium clusters, 1987–92

Complexes of rhenium and osmium polyhydrides with metallic Lewis acids: X-ray crystal structure of $[Ag(ReH_4(PPhPr)_2)_2](PF_6)_2$, 2003–10

Triosmium clusters with ligands derived from $\alpha\beta$ -unsaturated ketones. X-Ray crystal structures of $[Os_3H(CO)_3(cis-MeC=CHCOMe)]$ and $[Os_3H(OH)(CO)_3(PMe_3Ph)]$, 2039–46

Dihydrido(pentamethylcyclopentadienyl)bis(triethylsilyl)iridium(v) and related triphenylsilyl-rhodium(v) and -iridium(v) complexes, 2063–6

Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067–72

Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[Os_3(\mu-H)_2(CO)_{10}]$ with transition-metal hydrides: the X-ray crystal structures of $[Os_3H_3(CO)_{10}(Cu(PPh_3))]$ and $[Os_3H_3(CO)_{11}(Ir(PPh_3))]$, 2111–8

Synthesis and X-ray analysis of $[PMePh_3][Os_8H(CO)_{22}]$ and $[Os_8H(CO)_{22}]$, 2151–62

Hydrido-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: X-ray crystal structure of $[AuCr(\mu-H)(CO)_3(PPh_3)]$, 2497–504

Reactions between carbonylhydridotris(triphenylphosphine)iridium(II) and difluorophosphine oxide, sulphide, and selenide: identification of ionic intermediates, 2569–72

Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-ray crystal structure of the metallacycle $Os[(CH_2)_2SiMe_2](PMe_3)_4$, 2589–90

The $[Os_3(\mu-H)(CO)_{10}(MeCN)_2]^+$ cation: synthesis and X-ray crystal structure of $[Os_3(\mu-H)(CO)_{10}(MeCN)_2][Os(CO)_2Cl_3]$, 2723–8

Arene-molybdenum chemistry: olefin and hydride derivatives, 2795–802

HYDRIDE ABSTRACTION

Regiospecific hydride abstraction from metallacycles: conversion of metallacyclopentanes to cationic π -allylic complexes, 2517–24

HYDROCARBON

Spectroscopic studies on C₂ hydrocarbon fragments. Part 2.

Vibrational group frequencies and carbon-13 nuclear magnetic resonance chemical shifts of cluster-bound C₂H_n ($n = 1-4$) fragments, 79–86

Insertion of unsaturated hydrocarbons into the platinum-nitrogen bond of $[Pt(PPh_3)_2(PhNO)]$, 355–8

HYDROGENATION

The stepwise hydrogenation of a nitrile on an osmium cluster: X-ray crystal structures of $[Os_3(\mu-H)(\mu-NHCH_2CF_3)(CO)_{10}]$, $[Os_3(\mu-H)_2(\mu_3-NCH_2CF_3)(CO)_9]$, and $[Os_3H(\mu-H)_3(\mu_3-NCH_2CF_3)(CO)_9]$, 433–40

Reactions of dienes with the ion $[Ir(PPh_3)_2(OCMe_2)_2H_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation, 1171–80

Reactions of dienes with the ion $[Ir(PPh_3)_2(OCMe_2)_2H_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation (1984, 1171), 1785–6

HYDROGEN BOND

The vibrational spectrum of a strong O-H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625–8

HYDROGEN BONDING

Crystal and supramolecular structures of complexes of BF_3NH_3 and BH_3NH_3 with 18-crown-6, 63–6

HYDROGEN BONDING (contd.)

Hydrogen bonds in $\text{Na}_2\text{S}_2\text{H}_2\text{O}_2$: X-ray diffraction and vibrational spectroscopic study, 1275-8

An X-ray study at 298 and 120 K of the strong, symmetrical NHN bond in hydrogen dithienuclidin-3-one perchlorate, 1795-800

HYDROGENSULPHIDE

Synthesis and X-ray structure of tris(*N,N*-diethylthiocarbamate)hydrogensulphidomolybdenum(IV)-tetrahydrofuran (1/1), 1463-6

HYDROLYSIS

The kinetics of base hydrolysis of chloropentakis(alkylamine)rhodium(III) ions, 385-8

Aluminium-27 nuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 6. Hydrolysis with sodium acetate, 981-4

Controlled hydrolysis of hexachlorocyclotriphosphazene and related, sulphur-containing ring systems, 1027-32

The palladium(II)-promoted hydrolysis of methyl and isopropyl glycylglycinate, 1083-6

The kinetics of base hydrolysis of *trans*-dichlorotetrakis(alkylamine)rhodium(III) ions, 1117-22

HYDROXIDE

New methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2\}_2(\text{mpz})(\text{OMe})_2][\text{ClO}_4]$ (mpz = 3-methylpyrazolate), $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{Hdmpz})(\text{OH})_2\}_2][\text{BF}_4]$ (Hdmpz = 3,5-dimethylpyrazole), and $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{pz})_2(\text{OH})\}_2][\text{ClO}_4]$ (pz = pyrazolate), 1823-30

Preparation and crystal structures of $[\text{As}(\text{CF}_3)_2\text{O}(\text{OH})_2]_2$, $[\text{As}(\text{CF}_3)_2\text{O}(\text{OH})\text{Cl}]_2$, and $\text{As}_4(\text{CF}_3)_6\text{O}_6(\text{OH})_2$; a novel cage structure containing four- and six-co-ordinated arsenic, 2011-4

Triosmium clusters with ligands derived from α -unsaturated ketones. X-Ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{cis-MeC}=\text{CHCOMe})]$ and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2039-46

Dinuclear metal complexes. Part 3. Preparation and properties of hydroxo-bridged dicopper(II) complexes, 2141-50

The complex chemistry of scandium. Part 1. Preparation and properties of some scandium(III) complexes of polyamines. X-ray crystal structures of tri-nitrate(*OO'*) 2,2':6',2"-terpyridyl-*NN'N'* scandium(III) and [1,2-bis(pyridine-*a*-carbaldimino)ethane-*NN'N'*]-di- μ -hydroxo-di-nitrate-*OO'* scandium(III) dinitrate bis(acetonitrile), 2449-54

Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly basic aqueous solution containing carbonate ions, 2781-4

HYDROXY-ACID

Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631-6

HYDROXYAPATITE

Barium calcium hydroxyapatite solid solutions, 1091-4

HYDROXYLAMINE

Nitrogen tracer studies on the decomposition of hydroxylamine in nitric acid, 2835-8

HYDROXYPIPERIDINE

Comparative electrochemistry of *cis*- MoOS^{2+} , MoO_2^{2+} , and MoS_2^{2+} centres in complexes of the type *cis*- $[\text{MoY}_2\text{L}_2]$ (Y = O and/or S, HL = 1-hydroxypiperidine). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617-20

IMIDAZOLE

Tetrakis(imidazole)copper(II) fluorides. The crystal and molecular structure of diaquatetrakis(imidazole)copper(II) difluoride, 429-32

Synthesis and study of imidazole-bearing copper(I) complexes and their reversible reaction with dioxygen, 2207-22

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

Preparation and X-ray crystal structure of μ -chloro-bis[bis(imidazole)copper(II)] chloride, 2581-4

IMIDE

Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329-32

IMINODIACETATE

Some aspects of the radiolysis of cobalt(II) iminodiacetate in aqueous solution, 1629-34

Properties and structural characterization of copper(II) mixed complexes with 2,2':6',2"-terpyridyl and iminodiacetate or pyridine-2,6-dicarboxylate, 2625-30

INDENYL

Stereochemical non-rigidity of the indenyl ligand in the compound $[\text{CrRh}(\mu\text{-CO})_2(\text{CO})_2(\eta\text{-C}_9\text{H}_7)(\eta\text{-C}_6\text{H}_5\text{Me}_3, 1,3,5)]$, 1261-4

INELASTIC SCATTERING

Nb_6I_{11} , $\text{DNb}_6\text{I}_{11}$, and $\text{HNb}_6\text{I}_{11}$: a powder neutron diffraction and inelastic scattering study, 501-6

I.N.E.P.T.

Application of proton polarization transfer to a high-spin nucleus, germanium-73, 133-40

INERT PAIR EFFECT

Comparison of the thermochemistry of the difluorides and potassium hexafluorometallates(IV) of the elements of the germanium triad with that of the elements of the nickel triad: a study of the inert-pair effect, 1393-400

INSERTION

Insertion of unsaturated hydrocarbons into the platinum-nitrogen bond of $[\text{Pt}(\text{PPh}_3)_2(\text{PhNO})]$, 355-8

INTERCALATE

On the structure and properties of iron halide-graphite intercalates: a comparison of the reactivity of free and graphite-intercalated iron(III) chloride, 1283-92

INTERMEDIATE

Dinuclear intermediates in the oxidation of pendant olefinic groups of palladium(II)-co-ordinated Schiff-base ligands, 615-20

Kinetics of the electron-transfer reaction of penta-ammine(nitritotriacetato)cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6

INTRAMOLECULAR CATALYSIS

Intramolecular catalysis of olefin exchange in *trans*-dichloro(η -olefin)(pyridine)platinum(II) complexes by the hydroxy-group of a side chain in the 2-position of the pyridine ligand, 169-74

INVERSION

Nuclear magnetic resonance studies of pyramidal inversion in complexes of tricarbonylrhenium(I) halides with aliphatic and aromatic mixed thio-seleno ethers, 365-70

IODIDE

Nb_6I_{11} , $\text{DNb}_6\text{I}_{11}$, and $\text{HNb}_6\text{I}_{11}$: a powder neutron diffraction and inelastic scattering study, 501-6

Secondary bonding. Part 12. Aryltellurium iodides: crystal and molecular structures of *cis*- and *trans*-phenyltellurium(IV) tri-iodide and two modifications of diphenyltellurium(IV) di-iodide, 869-76

Co-ordination chemistry of higher oxidation states. Part 11. The reaction of nickel(II) iodo-complexes with molecular iodine; crystal and molecular structure of $[\text{Ni}\{\text{o-C}_6\text{H}_4(\text{PMe}_2)_2\}_2][\text{I}_3]_2 \cdot 2\text{H}_2\text{O}$, 1433-40

On the kinetics of the periodate + iodide reaction, 1773-4

Synthesis and X-ray analysis of $[\text{PMePh}_3][\text{Os}_3\text{H}(\text{CO})_{12}]$ and $[\text{Os}_3\text{H}(\text{CO})_{12}\text{I}]$, 2151-62

IODINE

Kinetics of the electron-transfer reaction, iodine with 'cobalt(II) sepulchrate', 479-82

Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*p*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyltrifluoroacetoxytellurium] hydrate, and [bis(trifluoroacetoxy)iodo]benzene, 1709-16

On the kinetics of the periodate + iodide reaction, 1773-4

I.R.

Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometallates $[\text{CuI}_3]^{2-}$, $[\text{CuBr}_3]^{2-}$, and $[\text{AgI}_3]^{2-}$. Crystal structure of $[\text{PMePh}_3]_2[\text{CuI}_3]$, 37-46

Spectroscopic studies on C_2 hydrocarbon fragments. Part 2. Vibrational group frequencies and carbon-13 nuclear magnetic resonance chemical shifts of cluster-bound C_2H_n ($n = 1-4$) fragments, 79-86

Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for $[\text{Ru}_3(\text{CO})_{12}]$ in the CO stretching region, 155-60

Spectroscopic studies on adsorbed metal carbonyls. Part 1. Interaction of $[\text{Rh}_4(\text{CO})_{12}]$ and $[\text{Rh}_6(\text{CO})_{16}]$ with alumina, silica, and titania, 587-94

The infrared spectra of alkali metal hexafluorouranates(V). An example of dependence of molecular geometry on matrix gas, 711-4

The vibrational spectra of some tetrachlorides in rare gas matrices with particular reference to the molecular shapes of ThCl_4 and UCl_4 , 819-26

I.R. (contd.)

- Organometallic compounds. Crystal structure and spectroscopic properties of (isopropylthio)mercury(II) chloride, 953-8
- Barium calcium hydroxyapatite solid solutions, 1091-4
- Spectroscopic studies on adsorbed metal carbonyls. Part 2. Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123-32
- Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group 1B metal halide complexes $\text{MX}(\text{PPh}_3)_n$, 1249-52
- Silver(I) isocyanide complexes: spectroscopic features and reactions with neutral ligands, 1317-22
- Structural studies of matrix-isolated alkali-metal perchlorates: proof of a bidentate interaction, 1363-6
- Resonance-Raman and infrared spectra of the dimeric iron-chalcogenide complexes $[\text{Fe}_2\text{X}_2(\text{YR})_4]^{2-}$ (X and Y = S or Se), 1507-16
- The vibrational spectrum of a strong O-H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625-8
- Structures, vibrational spectra, and ligand behaviour of tris(2-cyanoethyl)phosphine and its oxide, sulphide, and selenide, 1849-56
- Aminodifluorophosphine: crystal and molecular structure at 95 K, and vibrational spectra of condensed phases, 2029-34

IRIDANONABORANE

- Iridanonaborane chemistry: preparation and characterization of some *arachno*-4-iridanonaboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903-10
- Iridanonaborane chemistry. Some reactions of *arachno*-4-iridanonaboranes: nuclear magnetic resonance investigations and the molecular structure of the *nido* nine-vertex species $[\text{2,2,2}-(\text{CO})(\text{PMe}_3)_2\text{-nido-2-IrB}_9\text{H}_{11}]$, 2477-86

IRIDIUM

- Kinetics of electron-transfer reactions of *para*-substituted phenols $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$ with $[\text{Fe}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline) and with $[\text{IrCl}_6]^{2-}$ in aqueous acidic solutions: correlation between the Hammett constant of X and the one-electron redox potential of $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$, 341-4
- Synthesis and properties of tetramethyl(η^5 -pentamethylcyclopentadienyl)iridium(V), dimethyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)iridium(IV), and related complexes from reactions of di- μ -chloro-dichlorobis(η^5 -pentamethylcyclopentadienyl)iridium(III) with hexamethyldialuminium, 929-34
- A kinetic and mechanistic study of the oxidative addition of diaryl ditellurides to *trans*-carbonylchlorobis(triphenylphosphine)iridium(I) in toluene, 1065-8
- Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation, 1171-80
- Heterobinuclear complexes formed from [3,6-bis(2-pyridyl)pyridazine]nitrosylbis(triphenylphosphine)iridium(2+) and palladium(II) or platinum(II), 1417-20
- The selective reduction of benzene to cyclohexene mediated by platinum metal complexes: X-ray crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\eta^5\text{-C}_5\text{H}_6\text{CH}_2\text{NO}_2)](\text{BF}_4)$, 1747-54
- Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation (1984, 1171), 1785-6
- Electronic structure and reactivity of pentamethylcyclopentadienyl complexes of cobalt, rhodium, and iridium: He-I and He-II photoelectron spectroscopic investigation, 1877-82
- Iridanonaborane chemistry: preparation and characterization of some *arachno*-4-iridanonaboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903-10
- Dihydrodi(pentamethylcyclopentadienyl)bis(triethylsilyl)iridium(V) and related triphenylsilyl-rhodium(V) and -iridium(V) complexes, 2063-6
- Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with $[\text{IrCl}_6]^{2-}$, $[\text{Co}(\text{C}_2\text{O}_4)_3]^{3-}$, and aquavanadium(IV), 2099-106
- Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}]$ with transition-metal hydrides: the X-ray crystal structures of $[\text{Os}_3\text{H}_3(\text{CO})_{10}(\text{Cu}(\text{PPh}_3))]^{+}$ and $[\text{Os}_3\text{H}_3(\text{CO})_{11}(\text{Ir}(\text{PPh}_3))]^{+}$, 2111-8
- Synthesis and tin-119 nuclear magnetic resonance studies of

trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2329-32

- Iridanonaborane chemistry. Some reactions of *arachno*-4-iridanonaboranes: nuclear magnetic resonance investigations and the molecular structure of the *nido* nine-vertex species $[\text{2,2,2}-(\text{CO})(\text{PMe}_3)_2\text{-nido-2-IrB}_9\text{H}_{11}]$, 2477-86
- Regiospecific hydride abstraction from metallacycles: conversion of metallacyclopentanes to cationic π -allylic complexes, 2517-24
- Synthesis, crystal structure and some reactions of *trans*- $[\text{Ir}(\text{CO})\text{Cl}_2(\text{Pet}_3)_2(\text{PCl}_2)]$, 2561-8
- Reactions between carbonylhydridotris(triphenylphosphine)iridium(I) and difluorophosphine oxide, sulphide, and selenide: identification of ionic intermediates, 2569-72
- Rhodium(I) and iridium(I) carbonyl complexes with sulphur-donor ligands: X-ray crystal structure of $[\text{Rh}(\text{CO})_2(\text{Bu}^t\text{SCH-CHSBU}^t)]\text{ClO}_4$, 2665-70
- Crystal structure and catalytic properties of a platinum-iridium mixed cluster, $[\text{Pt}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_4(\text{PPh}_3)_3]$, 2851-4

IRON

- The reaction of phosphines with $[\text{Fe}_2(\text{CO})_4\text{L}_2(\eta^5\text{-C}_5\text{H}_5)_2]^{2+}$ [L = CO or P(OPh)₃]; cyclopropane ring-opening of the bicyclo[5.1.0]octadienyl groups, and the X-ray crystal structure of $[\text{Fe}_2(\text{CO})_6(\eta^5\text{-C}_5\text{H}_5)_2(\text{PPh}_3)_2][\text{PF}_6]_2 \cdot 0.5\text{C}_6\text{H}_5\text{Me}$, 161-8
- A new series of neutral nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0) complexes: crystal and molecular structure of (*NN*-diethylthiocarbamate-*SS'*)nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0), 245-8
- The structure of the mixed-metal cluster anion $[\text{FeOs}_3\text{H}(\text{CO})_{13}]^-$ as its $[\text{N}(\text{PPh}_3)_2]^+$ salt, 301-4
- Kinetics of electron-transfer reactions of *para*-substituted phenols $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$ with $[\text{Fe}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline) and with $[\text{IrCl}_6]^{2-}$ in aqueous acidic solutions: correlation between the Hammett constant of X and the one-electron redox potential of $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$, 341-4
- Alkane (or arene)-sulphinato and -sulphonato-iron(III) porphyrins: synthesis and physicochemical properties; crystal structure of benzenesulphinato(5,10,15,20-tetraphenylporphyrinato)iron(III), 567-74
- Synthesis of styrylcycloheptatriene derivatives via the electrophilic addition of tropylium ions to $[\text{Fe}(\text{CO})_5(\eta^4\text{-C}_8\text{H}_8)]$: X-ray crystal structure of tricarbonyl(1-4- η^7 -styrylcyclohepta-1,3,5-triene)iron, 683-8
- Carbon monoxide reduction. $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}]$: reactions and formation by reduction of the complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})]\text{PF}_6$, 701-10
- Evidence for *cis* effects in carbonyl complexes of bis(dimethylglyoximate)iron(II): a comment, 745-6
- Zwitterionic adducts from trialkylphosphine and (η -allyl)dibenzylideneiron(II) complexes: structure and reactivity, 815-8
- Photochemistry of tricarbonyl(α -di-imine)iron complexes. New mechanistic aspects for CO photostitution in solution and evidence for π , π -co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005-18
- Liposomal heme as oxygen carrier under semi-physiological conditions, 1147-52
- On the structure and properties of iron halide-graphite intercalates: a comparison of the reactivity of free and graphite-intercalated iron(III) chloride, 1283-92
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging tolylmethylidyne ligands: crystal structures of $[\text{FeW}(\mu\text{-Cl})(\text{C}_6\text{H}_5\text{Me-4})\text{-C}(\text{Me})\text{C}(\text{Me})(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Fe}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-Me}_2\text{SiC}_2\text{SiMe}_3)_2(\mu\text{-CO})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$, 1383-92
- Photo-oxidation of iron(II) in water between pH 7.5 and 4.0, 1441-6
- Resonance-Raman and infrared spectra of the dimeric iron-chalcogenide complexes $[\text{Fe}_2\text{X}_2(\text{YR})_4]^{2-}$ (X and Y = S or Se), 1507-16
- Reactions of $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)_2(\text{HC}_2\text{Cl}=\text{CH}_2\text{CH}_3)]$ with $[\text{M}_2(\text{CO})_{12}]$ (M = Ru or Os) in the presence of hydrogen. Synthesis and crystal structure of the new heterotetrametallic complex $[\text{Ni}_2\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\text{C}_2\text{H}_4\text{Cl}=\text{CH}_2\text{CH}_3)]$ and spectroscopic characterization of a planar isomer, 1541-6
- Synthesis of iron(II) 'C₂-capped strapped' porphyrin complexes and

IRON (contd.)

their reaction with dioxygen, 1739-46

A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{R})]$ ($\text{R} = \text{CMe}_2\text{Et}$ or Bu^n) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027-8

Iron hexacyanoferrate films: spectroelectrochemical distinction and electrodeposition sequence of 'soluble' (K^+ -containing) and 'insoluble' (K^+ -free) Prussian Blue, and composition changes in polyelectrochromic switching, 2059-62

Iron(III) phthalocyanines: oxidation and spin states of iron in iron phthalocyanines with carboxyl groups, 2107-10

Reactions of some iron and tungsten mercapto-complexes with electrophilic acetylenes leading to novel metallacycles. The crystal and molecular structure of the η^2 -vinyl complex $[\text{W}(\eta^2\text{-C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{C}(\text{O})\text{SMe})(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]$, 2167-76

Equilibria in complexes of N-heterocyclic molecules. Part 34. Iron binding by caerulomycins, 2245-8

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

The role of titanium and iron complexes in the deoxygenation of aromatic nitroso-compounds, 2577-80

Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599-604

Iron complexes of *N*-substituted thiosalicylideneimines. Part 3. Structure, magnetism, and Mössbauer spectra of the complex chloro[*N,N'*-ethylenebis(thiosalicylideneiminato)]iron(III), an intermediate-spin complex which exists in three crystalline forms, 2733-40

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{phen})_3]^{3+}$ ($\text{phen} = 1,10\text{-phenanthroline}$), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{dipic})_2]^{2-}$ ($\text{dipic} = \text{dipicolinate}$) (oxidants) and $[\text{Ru}(\text{NH}_3)_5(\text{py})]^{2+}$ ($\text{py} = \text{pyridine}$) (reductant), 2769-74

IRON-SULPHUR CLUSTER


Properties of novel iron-sulphur proteins formed by the introduction of a synthetic iron-sulphur cluster into bovine serum albumin and bovine insulin, 29-36

ISOCYANIDE

Oxidation and reduction of *cis*-bis(2,2'-bipyridine)dicarbonylmolybdenum(0) and -tungsten(0). Preparation of bis(2,2'-bipyridine)dicarbonyl(solvent)molybdenum(II) bis(tetrafluoroborate) salts and their reaction with isocyanides, 255-62

Silver(I) isocyanide complexes: spectroscopic features and reactions with neutral ligands, 1317-22

Reactions of *cis*-di-isocyanidebis(perfluorophenyl)gold(III) complexes with hydrazines. Crystal and molecular structure of *cis*-

**ISOMERIZATION**

Complexations of 1,4-dienes to rhodium(I) pentane-2,4-dionates; thermal rearrangements of the complexes, 219-24

Photochemical properties of *cis*- and *trans*-1,2-diphenylethynyltrimethyltin(IV) and *cis*-1,2-diphenylpropenyltrimethyltin(IV); organometallic derivatives of stilbene, 909-14

Photochemically generated superoxides of rhodium(III), 1895-902

ISONITRILE

Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153-6

Bimetallic systems. Part 5. Isonitrile-platinum(II)- or -palladium(II)-bis(diphenylphosphino)methane complexes including heterobimetallics with silver(I), gold(I), or rhodium(I), 1233-8

ISOPROPYLTHIO

Organothiometallic compounds. Crystal structure and spectroscopic properties of (isopropylthio)mercury(II) chloride, 953-8

ISOTHIOCYANATE

An electron spin resonance study of bis(tetraphenylarsonium) pentakis(isothiocyanato)nitrosyltechnetate(II): a six-co-ordinate low-spin $4d^5$ technetium(II) complex, 827-32

Structural studies of technetium complexes. Part 4. The crystal structure of *trans,trans*-acetonitriledi-isothiocyanato(nitrido)bis(triphenylphosphine)technetium(V)-

acetonitrile (1/0.5), 833-8

KETONE

Reductive elimination of ketones from ruthenium(II) complexes, 2133-6

KINETICS

Kinetics and mechanism of inversion at asymmetric nitrogen centres in the blue copper(II) complex of *C-rac*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane, 109-14

Kinetics of the reactions of 5,7,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,14-dienenickel(II) and 5,7,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,11-dienenickel(II) with cyanide, 121-4

Kinetic study of acid dechelation of some vanadium(V)-aminocarboxylate complexes in aqueous solution, 239-44

An investigation on the influence of co-ordinated aliphatic amines on the rates of reduction of tetrachlorodiamineplatinum(IV) complexes, 249-54

Solution dynamics of the osmium cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9]^{13}\text{C}$ and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84

Kinetics of electron-transfer reactions of *para*-substituted phenols $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$ with $[\text{Fe}(\text{phen})_3]^{3+}$ ($\text{phen} = 1,10\text{-phenanthroline}$) and with $[\text{IrCl}_6]^{2-}$ in aqueous acidic solutions: correlation between the Hammett constant of X and the one-electron redox potential of $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$, 341-4

The kinetics of base hydrolysis of chloropentakis(alkylamine)rhodium(III) ions, 385-8

Kinetics of the decomposition and formation of ethylenedinitrilotetra-acetovanadate(III) in dilute aqueous perchloric acid, 451-4

Kinetics of silver(II) oxidation of metal cations, 475-8

Kinetics of the electron-transfer reaction, iodine with 'cobalt(II) sepiolchrate', 479-82

Combination of aryl and carbonyl ligands in ruthenium(II) complexes: a kinetic study, 539-44

Proton exchange and base-catalysed hydrolysis of *trans*-dichloro[*RSSR*]-1,4,8,11-tetra-azacyclotetradecane]cobalt(III) and *cis*-dichloro[*RRRR*SSSS]-1,4,8,11-tetra-azacyclotetradecane]cobalt(III), 581-6

Kinetics of the electron-transfer reaction of penta-amine[nitritotriacetato]cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6

Metal chelates of sulphur-containing polyamine macrocycles and oxygenation of the corresponding cobalt(II) complexes, 673-8

Metal-exchange reactions between cobalt(II) complexes of polyaminocarboxylic acid ligands and copper(II) ions, 903-8

Kinetics of the oxidation of hydrazine by periodate, 919-22

Kinetics and mechanisms of redox reactions in aqueous solution. Part 8. Osmium(VIII) catalysed oxidation of amino acids by alkaline hexacyanoferrate(III), 999-1004

A kinetic and mechanistic study of the oxidative addition of diaryl ditellurides to *trans*-carbonylchlorobis(triphenylphosphine)iridium(I) in toluene, 1065-8

The palladium(II)-promoted hydrolysis of methyl and isopropyl glycidylglycinate, 1083-6

The interaction of aliphatic amines with transition metal complexes of aromatic di-imines. Part 1. Kinetics and thermodynamics of reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation with aliphatic amines in dimethylformamide, 1105-10

The kinetics of base hydrolysis of *trans*-dichlorotetrakis(alkylamine)rhodium(III) ions, 1117-22

Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153-6

Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation, 1171-80

Decomposition reactions of cationic ruthenium formyl complexes, 1203-8

Kinetics of the 1:1 complexing of oxalate to hexa-aquamolybdenum(III), 1229-32

The mechanism of displacement of diene from $[\text{M}(\eta^4\text{-diene})(\text{CO})_4]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{or W}$, diene = norbornadiene; $\text{M} = \text{Mo}$, diene = cyclo-octa-1,5-diene) and the *cis* \rightleftharpoons *trans* isomerization of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes ($\text{L} = \text{PBu}_3$, $\text{P}(\text{OMe})_3$, or $\text{P}(\text{OPh})_3$), 1307-16

Equilibrium studies and kinetics of solvent exchange with five- and six-co-ordinate mono- and bis-(solvent)(1,4,8,11-tetramethyl-

KINETICS (contd.)

- 1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate by oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8
- Kinetics and mechanisms of reduction of a sexidentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6
- Studies in nickel(IV) chemistry. Part 4. Kinetics of the electron transfer from L-ascorbic acid to tris(dimethylglyoximate)nickelate(IV) in aqueous medium, 1471-6
- Kinetics of oxidation of hydrazine and of t-butylhydrazine using tris(dimethylglyoximate)nickelate(IV) in the presence of added Cu^{2+} (aq), 1477-84
- Kinetics and mechanism of electron-transfer reactions of bis(1,4,7-triazacyclononane)nickel-(II) and -(III) complexes, 1501-6
- Kinetics and mechanisms of redox reactions in aqueous solution. Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531-6
- Displacement by chloride of pyridine-2-carboxylate from dichloro(pyridine-2-carboxylato)gold(III) in acidic solution; the position of ring opening, 1641-6
- A kinetic and equilibrium study of the reaction of glycine with chromium(III) in aqueous solution, 1647-50
- On the kinetics of the periodate + iodide reaction, 1773-4
- Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_2)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation (1984, 1171), 1785-6
- Kinetics and mechanism of the oxidation of glycolic and glyoxylic acids by thallium(III) in acidic perchlorate solutions, 1867-72
- Kinetics and mechanism of the silver(I)-catalyzed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873-6
- Characterisation of $\text{cis-}[\text{CoCl}_2\text{L}]^+$ and two diastereoisomeric $\text{trans-}[\text{CoCl}_2\text{L}]^+$ complexes and studies of the aquation kinetics ($\text{L} = \text{C-meso-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane}$), 1921-6
- Synthesis and aquation kinetics of the *cis*-dichloro- and three diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the macrocyclic ligand *C-rac-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane*, 1927-30
- Kinetics and mechanism of the decomposition of thionitrites derived from thiourea, 1959-64
- Kinetics of the solvolysis of *trans*-dichlorotetra(4-methylpyridine)cobalt(III) ions in water + *t*-butyl alcohol mixtures, 1969-74
- Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with $[\text{IrCl}_6]^{2-}$, $[\text{Co}(\text{C}_2\text{O}_4)_2]^{3-}$, and aquavanadium(IV), 2099-106
- Kinetics and mechanism of the oxidative addition of cyanogen to $[\text{Ni}(\text{CO})_2(\text{PPh}_3)_2]$, 2513-6
- Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599-604
- Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631-6
- Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(VIII) in alkaline solutions, 2653-8
- Stereoselectivity in the substitution reaction of square-planar platinum(II) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689-94
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{dipic})]^-$ (dipic = dipicolinate) (oxidants) and $[\text{Ru}(\text{NH}_3)_5(\text{py})]^{2+}$ (py = pyridine) (reductant), 2769-74
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 10. The assignment of binding sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners, 2775-80
- Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly basic aqueous solution containing carbonate ions, 2781-4
- The interaction of aliphatic amines with transition-metal complexes of aromatic di-imines. Part 2. Concurrent nucleophilic attack at the central metal and co-ordinated ligand in the reaction between ethylenediamine and dichloro(5-nitro-1,10-phenanthroline)palladium(II) in dimethylformamide, 2785-8

LACUNAR COMPLEX

Nickel(II), cobalt(II), and iron(II) lacunar complexes having very small cavities: syntheses, properties, and reactions with dioxygen, 1491-4

LANTHANIDE

Lanthanide oxides: preparation and ageing, 87-92

Complexation of the lanthanides by cryptand 2.2.2 in propylene carbonate: an electrochemical determination of the thermodynamic parameters, 2847-50

LANTHANIDE SHIFT

Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulphoxide, 267-72

LEAD

Reactions of bis(η -cyclopentadienyl)dihydro-molybdenum and -tungsten with acetatotrimethyl-lead. X-Ray structure and reactivity of the demethylated lead product containing molybdenum-lead bonds: μ -diacetatoplumbio-bis[η -cyclopentadienyl]hydridomolybdenum][2 *Pb-Mo*], 1791-4

Heavy-metal macrocyclic complexes: crystal and molecular structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with $\text{Cd}(\text{NO}_3)_2$, HgCl_2 , PbCl_2 , and $\text{Pb}(\text{NO}_3)_2$, 2813-20

LIGAND SUBSTITUTION

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a comment, 743-2

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a reply, 743-4

LITHIUM

Chemistry of 2,3-dihydro-2-methallaphenalenenes. Part 1. Synthesis of

$\text{CHRSiMe}_2\text{CHR}'\text{C}_{10}\text{H}_6$ ($\text{R} = \text{R}' = \text{H}$; $\text{R} = \text{R}' = \text{SiMe}_3$; and $\text{R}, \text{R}' = \text{H}, \text{SiMe}_3$) and formation of the compound,

$[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}_2\{\text{CHSiMe}_2\text{C}(\text{SiMe}_3)\text{C}_{10}\text{H}_6\}]$ via decomposition of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}_2\{1,8\text{-(CHSiMe}_2)_2\text{C}_{10}\text{H}_6\}]$; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311-20

Axially asymmetric metal alkyls. Part 1. Lithium alkyls of 2,2'-dimethylbiphenyl and its trimethylsilylmethylated compounds: crystal structures of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}_2\{2\text{-(CHRC}_6\text{H}_4)_2\}]$ for $\text{R} = \text{H}$ (polymeric) and $\text{R} = \text{SiMe}_3$ (monomeric), 321-30

Reactions of platinum(II) acetylides with organolithium compounds: formation of lithium-bridged dinuclear platinum(II) complexes and of triorganoplatinate(II) complexes: crystal structure of the complex $[\text{Pt}_2(\text{C}_6\text{Ph})_4(\text{PEt}_3)_2(\text{Bu})_2(\mu\text{-Li})_2]$, 747-56

The shapes and energetics of dimeric lithium and sodium cyanides.

Ab initio molecular-orbital calculations, 1279-82

α -Lithium alkyls of α -trimethylsilyl-*p*-xylenes and the synthesis of $p\text{-C}_6\text{H}_4(\text{CH}_2\text{SnMe}_3)_2$ from a new di-Grignard reagent: crystal structure of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}_2\{p\text{-C}_6\text{H}_4(\text{CHSiMe}_3)_2\}]$, 1801-8

LOW TEMPERATURE

The low-temperature crystal structure (203 and 123 K) and electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO_6 chromophore, 7-14

Crystal and molecular structure of trisilylamine at 115 K, 563-6

MACROCYCLE

Kinetics and mechanism of inversion at asymmetric nitrogen centres in the blue copper(II) complex of *C-rac-5,5',7,12,12',14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane*, 109-14

Kinetics of the reactions of 5,7,7',12,12',14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,14-dienenickel(II) and 5,7,7',12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,11-dienenickel(II) with cyanide, 121-4

Photochemistry of manganese porphyrins. Part 8. Electrochemistry, 141-6

The template synthesis and crystal and molecular structure of a sexidentate Schiff-base macrocyclic complex of samarium(III), $[\text{Sm}(\text{C}_{11}\text{H}_{18}\text{N}_6(\text{NO}_2)(\text{OH})(\text{H}_2\text{O}))\text{NO}_2\cdot 2\text{MeOH}]$, 351-4

Kinetics of the electron-transfer reaction, iodine with 'cobalt(II) sepulchrate', 479-82

Dicobalt(II) complexes of a macrocyclic ligand containing hydroxo-, alkoxo-, phenoxo-, thiolato-, halogeno-, and pseudohalogeno-bridges: structures and magnetic exchange interactions, 545-56

Synthesis and characterisation of the five diastereoisomers of

MACROCYCLE (contd.)

- 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane: crystal structure of the nickel bromide complex of the β -isomer, 575-80
- Proton exchange and base-catalysed hydrolysis of *trans*-dichloro[(*RSSR*)-1,4,8,11-tetra-azacyclotetradecane]cobalt(III) and *cis*-dichloro[(*RRRR*)(*SSSS*)-1,4,8,11-tetra-azacyclotetradecane]cobalt(III), 581-6
- Metal complexes of the new tetra-aza macrocyclic ligand 1,5,9,13-tetramethyl-1,5,9,13-tetra-azacyclohexadecane: carbon-13 nuclear magnetic resonance study of the complexes of Cd^{2+} , Hg^{2+} and Pb^{2+} and X-ray crystal structure of the cadmium complex, 605-10
- Metal chelates of sulphur-containing polyamine macrocycles and oxygenation of the corresponding cobalt(II) complexes, 673-8
- Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995-8
- Synthesis and characterisation of 1,7-dimethyl-1,4,7,10-tetra-azacyclododecane: crystal structure of the nickel(II) bromide monohydrate complex of this macrocycle; thermodynamic studies of protonation and metal complex formation, 1357-62
- Nickel(II), cobalt(II), and iron(II) lacunar complexes having very small cavities: syntheses, properties, and reactions with dioxygen, 1491-4
- Oxidation and reduction behaviour of copper(II) complexes with open-chain analogues of tetra-aza macrocycles, 1495-500
- Synthesis of iron(II) 'C₂-capped strapped' porphyrin complexes and their reaction with dioxygen, 1739-46
- Characterisation of *cis*-[CoCl₂L]⁺ and two diastereoisomeric *trans*-[CoCl₂L]⁺ complexes and studies of the aquation kinetics (L = *C-meso*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane), 1921-6
- Synthesis and aquation kinetics of the *cis*-dichloro- and three diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the macrocyclic ligand *C-rac*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane, 1927-30
- Studies of Pendant-arm Macrocyclic Ligands. Part 1. Synthesis of two new penta-aza ligands, and observation of pH-dependent reversible equilibria between trigonal-bipyramidal and square-planar forms of their nickel(II) and copper(II) complexes. Crystal structure of a trigonal-bipyramidal nickel(II) complex, 1937-44
- Dinuclear metal complexes. Part 3. Preparation and properties of hydroxo-bridged dicopper(II) complexes, 2141-50
- The preparation and co-ordination chemistry of 2,2':6',2''-terpyridine macrocycles. Part 3. Transient template effects involving dimethyltin(IV), 2177-86
- Macrocyclic polyphosphane ligands: synthesis and characterisation of three diastereoisomers of 5,8,16,19-tetraphenyl-1,12-dithia-5,8,16,19-tetraphosphacyclododecane and the X-ray crystal structure of a dinuclear nickel(II) complex of the β isomer, 2265-70
- Dinucleating macrocyclic Schiff bases derived from thiophene and their metal complexes: the crystal structures of a free macrocycle and of a disilver complex, 2281-8
- Studies of pendant-arm macrocyclic ligands. Part 2. Comparison of the nickel(II), copper(II), and zinc(II) complexes of 11-(2'-dimethylaminoethyl)-1,4,7,11-tetra-azacyclotetradecane, a pyridine analogue, and a related new tetra-aza macrocycle, 11-methyl-1,4,7,11-tetra-azacyclotetradecane, 2371-6
- Synthesis and characterization of nickel(II) complexes with cyclic and linear Schiff-base ligands incorporating sulphur, nitrogen, and oxygen donor atoms, 2389-94
- Heavy-metal macrocyclic complexes: crystal and molecular structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with $\text{Cd}(\text{NO}_3)_2$, HgCl_2 , PbCl_2 , and $\text{Pb}(\text{NO}_3)_2$, 2813-20
- Complexation of the lanthanides by cryptand 2.2.2 in propylene carbonate: an electrochemical determination of the thermodynamic parameters, 2847-50

MAGNESIUM

- Axially asymmetric metal alkyls. Part 2. Synthesis of the Grignard reagent [$\text{Mg}(\text{thf})_2\text{Cl}_2$]₂ [thf = tetrahydrofuran, R = (2- $\text{CH}_2\text{C}_6\text{H}_4$)₂²⁻] and 6,7-dihydro-5*H*-dibenzo[*c,e*]-silepines and -stannepines: X-ray crystal structures of [SnPh_2R] and δ -SS- and λ -RR-[SnPh_2][2- $\text{CH}(\text{SiMe}_2)\text{C}_6\text{H}_4$]], 331-40
- Chemistry of *o*-xylylene-metal complexes. Part 3. Tungsten *o*-xylylene complexes derived from tetrachloro(oxo)-tungsten(VI); X-

ray crystal structures of [$\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{O})_3$]-0.5 C_6H_6 and

[$\{\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{O})_2\}_2\text{Mg}(\text{C}_4\text{H}_8\text{O})_4$], 883-92

Preparation and crystal structure of tri- μ -chloro-hexakis(tetrahydrofuran)dimagnesium(II)

pentachloro(tetrahydrofuran)-titanate(IV), 2077-80

Preparation and physico-chemical properties of the ternary complexes formed between adenosine 5'-triphosphoric acid, bis(2-pyridyl)amine, and divalent metal ions. Crystal and molecular structures of the compounds containing Mg^{II} and Ca^{II} , 2467-76

MAGNETIC EXCHANGE

Dicobalt(II) complexes of a macrocyclic ligand containing hydroxo-, alkoxo-, phenoxo-, thiolato-, halogeno-, and pseudohalogeno-bridges: structures and magnetic exchange interactions, 545-56

MAGNETISM

Magnetic exchange interactions in perovskite solid solutions. Part

4. The Fe^{3+} - O - Cr^{3+} superexchange interaction, 667-72

Magnetic and spectroscopic properties of dimeric copper(II) complexes of *N*-benzyloxycarbonyl-substituted amino acid anions, 2325-6

Iron complexes of *N*(substituted thiosalicylidene)imines. Part 3.

Structure, magnetism, and Mössbauer spectra of the complex chloro[*N,N'*-ethylenebis(thiosalicylideneiminato)]iron(III), an intermediate-spin complex which exists in three crystalline forms, 2733-40

MALONATE

Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalatostannates(II) and malonatostannates(II), 1965-8

MANGANESE

Photochemistry of manganese porphyrins. Part 8. Electrochemistry, 141-6

The synthesis of a dinuclear anionic carbonyl derivative of manganese, [$\text{Mn}(\text{PPh}_3)_2$][$\text{Mn}_2(\mu\text{-PPh}_2\text{XCO})_2$], and its reactions with complexes of group 1B and group 8A metals to give mixed-metal clusters: a comparative study of the X-ray crystal structures of [$\text{N}(\text{PPh}_3)_2$][$\text{Mn}_2(\mu\text{-PPh}_2\text{XCO})_2$], [$\text{Mn}_2(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-PPh}_2\text{XCO})_2$], and [$\text{Mn}_2(\mu\text{-H})(\mu\text{-PPh}_2\text{XCO})_2$], 633-42

The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6

Kinetics and mechanisms of redox reactions in aqueous solution.

Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531-6

Synthesis and reactions of heterobimetallic manganese-palladium complexes. Crystal and molecular structure of [$\text{MnPdBr}(\text{CO})_2(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2$], 1831-6

MASS SPECTROMETRY

A mass spectrometric investigation of the exchange of deuterium with tetraborane(10) in the gas phase, 2435-8

MATRIX

Photochemistry of alkyltricarbonyl(η^5 -cyclopentadienyl)tungsten (alkyl = Et, Prⁿ, Prⁱ, Buⁿ, or CH_2Ph), tricarbonyl(η^5 -cyclopentadienyl)(phenyl)tungsten, tricarbonyl(η^5 -pentamethylcyclopentadienyl)(*n*-propyl)tungsten, and tricarbonyl(η^5 -cyclopentadienyl)(ethyl)molybdenum in gas matrices at 12 K and in solutions at 243 K, 175-86

Photochemistry of tricarbonyl(η^5 -cyclopentadienyl)hydrido complexes of molybdenum and tungsten and of dicarbonyl(η^5 -cyclopentadienyl)(ethylene)hydridotungsten in solution and in frozen gas matrices at 12 K, 187-98

The infrared spectra of alkali metal hexafluorouranates(V). An example of dependence of molecular geometry on matrix gas, 711-4

Comparative photochemistry of tricarbonyl(η^5 -cyclopentadienyl)methyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12-298 K, 761-70

The vibrational spectra of some tetrachlorides in rare gas matrices with particular reference to the molecular shapes of ThCl_4 and UCl_4 , 819-26

Photochemistry of tricarbonyl(α -di-imine)iron complexes. New mechanistic aspects for CO photosubstitution in solution and evidence for π , π -co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005-18

Structural studies of matrix-isolated alkali-metal perchlorates: proof of a bidentate interaction, 1363-6

MECHANISM

Mechanisms of reduction of a nickel(IV) oxime complex by 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media,

MECHANISM (contd.)

- 103-8
- Kinetics and mechanism of inversion at asymmetric nitrogen centres in the blue copper(II) complex of *C-rac*-5,5,7,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane, 109-14
- Kinetics of the reactions of 5,7,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,14-dienenickel(II) and 5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,11-dienenickel(II) with cyanide, 121-4
- Complexations of 1,4-dienes to rhodium(I) pentane-2,4-dionates; thermal rearrangements of the complexes, 219-24
- Combination of aryl and carbonyl ligands in ruthenium(II) complexes: a kinetic study, 539-44
- A kinetic and mechanistic study of the oxidative addition of diaryl ditellurides to *trans*-carbonylchlorobis(triphenylphosphine)iridium(II) in toluene, 1065-8
- The palladium(II)-promoted hydrolysis of methyl and isopropyl glycidylglycidate, 1083-6
- Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153-6
- Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_3)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation, 1171-80
- The mechanism of displacement of diene from $[\text{M}(\eta^4\text{-diene})(\text{CO})_4]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{or W}$; diene = norbornadiene; $\text{M} = \text{Mo}$, diene = cyclo-octa-1,5-diene) and the *cis* \rightleftharpoons *trans* isomerization of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes [$\text{L} = \text{PBu}_3$, $\text{P}(\text{OMe})_3$, or $\text{P}(\text{OPh})_3$], 1307-16
- Kinetics and mechanisms of reduction of a sixdentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6
- Photo-oxidation of iron(II) in water between pH 7.5 and 4.0, 1441-6
- Nickel(II), cobalt(II), and iron(II) lacunar complexes having very small cavities: syntheses, properties, and reactions with dioxygen, 1491-4
- Kinetics and mechanism of electron-transfer reactions of bis(1,4,7-triazacyclononane)nickel(II) and (III) complexes, 1501-6
- Kinetics and mechanisms of redox reactions in aqueous solution. Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531-6
- Displacement by chloride of pyridine-2-carboxylate from dichloro(pyridine-2-carboxylato)gold(III) in acidic solution; the position of ring opening, 1641-6
- A kinetic and equilibrium study of the reaction of glycine with chromium(III) in aqueous solution, 1647-50
- Convenient preparation of *cyclo*-eicosasulphur (S_{20}) from bis(η -cyclopentadienyl)pentasulphido)titanium(IV), 1775-8
- Reactions of dienes with the ion $[\text{Ir}(\text{PPh}_3)_2(\text{OCMe}_3)_2\text{H}_2]^+$: a kinetic and mechanistic study of complex formation and diene hydrogenation (1984, 1171), 1785-6
- Kinetics and mechanism of the oxidation of glycolic and glyoxylic acids by thallium(III) in acidic perchlorate solutions, 1867-72
- Kinetics and mechanism of the silver(I)-catalyzed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873-6
- Kinetics and mechanism of the decomposition of thionitrites derived from thioureas, 1959-64
- Reductive elimination of ketones from ruthenium(II) complexes, 2133-6
- Reactions between *trans*-bis[1,2-bis(diethylphosphino)ethane]bis(dinitrogen)molybdenum and hydrogen chloride in tetrahydrofuran: a mechanistic study, 2259-64
- Kinetics and mechanism of the oxidative addition of cyanogen to $[\text{Ni}(\text{CO})_2(\text{PPh}_3)_2]$, 2513-6
- Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599-604
- Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631-6
- Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(VIII) in alkaline solutions, 2653-8
- Dinuclear complexes of transition metals containing carbonate ligands. Part 3. Kinetics and mechanism of bridge cleavage in the di- μ -hydroxo-bis[bis(ethylenediamine)cobalt(III)] ion in weakly

basic aqueous solution containing carbonate ions, 2781-4

The interaction of aliphatic amines with transition-metal complexes of aromatic di-imines. Part 2. Concurrent nucleophilic attack at the central metal and co-ordinated ligand in the reaction between ethylenediamine and dichloro(5-nitro-1,10-phenanthroline)palladium(II) in dimethylformamide, 2785-8

MERCAPTO

Synthesis and structure of the mercaptodithiotrinickel complex $[\text{Ni}_2(\mu_2\text{-S})_2(\text{SH}(\text{PEt}_3)_2)_2]\text{BPh}_4$, 939-42

MERCURY

Stereospecific transfer of ethynyl groups between platinum(II) and mercury(II), 199-204

The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a comment, 743-2

A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(II) dihalides: a reply, 743-4

Organothiometallic compounds. Crystal structure and spectroscopic properties of (isopropylthio)mercury(II) chloride, 953-8

Mercury(II) halide complexes of tertiary phosphines. Part 9. Study of the tris(2-cyanoethyl)phosphine complexes

$[\text{HgX}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2]$ ($\text{X} = \text{Cl}, \text{Br}, \text{or I}$; $m = 1 \text{ or } 2$): Crystal structures of $[\text{HgBr}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2]\text{Me}_2\text{CO}$ and $[\{\text{HgCl}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2\}]_2$, 1621-4

Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri- μ -chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis(*cis*-methyltetakis(trimethylphosphine)ruthenium)mercury(II)-tetrahydrofuran(1/1), 1731-8

Heavy-metal macrocyclic complexes: crystal and molecular structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with $\text{Cd}(\text{NO}_3)_2$, HgCl_2 , PbCl_2 , and $\text{Pb}(\text{NO}_3)_2$, 2813-20

METAL EXCHANGE

Metal-exchange reactions between cobalt(II) complexes of polyaminocarboxylic acid ligands and copper(II) ions, 903-8

METAL-ION CHEMICAL SHIFT

Chemical shift parametrization for metal-ion nuclear magnetic resonance spectroscopy of d^8 transition metal complexes, 1537-40

METALLACYCLE

Bimetallic systems. Part 3. Complexes containing the ligand bis(diphenylphosphino)methane bridging from the platina-cyclo

$\text{PtCH}_2\text{CH}_2\text{CH}_2\text{CH}_2$ to another metal, 849-54

Alkyl and hydrido derivatives of tetraakis(trimethylphosphine)osmium(II). X-Ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_2)_2\text{SiMe}_2](\text{PMe}_3)_4$, 877-82

Chemistry of *o*-xylidene-metal complexes. Part 3. Tungsten *o*-xylidene complexes derived from tetrachloro(oxo)-tungsten(VI); X-ray crystal structures of $[\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o)_3]\cdot 0.5\text{C}_6\text{H}_6$ and

$[\{\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o)_2\text{O}\}_2\text{Mg}(\text{C}_6\text{H}_5\text{O})_4]$, 883-92

Chemistry of *o*-xylidene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles

$[\text{M}\{\text{CH}(\text{SiMe}_3)\text{C}_6\text{H}_4\text{CHSiMe}_3\text{-}o\}(\eta\text{-C}_6\text{H}_5)_2]$ ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}, \text{or Nb}$), their reversible one-electron reduction ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}, \text{or Nb}$) and oxidation ($\text{M} = \text{Nb}$); and the X-ray crystal structure of the zirconium complex, 893-902

Alkyl and hydrido derivatives of tetraakis(trimethylphosphine)osmium(II). X-ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_2)_2\text{SiMe}_2](\text{PMe}_3)_4$, 2589-90

METALLACYCLISATION

Behaviour of α -functional organotransition metal compounds: nuclear magnetic resonance investigation of a novel Friedel-Crafts metallacyclisation of halogenomethyl(arylphosphine)platinum(II) complexes, 2019-26

METALLACYCLOBUTANONE

Chemistry of metallacyclobutanones. Part 1. Synthesis and ring inversion of some highly puckered metallacyclobutan-3-one (slipped oxodimethylenemethane) complexes of platinum; crystal structure of 2,4-bis(methoxycarbonyl)-1,1-bis(triphenylphosphine)platina-cyclobutan-3-one monohydrate,

METALLACYCLOBUTANONE (contd.)

1993-2002

METALLACYCLOPENTANERegiospecific hydride abstraction from metallacycles: conversion of metallacyclopentanes to cationic π -allylic complexes, 2517-24**METALLAINDANE**Chemistry of *o*-xylidene-metal complexes. Part 2. Preparation and properties of the *o*-xylidene-metal(iv) complexes
$$[M(CH_2C_6H_4CH_2-o(\eta-C_6H_4R)_2)]$$
 ($M = Ti, Zr, Hf$, or Nb ; $R = H$ or $SiMe_3$) and $[M'(CH_2C_6H_4CH_2-o(OC_6H_4)_2)]$ ($M' = Ti, Zr$, or Hf); X -ray crystal structures of the
metallaindanes $[M(CH_2C_6H_4CH_2-o(\eta-C_6H_4R)_2)]$ ($R = H$, $M = Ti, Zr$, or Hf ; $R = SiMe_3$, $M = Nb$), 399-414**METAL-METAL BOND**

Synthesis and reactivity of bimetallic Au-Ag polyfluorophenyl complexes: crystal and molecular structures of

$$[AuAg(C_6F_5)_2(SC_6H_4)_2]_n$$
 and $[AuAg(C_6F_5)_2(C_6H_5)]_n$, 285-92
METHOXIDENew methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of $[Rh(C_5Me_5)_2(mpz)(OMe_2)](ClO_4)$ ($mpz = 3$ -methylpyrazolate), $[Rh(C_5Me_5)_2(Hdmpz)(OH)](BF_4)$ ($Hdmpz = 3,5$ -dimethylpyrazole), and $[Rh(C_5Me_5)_2(pz)(OH)](ClO_4)$ ($pz =$ pyrazolate), 1823-30**METHYL**Synthesis and properties of tetramethyl(η^5 -pentamethylcyclopentadienyl)iridium(v), dimethyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)iridium(iv), and related complexes from reactions of di- μ -chloro-dichlorobis(η^5 -pentamethylcyclopentadienyl)iridium(III) with hexamethyldialuminium, 929-34

Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153-6

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 5.

Intramolecular rearrangements in the dinuclear platinum(IV) complexes of 1,3,5,7-tetrathioacene. X -Ray crystal structure of
$$[(PtClMe_2)_2(SCH_2SCH_2SCH_2SCH_2)]$$
, 2047-58
METHYLENESynthesis and properties of tetramethyl(η^5 -pentamethylcyclopentadienyl)iridium(v), dimethyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)iridium(iv), and related complexes from reactions of di- μ -chloro-dichlorobis(η^5 -pentamethylcyclopentadienyl)iridium(III) with hexamethyldialuminium, 929-34Synthesis and characterisation of disubstituted di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)dirhodium(IV) complexes; X -ray structure of $[(C_5Me_5)_2Rh]_2(\mu-CH_2)_2(CO)_2$, 1215-22Monoalkyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)rhodium(IV) complexes and the intramolecular migration of alkyl groups between two metal atoms, 1453-60Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organodiruthenium complexes: X -ray crystal structure of $[Ru_2(CO)_2(\mu-CO)(\mu-CH_2)(\eta-C_5H_5)_2]$, 2293-300**METHYLENE BLUE**

Studies on the salts of planar metal dithiolate anions with the redox active 3,7-bis(dimethylamino)phenothiazin-5-ium cation (methylene blue), 2333-6

METHYLENOCYCLOPROPANEReactions of co-ordinated ligands. Part 30. The transformation of methylenecyclopropanes into cationic η^4 -trimethylenemethanemolybdenum complexes, reactions with nucleophilic reagents, and the molecular structure of $[Mo(\eta^4-C(CH_3)_3)(CO)_2(\eta-C_5Me_5)](BF_4)$, 1157-70**METHYLPYRIDINE**

Lewis-base adducts of Group 1B metal(I) compounds. Part 5.

Synthesis and crystal structures of adducts of silver(I) thiocyanate with 2- and 3-methylpyridine, 2,6-dimethylpyridine, and quinoline, 229-38

The crystal structure of chlorotris(3-methylpyridine)copper(I), and its conversion into hexa- μ -chloro-tetrakis(3-methylpyridine)- μ_4 -oxo-tetracopper(II), 989-92**METHYL VALINATE**

Stereoselectivity in the substitution reaction of square-planar

platinum(II) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689-94**MIXED VALENCE**

The production of class-II mixed-valence complexes in the redox reaction between dithiomalonamide and platinum(IV) or palladium(IV), 1975-80

Iron hexacyanoferrate films: spectroelectrochemical distinction and electrodeposition sequence of 'soluble' (K^+ -containing) and 'insoluble' (K^+ -free) Prussian Blue, and composition changes in polyelectrochromic switching, 2059-62**MNDO**The 1,5-sigmatropic shift of a BR_2 unit ($R = H, F, OH, NH_2, Cl$, or SH) over a cyclopentadiene system, 2233-6**M.O.**The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on X -ray emission and X -ray photoelectron spectra, 263-6**MOLECULAR ORBITAL**

The shapes and energetics of dimeric lithium and sodium cyanides.

Ab initio molecular-orbital calculations, 1279-82**MOLECULAR TUMBLING**A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[Fe(\eta^5-C_5H_5)(\eta^5-C_5H_4R)]$ ($R = CMe_2Et$ or Bu) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027-8**MOLYBDENUM**

Chemistry of molybdenum. Part 2. Complexes of molybdenum with 2-aminocyclopent-1-ene-1-carbodithioate. Synthesis, characterisation, and electrochemical studies, 115-20

Oxidation and reduction of *cis*-bis(2,2'-bipyridine)dicarbonylmolybdenum(0) and -tungsten(0). Preparation of bis(2,2'-bipyridine)dicarbonyl(solvent)molybdenum(II) bis(tetrafluoroborate) salts and their reaction with isocyanides, 255-62Reactions of metallabromoalkanes $[M\{(\eta-C_5H_5)_2Br\}(CO)_2(\eta-C_5H_5)]$ ($M = Mo$ or W , $n = 3$ or 4) with transition metal anions.Dimetalla-alkane and cyclic carbene complex formation. Crystal and molecular structures of $[(\eta-C_5H_5)(OC)_3Mo\{(\eta-C_5H_5)_4\}Mo(CO)_2(\eta-C_5H_5)]$ and $[(\eta-$

$$C_5H_5)(OC)_3MoW(CO)_2\{C-O-(CH_2)_2CH_2\}(\eta-C_5H_5)]$$
, 273-8
Reactions of co-ordinated ligands. Part 29. The formation of a 1,3-diene at a molybdenum centre by linking of but-2-yne with an alkene; X -ray crystal structures of $[Mo(\eta^2-o-Ph_2PC_6H_4CH=CH_2)(\eta^2-Me_2CMe)(\eta-C_5H_5)](BF_4)$ and $[Mo(NCMe)(\eta^2-o-MeCH=CMe-CH=CHC_6H_4PPh_2)(\eta-C_5H_5)](BF_4)$, 441-50Thermal and thermally assisted photochemical conversion of $[Mo(NO)]^{3+}$ to $[Mo(NO)]^{2+}$ in a ketonic solvent: single-step synthesis of nitrosyl(thiocyanato)molybdenum(I) derivatives from $[Mo(NO)(NH_3O)(NCS)_2(L-L)]$ ($L-L = 2,2'$ -bipyridine or 1,10-phenanthroline), 487-90

Polymeric complexes from molybdenum trioxide, with notes on derivatives and related compounds, 495-500

Synthesis, X -ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato- O,O')hydridotetrakis(trimethylphosphine)molybdenum(II), 695-700Comparative photochemistry of tricarbonyl(η^5 -cyclopentadienyl)methyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12-298 K, 761-70Reactions of co-ordinated ligands. Part 30. The transformation of methylenecyclopropanes into cationic η^4 -trimethylenemethanemolybdenum complexes, reactions with nucleophilic reagents, and the molecular structure of $[Mo(\eta^4-C(CH_3)_3)(CO)_2(\eta-C_5Me_5)](BF_4)$, 1157-70

Kinetics of the 1:1 complexing of oxalate to hexa-aquamolybdenum(III), 1229-32

Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329-32

Bis(*O*-methyl(*S*)-penicillaminato)-*cis*-dioxomolybdenum(VI), $[MoO_2\{(S)\text{-pen-OMe}\}_2]$; structure and spectroscopic studies, 1333-42The reaction of molybdenum and tungsten carbyne complexes with sulphur and selenium; crystal structures of $[Mo(\eta^2-(S_2CCH_2Bu'))(CO)_2(\eta-C_5H_5)]$ and $[W(\eta^2-(S_2CC_6H_4Me-4)(CO)_2(\eta-C_5H_5)]$, 1343-8

MOLYBDENUM (contd.)

Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh_3 by catalysis of $[\text{Mo}^{\text{VI}}\text{O}_2(\text{Cys-OR})_2]$ (Cys-OR = S-deprotonated cysteine ester; R = Me, Et, Prⁱ, or CH_2Ph) in *N,N*-dimethylformamide, 1447–52

Synthesis and X-ray structure of tris(*N,N*-diethylthiocarbamate)hydrogensulphidomolybdenum(IV)-tetrahydrofuran (1/1), 1463–6

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[\text{MoW}_2(\mu\text{-CR})(\mu\text{-CO})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{AuW}_2(\mu\text{-CR})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2][\text{PF}_6]$ (R = $\text{C}_6\text{H}_4\text{Me-4}$), 1589–96

Comparative electrochemistry of *cis*- MoOS_2^{2+} , MoO_2^{2+} , and MoS_2^{2+} centres in complexes of the type *cis*- $[\text{MoY}_2\text{L}_2]$ (Y = O and/or S, HL = 1-hydroxypiperidine). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617–20

Preparation, structural studies, and some reactions of new heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper; X-ray crystal structures of $[\text{MoRh}(\text{CO})_4(\mu\text{-CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$ and two isomers of $[\text{CuW}(\text{CO})_3(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1693–702

Dinitrogen binding and electrochemistry in complexes of molybdenum and tungsten, 1703–8

Reactions of bis(η -cyclopentadienyl)dihydrido-molybdenum and -tungsten with acetotrimethyl-lead. X-Ray structure and reactivity of the demethylated lead product containing molybdenum-lead bonds: μ -diacetatoplumbio-bis[bis(η -cyclopentadienyl)hydridomolybdenum(II)](2 *Pb-Mo*), 1791–4

Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with $[\text{IrCl}_6]^{2-}$, $[\text{Co}(\text{C}_2\text{O}_4)_3]^{3-}$, and aquavanadium(IV), 2099–106

Reactions between *trans*-bis[1,2-bis(diethylphosphino)ethane]bis(dinitrogen)molybdenum and hydrogen chloride in tetrahydrofuran: a mechanistic study, 2259–64

The synthesis of some bi- and tri-metallic clusters containing rhodium; X-ray crystal structures of $[\text{MoRh}_3(\mu_3\text{-CO})_3(\text{CO})_3(\text{PPh}_3)_3(\eta\text{-C}_5\text{H}_5)]\text{CH}_2\text{Cl}_2$ and $[\text{MoRhPt}(\mu\text{-CO})_2(\mu\text{-PPh}_3)(\mu\text{-1-}\sigma\text{-1-2-}\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 2415–22

Reactions of co-ordinated ligands. Part 31. The synthesis, structure, and protonation of the octamethylotrienediylidenedimolybdenum complex $[\text{Mo}_2(\mu\text{-C}_6\text{Me}_8\eta\text{-C}_5\text{H}_5)_2]$, evidence for three-centre carbon-hydrogen-molybdenum interactions, 2455–66

Hydrido-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: X-ray crystal structure of $[\text{AuCr}(\mu\text{-H})(\text{CO})_3(\text{PPh}_3)_2]$, 2497–504

Enthalpies of formation of complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ (M = Mo, W, or Ti; R = C_2H_5 , C_4H_9 , or C_6H_5); metal-sulphur bond enthalpies, 2659–64

Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729–32

Reactions of co-ordinated ligands. Part 32. The reaction of sulphur nucleophiles with cationic molybdenum alkyne complexes: alkyne rotation and the molecular structures of the complexes $[\text{Mo}(\text{SC}_6\text{H}_4\text{NO}_2\text{-}p)(\text{P}(\text{OMe})_3)(\eta^2\text{-MeC}_2\text{Me}(\eta\text{-C}_5\text{H}_5))]$ and $[\text{Mo}(\text{SC}_6\text{H}_4\text{SPh-}o)(\text{CO})(\eta^2\text{-MeC}_2\text{Me}(\eta\text{-C}_5\text{H}_5))]$, 2747–56

The analogy between alkenes and the dinuclear species $[\text{MRh}(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_2]$ (M = Co or Rh); dynamic nuclear magnetic resonance, X-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated CoRh and Rh₂ fragments and the pentacarbonylmolybdenum group, 2757–64

Arene-molybdenum chemistry: olefin and hydride derivatives, 2795–802

MOLYBDO-OXIDASE

Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh_3 by catalysis of $[\text{Mo}^{\text{VI}}\text{O}_2(\text{Cys-OR})_2]$ (Cys-OR = S-deprotonated cysteine ester; R = Me, Et, Prⁱ, or CH_2Ph) in *N,N*-dimethylformamide, 1447–52

MOSSBAUER

Gold-197 Mössbauer and ^{31}P - ^1H nuclear magnetic resonance spectroscopic studies on gold(II) complexes with tertiary phosphines, 491–4

Magnetic exchange interactions in perovskite solid solutions. Part 4. The Fe^{3+} -O-Cr³⁺ superexchange interaction, 667–72

The correlation between tin-119 Mössbauer isomer shifts and

atomic charges on tin in five-co-ordinated tin(IV) derivatives, 1019–26

Synthetic and structural studies of tin(IV) complexes of crown ethers, 1239–44

Donor-acceptor complexes of organotellurium compounds.

Physical studies: tellurium-125 Mössbauer spectroscopy for the measure of charge transfer. Crystal and molecular structure of the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-quinodimethane, 1267–74

On the structure and properties of iron halide-graphite intercalates: a comparison of the reactivity of free and graphite-intercalated iron(III) chloride, 1283–92

Novel tin(II) sites in X-ray crystal structures of the tin(II) halide sulphates $\text{K}_3\text{Sn}_2(\text{SO}_4)_3\text{X}$ (X = Br or Cl), 1301–6

Mössbauer and nuclear magnetic resonance spectroscopic studies on 'Myocrisin', 'Solganol', 'Auranofin', and related gold(II) thiolates, 1609–16

Heteroaryl tin compounds. Preparation and characterisation of some 3-furyl tin halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroaryl tin compounds, 1889–94

Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalatostannates(II) and malonatostannates(II), 1965–8

Iron(III) phthalocyanines: oxidation and spin states of iron in iron phthalocyanines with carboxyl groups, 2107–10

Iron complexes of *N*(substituted thiosalicylidene)imines. Part 3. Structure, magnetism, and Mössbauer spectra of the complex chloro[*N,N'*-ethylenebis(thiosalicylideneimino)]iron(III), an intermediate-spin complex which exists in three crystalline forms, 2733–40

NAPHTHALENE

Arene ligand exchange reactions in $(\eta^4\text{-cyclo-octa-1,5-diene})(\eta^6\text{-naphthalene})\text{ruthenium}(0)$: a convenient route to new ruthenium(0) complexes, 2255–8

NAPHTHYRIDINE

Complexes of rhodium(I) with 1,8-naphthyridine and related ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-napy})_2(\text{nbnd})_2][\text{ClO}_4]_2 \cdot \text{H}_2\text{O}$, 125–32

NEUTRON DIFFRACTION

Nb_6I_{11} , $\text{DNb}_6\text{I}_{11}$, and $\text{HNb}_6\text{I}_{11}$: a powder neutron diffraction and inelastic scattering study, 501–6

NICKEL

Mechanisms of reduction of a nickel(IV) oxime complex by 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 103–8

Kinetics of the reactions of 5,7,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,14-dienenicel(II) and 5,7,7,12,14,14-hexamethyl-1,4,8,11-tetra-azacyclotetradeca-4,11-dienenicel(II) with cyanide, 121–4

Co-ordination chemistry of higher oxidation states. Part 8. Nickel(III) complexes of bi- and multi-dentate phosphorus and arsenic ligands: crystal and molecular structure of $[\text{Ni}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2\text{Br}_3] \cdot \text{C}_6\text{H}_5\text{Me}$, 459–68

Synthesis and characterisation of the five diastereoisomers of 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane: crystal structure of the nickel bromide complex of the β -isomer, 575–80

The influence of molecular hydrogen on the reaction between $[\text{Ru}_3(\text{CO})_{12}]$ and $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)(\text{C}_2\text{Ph}_2)]$. Synthesis and crystal structure of the new heteropentametallic cluster $[\text{Ni}_2\text{Ru}_3(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\mu\text{-CO})_2(\mu_6\text{-}\eta^2\text{-C}_2\text{Ph}_2)]$, 627–32

Synthesis and structure of the mercaptodithiotrinickel complex $[\text{Ni}_2(\mu_3\text{-S})_2(\text{SH})(\text{PET}_3)_2]\text{BPh}_4$, 939–42

The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 10. Characterisation and stability constants of nickel(II) species isolated from a mixed-ligand solution: crystal structure of tris(1,2-diaminoethane)nickel(II) bis(pyridine-2,6-dicarboxylate)nickelate(II) tetrahydrate, 975–80

Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995–8

Transition-metal co-ordination compounds containing a novel tridentate pyrazole chelating ligand. X-Ray crystal structure of [*N,N*-bis(3,5-dimethylpyrazol-1-ylmethyl)aminoethane](nitrate-*O*)(nitrate-*O,O'*)nickel(II), 1053–8

Compartmental ligands. Part 8. Metal complexes of ligands derived from 2,3-dihydro-2-hydroxy-4*H*-1-benzopyran-4-one and α,ω -

NICKEL (contd.)

- diamines: crystal and molecular structures of two mononuclear nickel(II) and one mononuclear copper(II) complexes, 1073-82
- The interaction of aliphatic amines with transition metal complexes of aromatic di-imines. Part 1. Kinetics and thermodynamics of reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation with aliphatic amines in dimethylformamide, 1105-10
- Mixed Co-Ni carbide clusters. Part 1. Synthesis and structural characterization of the $[\text{Co}_3\text{Ni}_2\text{C}(\text{CO})_{20}]^{3-}$ trianion, 1181-6
- Equilibrium studies and kinetics of solvent exchange with five- and six-co-ordinate mono- and bis-(solvent)(1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate by oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8
- Synthesis and characterisation of 1,7-dimethyl-1,4,7,10-tetra-azacyclododecane: crystal structure of the nickel(II) bromide monohydrate complex of this macrocycle; thermodynamic studies of protonation and metal complex formation, 1357-62
- Kinetics and mechanisms of reduction of a sexidentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6
- Comparison of the thermochemistry of the difluorides and potassium hexafluorometallates(IV) of the elements of the germanium triad with that of the elements of the nickel triad: a study of the inert-pair effect, 1393-400
- Co-ordination chemistry of higher oxidation states. Part 11. The reaction of nickel(II) iodo-complexes with molecular iodine; crystal and molecular structure of $[\text{Ni}(\text{o-C}_6\text{H}_4(\text{PMe}_2)_2)_2][\text{I}_3]_2 \cdot 2\text{I}_2$, 1433-40
- Studies in nickel(IV) chemistry. Part 4. Kinetics of the electron transfer from L-ascorbic acid to
- tris(dimethylglyoximate)nickelate(IV) in aqueous medium, 1471-6
- Kinetics of oxidation of hydrazine and of t-butylhydrazine using tris(dimethylglyoximate)nickelate(IV) in the presence of added Cu^{2+} (aq), 1477-84
- Kinetics and mechanism of electron-transfer reactions of bis(1,4,7-triazacyclononane)nickel(II) and -(III) complexes, 1501-6
- Reactions of $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)_2(\text{HC}_2\text{Cl}=\text{CH}_2\text{CH}_3)]$ with $[\text{M}_3(\text{CO})_{12}]$ ($\text{M} = \text{Ru}$ or Os) in the presence of hydrogen. Synthesis and crystal structure of the new heterometallic complex $[\text{Ni}_2\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\text{C}_2\text{H}_5\text{C}(\text{H})\text{C}(\text{H})=\text{CH}_2\text{CH}_3)]$ and spectroscopic characterization of a planar isomer, 1541-6
- Metal complexes of sulphur-nitrogen chelating agents. Part 11. Synthesis, characterisation, and thermodynamics of nucleophilic substitution reactions of monohalogeno nickel(II) complexes of tridentate ligands of the type SNN in solution and the solid state, 1681-6
- Synthesis of tetrafluoronickelate(II) and tetrafluorozincate(II) complexes from aqueous media: a novel route to fluorometallates, 1763-4
- The replacement of one hydrido-ligand in $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}_2(\mu\text{-H})_2(\text{CO})_6]$ by MPPH_3^+ ($\text{M} = \text{Cu}$ or Au). Crystal structure of $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}_2(\mu\text{-H})_2(\mu\text{-AuPPh}_3)(\text{CO})_6]$, the first gold-nickel-osmium cluster, 1843-8
- Studies of pendant-arm macrocyclic ligands. Part 1. Synthesis of two new penta-aza ligands, and observation of pH-dependent reversible equilibria between trigonal-bipyramidal and square-planar forms of their nickel(II) and copper(II) complexes. Crystal structure of a trigonal-bipyramidal nickel(II) complex, 1937-44
- Synthesis and co-ordination chemistry of a novel dinucleating chelating triazole ligand. The crystal structure of bis- μ -[4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole- N' , μ - N^1 , μ - N^2 , N'']-bis[aquachloronickel(II)] dichloride tetrahydrate, 2093-8
- The preparation and co-ordination chemistry of 2,2':6',2''-terpyridine macrocycles. Part 3. Transient template effects involving dimethyltin(IV), 2177-86
- Macrocyclic polyphosphane ligands: synthesis and characterisation of three diastereoisomers of 5,8,16,19-tetraphenyl-1,12-dithia-5,8,16,19-tetraphosphacyclododecane and the X-ray crystal structure of a dinuclear nickel(II) complex of the β isomer, 2265-70
- Studies of pendant-arm macrocyclic ligands. Part 2. Comparison of the nickel(II), copper(II), and zinc(II) complexes of 11-(2'-dimethylaminoethyl)-1,4,7,11-tetra-azacyclotetradecane, a pyridine analogue, and a related new tetra-aza macrocycle, 11-methyl-1,4,7,11-tetra-azacyclotetradecane, 2371-6
- Synthesis and characterization of nickel(II) complexes with cyclic and linear Schiff-base ligands incorporating sulphur, nitrogen, and oxygen donor atoms, 2389-94
- Kinetics and mechanism of the oxidative addition of cyanogen to

$[\text{Ni}(\text{CO})_2(\text{PPh}_3)_2]$, 2513-6

Conformational changes of nickel(II) diamine complexes in the solid state, 2591-8

NIOBIUM

Chemistry of *o*-xylylene-metal complexes. Part 2. Preparation and properties of the *o*-xylylene-metal(IV) complexes

$[\text{M}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-o})(\eta\text{-C}_5\text{H}_5\text{R})_2]$ ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$, or Nb ; $\text{R} = \text{H}$ or SiMe_3) and $[\text{M}'(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-o})_2(\text{OC}_4\text{H}_9)_2]$ ($\text{M}' = \text{Ti}, \text{Zr}$, or Hf); X-ray crystal structures of the

metallaindanes $[\text{M}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-o})(\eta\text{-C}_5\text{H}_5\text{R})_2]$ ($\text{R} = \text{H}$, $\text{M} = \text{Ti}, \text{Zr}$, or Hf ; $\text{R} = \text{SiMe}_3$, $\text{M} = \text{Nb}$), 399-414

Nb_6I_{11} , $\text{DNb}_6\text{I}_{11}$, and $\text{HNb}_6\text{I}_{11}$: a powder neutron diffraction and inelastic scattering study, 501-6

Studies of niobium selenido-halides: crystal structure of $[\text{Nb}_2\text{Cl}_4(\text{Se}_2)_2(\text{SMe}_2)_4]$, 1087-90

Interaction between uranium pentafluoride and the pentafluorides of vanadium, arsenic, niobium, tantalum, and bismuth, and the tetrafluoride of sulphur, 2163-6

NITRATE

Transition-metal co-ordination compounds containing a novel tridentate pyrazole chelating ligand. X-Ray crystal structure of $[\text{N,N-bis}(3,5\text{-dimethylpyrazol-1-ylmethyl})\text{aminoethane}](\text{nitrate-}O)(\text{nitrate-}O,O')\text{nickel(II)}$, 1053-8

The complex chemistry of scandium. Part 1. Preparation and properties of some scandium(III) complexes of polyamines. X-ray crystal structures of tri-nitrate(OO') 2,2':6',2''-terpyridyl- $\text{NN}'\text{N}''$ scandium(III) and [1,2-bis(pyridine- α -carbaldimino)ethane- $\text{NN}'\text{N}''$]-di- μ -hydroxo-di-nitrate- OO' discandium(III) dinitrate bis(acetonitrile), 2449-54

NITRIC ACID

Nitrogen tracer studies on the decomposition of hydroxylamine in nitric acid, 2835-8

NITRIDE

Structural studies of technetium complexes. Part 4. The crystal structure of *trans,trans*-acetonitriledi-isothiocyanato(nitrido)bis(triphenylphosphine)technetium(V)-acetonitrile (1.05), 833-8

Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329-32

Studies of technetium complexes. Part 6. The preparation, characterisation, and electron spin resonance spectra of salts of tetrachloro- and tetrabromo-nitridotechnetate(VI): crystal structure of tetraphenylarsonium tetrachloronitridotechnetate(VI), 2395-400

NITRILE

The stepwise hydrogenation of a nitrile on an osmium cluster: X-ray crystal structures of $[\text{Os}_3(\mu\text{-H})(\mu\text{-NHCH}_2\text{CF}_3)(\text{CO})_{10}]$, $[\text{Os}_3(\mu\text{-H})(\mu\text{-NCH}_2\text{CF}_3)(\text{CO})_9]$, and $[\text{Os}_3\text{H}(\mu\text{-H})(\mu\text{-NCH}_2\text{CF}_3)(\text{CO})_8]$, 433-40

Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729-32

NITRILOTRIACETATE

Kinetics of the electron-transfer reaction of penta-ammine(nitritotriacetato)cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6

NITROGEN

Insertion of unsaturated hydrocarbons into the platinum-nitrogen bond of $[\text{Pt}(\text{PPh}_3)_2(\text{PhNO})]$, 355-8

Studies of phosphazenes. Part 17. Reaction of hexachlorocyclotriphosphazatriene with *N*-methylethanolamine: X-ray crystal structure of a dispirocyclotriphosphazatriene, $\text{N}_3\text{P}_3(\text{NMeCH}_2\text{CH}_2\text{O})_2\text{Cl}_2$, 621-6

Hexasulphur tetranitrogen dichloride, $\text{S}_6\text{N}_4\text{Cl}_2$: crystal growth and crystal structure, 1377-82

Geminal

bis(triphenylphosphoranylidene)amino)cyclotriphosphazenes: synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521-6

Adducts of silicon tetrafluoride with aminocyclotriphosphazenes: synthesis and characterization, 1787-90

Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclotriphosphazene, 2843-6

NITROGEN-15

Spectroscopy of terminal dinitrogen complexes: nitrogen-15 and

NITROGEN-15 (contd.)

- phosphorus-31 nuclear magnetic resonance, 469-74
 Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329-32
 Nitrogen-15 nuclear magnetic resonance spectroscopy of dinitrogen-bridged complexes, 2429-34
 Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729-32

NITROGEN-BRIDGED CATION

- Preparation and X-ray crystal structure of $(S_3N_3)_2NaF_6$, containing the bis(thiodithiazyl)aminylium(1+) cation, 211-8
 Preparation and X-ray crystal structure of $(S_3N_3)_2NaF_6$, containing the bis(thiodithiazyl)aminylium(1+) cation (1984, 211), 1265-6

NITROPHENOL

- Deoxygenation reaction of 2-nitrophenol. Synthesis and X-ray crystal structure of $[Ru(OC_6H_4NO-o)(OC_6H_4NO_2-o)(CO)(PPh_3)_2]$, 735-8

NITROSO

- The role of titanium and iron complexes in the deoxygenation of aromatic nitroso-compounds, 2577-80

NITROSOPHENOLATE

- Deoxygenation reaction of 2-nitrophenol. Synthesis and X-ray crystal structure of $[Ru(OC_6H_4NO-o)(OC_6H_4NO_2-o)(CO)(PPh_3)_2]$, 735-8

NITROSYL

- A new series of neutral nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0) complexes: crystal and molecular structure of $(NN$ -diethyldithiocarbamate- SS')nitrosyl(η^4 -tetraphenylcyclobutadiene)iron(0), 245-8
 Thermal and thermally assisted photochemical conversion of $[Mo(NO)]^{3+}$ to $[Mo(NO)]^{2+}$ in a ketonic solvent: single-step synthesis of nitrosyl(thiocyanato)molybdenum(i) derivatives from $[Mo(NO)(NH_2O)(NCS)_2(L-L)]$ ($L-L = 2,2'$ -bipyridine or 1,10-phenanthroline), 487-90
 An electron spin resonance study of bis(tetraphenylarsonium)pentakis(isothiocyanato)nitrosyltechnetate(ii): a six-co-ordinate low-spin $4d^3$ technetium(ii) complex, 827-32
 Heterobinuclear complexes formed from $[3,6$ -bis(2'-pyridyl)pyridazine]nitrosylbis(triphenylphosphine)iridium(2+) and palladium(ii) or platinum(ii), 1417-20
 Synthesis and reactivity of binuclear cyclopentadienylrhodium nitrosyl cations, and the X-ray structure of $[Rh_2(\mu-CO)(\mu-NO)(\eta^5-C_5Me_5)_2][PF_6]$, 1659-66
 Reductive nitrosylation of tetraoxometalates. Single-pot and a virtually single-step synthesis of $[Os(NO)(NCS)_3]^{2-}$ and its 1,10-phenanthroline and 2,2'-bipyridine derivatives directly from OsO_4 in aqueous aerobic media, 2085-6

NITROXIDE

- Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209-14

N.M.R.

- Application of proton polarization transfer to a high-spin nucleus, germanium-73, 133-40
 Aluminium-27 nuclear magnetic resonance investigations of highly alkaline aluminate solutions, 147-8
 Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulphoxide, 267-72
 Solution dynamics of the osmium cluster $[Os_2(\mu-H)_2(CO)_{10}]$ by ^{13}C and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84
 Nuclear magnetic resonance studies of pyramidal inversion in complexes of tricarbonylrhenium(i) halides with aliphatic and aromatic mixed thio-seleno ethers, 365-70
 Preparation and boron-11 and proton nuclear magnetic resonance study of the anions $[B_9H_{14}]^-$, $[B_9H_{13}(NCS)]^-$, and $[B_9H_{13}(NC)BH_3]^-$, and a comparison with the neutral derivatives $B_9H_{13}(SMe_2)$, $B_9H_{13}(SEt_2)$, and $B_9H_{13}(CH_3CN)$; isolation of $[B_9H_{12}(NCS)]^-$, 415-22
 Nuclear magnetic resonance studies of chelate-ring effects in tungsten(0) carbonyl complexes of poly(tertiary phosphines), 455-8

Spectroscopy of terminal dinitrogen complexes: nitrogen-15 and phosphorus-31 nuclear magnetic resonance, 469-74

Gold-197 Mössbauer and ^{31}P - $\{^1H\}$ nuclear magnetic resonance spectroscopic studies on gold(i) complexes with tertiary phosphines, 491-4

Metal complexes of the new tetra-aza macrocyclic ligand 1,5,9,13-tetramethyl-1,5,9,13-tetra-azacyclohexadecane; carbon-13 nuclear magnetic resonance study of the complexes of Cd^{2+} , Hg^{2+} and Pb^{2+} and X-ray crystal structure of the cadmium complex, 605-10

Studies of phosphazenes. Part 17. Reaction of

hexachlorocyclotriphosphazatriene with *N*-methylethanolamine: X-ray crystal structure of a dispirocyclotriphosphazatriene, $N_3P_3(NMeCH_2CH_2O)_2Cl_2$, 621-6

Reactions of platinum(ii) acetylides with organolithium compounds: formation of lithium-bridged dinuclear platinum(ii) complexes and of triorganoplatinatate(ii) complexes: crystal structure of the complex $[Pt_2(C\equiv CPh)_4(PEt_3)_2(Bu^t)_2(\mu-Li)]$, 747-56

Stable gold(i) complexes with chelate rings: solution studies of bis(phosphino)ethane complexes and X-ray crystal structure of bis[1,2-bis(diphenylphosphino)ethane]gold(i) hexafluoroantimonate-acetone (1/1), 969-74

Aluminium-27 nuclear magnetic resonance studies of the hydrolysis of aluminium(iii). Part 6. Hydrolysis with sodium acetate, 981-4

The ground electronic state of quadridentate salicylaldehyde Schiff base-cobalt(ii) complexes in non- and weakly co-ordinating solvents, 1195-202

Tin-119 nuclear magnetic resonance studies of some mixed halogeno-complexes of tin(iv), 1245-8

Exchange of bridging and terminal hydrides in $[Co(terpy)(H_2BH_2)]$, 1257-60

Equilibrium studies and kinetics of solvent exchange with five- and six-co-ordinate mono- and bis-solvent(1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(ii) perchlorate by oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8

Nitrogen-15 nuclear magnetic resonance spectroscopy of hydrazido(2-), imido-, and nitrido-complexes of molybdenum and tungsten, 1329-32

Bis[*O*-methyl (*S*)-penicillaminato]-*cis*-dioxomolybdenum(vi), $[MoO_2((S)\text{-pen-OMe})_2]$; structure and spectroscopic studies, 1333-42

Synthesis and nuclear magnetic resonance study of the auranoborane and diauradecaborane *arachno*-type compounds, $[4-(S_2CNEt_2)\text{-}arachno\text{-}4\text{-}AuB_8H_{11}]$ and $[6,9-(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_8H_{10}]$; crystal and molecular structure of $[6,9-(S_2CNEt_2)_2\text{-}arachno\text{-}6,9\text{-}Au_2B_8H_{10}]$, 1427-32

Geminal

bis[(triphenylphosphoranylidene)amino]cyclophosphazenes: synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521-6

Chemical shift parametrization for metal-ion nuclear magnetic resonance spectroscopy of d^8 transition metal complexes, 1537-40

Preparation and nuclear magnetic resonance study of phosphorus-fluorine compounds undergoing intramolecular exchange. Part 4. Rotameric forms of 1-piperidyltrifluorophosphoranes, 1547-54
 Mössbauer and nuclear magnetic resonance spectroscopic studies on 'Myocrisin', 'Solganol', 'Auranofin', and related gold(i) thiolates, 1609-16

Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(ii), 1635-40

Oxygen-17 and carbon-13 relaxation studies of metal carbonyls: improved determination of ^{17}O electric quadrupole couplings, 1863-6

Heteroaryl tin compounds. Preparation and characterisation of some 3-furyl tin halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroaryl tin compounds, 1889-94

Iridanoborane chemistry: preparation and characterization of some *arachno*-4-iridanoboranes by nuclear magnetic resonance spectroscopy and single-crystal X-ray diffraction analysis, 1903-10

Crystal structure and variable-temperature hydrogen-1 nuclear magnetic resonance spectrum of (dimethylnitrosylsilyl)-[methyl(diphenylsilyl)]bis(trimethylsilyl)methane, $C(SiMe_3)_2(SiMePh_2)(SiMe_3ON_2)$, 2015-8

Behaviour of α -functional organotransition metal compounds: nuclear magnetic resonance investigation of a novel Friedel-Crafts metallacyclisation of

halogenomethyl(arylphosphine)platinum(II) complexes, 2019–26

A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^2\text{-C}_5\text{H}_4\text{R})]$ ($\text{R} = \text{CMe}_2\text{Et}$ or Bu^t) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027–8

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 5. Intramolecular rearrangements in the dinuclear platinum(IV) complexes of 1,3,5,7-tetrathiocane. X-Ray crystal structure of $[(\text{Pt}(\text{CMe}_2)_2)(\text{SCH}_2\text{SCH}_2\text{SCH}_2\text{SCH}_2)]$, 2047–58

The preparation, ^{11}B , ^1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidene(triphenylphosphorane-triborane)7. $\text{PtC}_6\text{H}_5\text{CHRB}_3\text{H}$ ($\text{R} = \text{H}$, CH_3 , or C_6H_5), 2119–26

Formation and characterization of uranium(VI) chloride fluorides, $\text{UF}_n\text{Cl}_{6-n}$ ($n = 1-5$), 2127–32

The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. X-Ray crystal and molecular structures of $[\text{Pd}(\{\text{E}\}\text{-PhP}=\text{PPh})(\text{Ph}_2\text{PCH}_2\text{NC}_6\text{H}_4\text{PPh}_2)]$ and $[\text{Pd}(\{\text{E}\}\text{-PhP}=\text{PPh})\{\text{W}(\text{CO})_5\}_2(\{\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2\})]$, 2237–44

Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2239–32

Nitrogen-15 nuclear magnetic resonance spectroscopy of dinitrogen-bridged complexes, 2429–34

Iridanorabonane chemistry. Some reactions of *arachno*-4-iridanorabonanes: nuclear magnetic resonance investigations and the molecular structure of the *nido* nine-vertex species $[\text{2.2.2-(CO)}(\text{PMe}_2)_3\text{-nido-2-IrB}_5\text{H}_{11}]$, 2477–86

The reactions of *arachno*-decaboranyl complexes $\text{L}_2\text{B}_{10}\text{H}_{12}$ ($\text{L} =$ two-electron donor ligand) with some platinum(II) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of $[\text{8-Cl-7,7-(PMe}_2\text{Ph)}_2\text{-nido-7-PtB}_{10}\text{H}_{11}]$, 2487–96

Preparation, reactions, and nuclear magnetic resonance spectra of disubstituted derivatives of the octahydrotriborate(1-) ion, $[\text{B}_3\text{H}_4\text{XX}]^-$ ($\text{X} = \text{Cl}$, $\text{X}' = \text{Cl}$, NCB , NCBH_2 , or NCBH_2Cl); molecular structure of $[\text{B}_3\text{H}_6\text{Cl}_2]^-$ and partial structure of $[\text{B}_3\text{H}_4\text{C}(\text{NCS})]^-$, 2525–34

Stereoselectivity in the substitution reaction of square-planar platinum(II) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689–94

Reactions of boron compounds with difluorophosphoric acid; characterisation of the tetrakis(difluorophosphato)borate anion by multinuclear (^{11}B , ^{19}F , and ^{31}P) nuclear magnetic resonance spectroscopy, 2719–28

Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729–32

The analogy between alkenes and the dinuclear species $[\text{MRh}(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)]$ ($\text{M} = \text{Co}$ or Rh); dynamic nuclear magnetic resonance, X-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated CoRh and Rh_2 fragments and the pentacarbonylmolybdenum group, 2757–64

Study of heteropolyanions by solid-state nuclear magnetic resonance spectroscopy, 2765–8

Diastereoisomeric organophosphorus compounds. Part 4. Proton and phosphorus-31 nuclear magnetic resonance spectra of compounds of the type $[\text{RR}'\text{P}(\text{X})]_2\text{Y}$ and $\text{RR}'\text{P}(\text{X})\text{-Y-(Z)}\text{PR}'$ ($\text{R} = \text{CH}_3$, $\text{R}' = \text{t-C}_4\text{H}_9$), 2803–12

Ligand properties of the $-\text{OSeF}_6$ and $-\text{OTeF}_6$ groups in pseudotrigonal-bipyramidal molecules, 2821–6

NONABORATE

Preparation and boron-11 and proton nuclear magnetic resonance study of the anions $[\text{B}_9\text{H}_4]^-$, $[\text{B}_9\text{H}_3(\text{NCS})]^-$, and $[\text{B}_9\text{H}_3(\text{NCBH}_2)]^-$, and a comparison with the neutral derivatives $\text{B}_9\text{H}_3(\text{SMc}_2)$, $\text{B}_9\text{H}_3(\text{SEt}_2)$, and $\text{B}_9\text{H}_3(\text{CH}_3\text{CN})$; isolation of $[\text{B}_9\text{H}_3(\text{NCS})]^-$, 413–22

NON-RIGIDITY

Stereochemical non-rigidity of the indenyl ligand in the compound $[\text{CrRh}(\mu\text{-CO})_2(\text{CO})_2(\eta\text{-C}_9\text{H}_7)(\eta\text{-C}_6\text{H}_4\text{Me}_2\text{-1,3,5})]$, 1261–4

N.Q.R.

Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometalates $[\text{CuI}_2]^{2-}$, $[\text{CuBr}_2]^{2-}$, and $[\text{AgI}_2]^{2-}$. Crystal structure of

NUCLEOTIDE
Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulphoxide, 267-72

Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP}(\text{H}_2\text{O})_2)_2 \cdot 2\text{H}_2\text{O}]$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})_2(\text{H}_2\text{O})_6]$: phosphate-only metal bonding, 1401-10

Thermodynamics of metal complexes with ligand-ligand interaction. Mixed complexes of copper(II) and zinc(II) with adenosine 5'-triphosphate and L-histidine or histamine, 1651-8

Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP}(\text{H}_2\text{O})_2)_2 \cdot 2\text{H}_2\text{O}]$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})_2(\text{H}_2\text{O})_6]$: phosphate-only metal bonding (1984, 1401), 2353-4

Preparation and physico-chemical properties of the ternary complexes formed between adenosine 5'-triphosphoric acid, bis(2-pyridyl)amine, and divalent metal ions. Crystal and molecular structures of the compounds containing Mg^{2+} and Ca^{2+} , 2467-76

OCTABORATE
Preparation and boron-11 and proton nuclear magnetic resonance study of the anions $[\text{B}_8\text{H}_{14}]^-$, $[\text{B}_8\text{H}_{13}(\text{NCS})]^-$, and $[\text{B}_8\text{H}_{13}(\text{NCBH}_3)]^-$, and a comparison with the neutral derivatives $\text{B}_8\text{H}_{13}(\text{SMec}_2)$, $\text{B}_8\text{H}_{13}(\text{SEt}_2)$, and $\text{B}_8\text{H}_{13}(\text{CH}_3\text{CN})$; isolation of $[\text{B}_8\text{H}_{13}(\text{NCS})]^-$, 415-22

OCTAHYDROTRIBORATE
Preparation, reactions, and nuclear magnetic resonance spectra of disubstituted derivatives of the octahydrotriborate(1-) ion, $[\text{B}_3\text{H}_6\text{XX}']^-$ ($\text{X} = \text{Cl}$, $\text{X}' = \text{Cl}$, NCS , NCBH_3 , or NCBH_2Cl); molecular structure of $[\text{B}_3\text{H}_6\text{Cl}_2]^-$ and partial structure of $[\text{B}_3\text{H}_6\text{Cl}(\text{NCS})]^-$, 2525-34

OLEFIN
Dinuclear intermediates in the oxidation of pendant olefinic groups of palladium(II)-co-ordinated Schiff-base ligands, 615-20

Carbene complexes. Part 18. Synthetic routes to electron-rich olefin-derived monocarbenerhodium(II) neutral and cationic complexes and their chemical and physical properties, 2355-64

Arene-molybdenum chemistry: olefin and hydride derivatives, 2795-802

OLEFIN EXCHANGE
Intramolecular catalysis of olefin exchange in *trans*-dichloro(η -olefin)(pyridine)platinum(II) complexes by the hydroxy-group of a side chain in the 2-position of the pyridine ligand, 169-74

ORGANOSILANE
Crystal structure and variable-temperature hydrogen-1 nuclear magnetic resonance spectrum of (dimethylnitratosilyl)-[methylphenylsilyl]bis(trimethylsilyl)methane, $\text{Cl}(\text{SiMe}_3)_2(\text{SiMePh}_2)(\text{SiMe}_2\text{ONO}_2)_2$, 2015-8

OSMIUM
Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 1. Raman solution data for $[\text{Ru}_3(\text{CO})_{12}]$, $[\text{Os}_3(\text{CO})_{12}]$, and $[\text{Ru}_4(\text{CO})_{12}]$ in the CO stretching region, 149-54

Solution dynamics of the osmium cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}]$ by ^{13}C and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84

The structure of the mixed-metal cluster anion $[\text{FeOs}_3\text{H}(\text{CO})_{13}]^-$ as its $[\text{N}(\text{PPh}_3)_2]^+$ salt, 301-4

Synthesis and reactions of osmium(III) chloro carboxylates. X-Ray crystal structure of tetra(μ -n-butyrato)-dichlorodiosmium(III) $[\text{Os}_2(\text{Os})]$ (1983, 2109), 305-6

The stepwise hydrogenation of a nitrile on an osmium cluster: X-ray crystal structures of $[\text{Os}_3(\mu\text{-H})_3\text{NCH}_2\text{CF}_3(\text{CO})_9]$, $[\text{Os}_3(\mu\text{-H})_3(\mu_2\text{-NCH}_2\text{CF}_3)_2(\text{CO})_8]$, and $[\text{Os}_3(\mu\text{-H})_3(\mu_2\text{-NCH}_2\text{CF}_3)_3(\text{CO})_6]$, 433-40

Preparation and crystal structure of trichloro(thionitrosyl)bis(triphenylphosphine)osmium, $[\text{Os}(\text{NSCl})_2(\text{PPh}_3)_2]$, 719-22

Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-Ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_2)_2\text{SiMe}_2](\text{PMe}_3)_4$, 877-82

Kinetics and mechanisms of redox reactions in aqueous solution. Part 8. Osmium(VIII) catalysed oxidation of amino acids by alkaline hexacyanoferrate(II), 999-1004

An unusual carbon-carbon σ -bond cleavage reaction on attempted

OSMIUM (contd.)

- methylation of the anionic alkene cluster $[\text{Os}_3\text{H}(\mu\text{-CO})(\text{CF}_3(\text{H})\text{C}=\text{C}(\text{H})\text{CF}_3)(\text{CO})_2]^-$; X-ray crystal structure of $[\text{Os}_3\text{H}(\mu\text{-C}\equiv\text{N}^2\text{-C}_6\text{CCF}_3)(\text{CO})_2]$, 1769–72
- Bifunctional activation of a carbonyl group in the pentanuclear carboxido-clusters $[\text{Os}_5\text{C}(\text{CO})_{15}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}\text{I}_2]$ by alcohols: X-ray analysis of $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Et})\text{H}]$ and $[\text{Os}_5\text{C}(\text{CO})_{15}(\text{CO}_2\text{Me})\text{H}]$, 1809–14
- The replacement of one hydrido-ligand in $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_2(\text{CO})_5]$ by MPPPh_3^+ (M = Cu or Au). Crystal structure of $[(\eta\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-AuPPh}_3)(\text{CO})_5]$, the first gold–nickel–osmium cluster, 1843–8
- Metal–metal bond fission and the formation of triosmium–alkene complexes via the reaction of $[\text{Os}_3(\mu\text{-H})(\mu\text{-}\eta^2\text{-CF}_3\text{C}=\text{C}(\text{H})\text{CF}_3)(\text{CO})_{10}]$ with nucleophiles; a complete model for the catalytic reduction of an alkyne to an alkene by a cluster, 1931–6
- Carbon–nitrogen bond cleavage in 1-dimethylaminobut-2-yne and derived ligands in triruthenium and triosmium clusters, 1987–92
- Complexes of rhenium and osmium polyhydrides with metallic Lewis acids: X-ray crystal structure of $[\text{Ag}(\text{ReH}_4(\text{PPhPr})_2)_2][\text{PF}_6]$, 2003–10
- Triosmium clusters with ligands derived from $\alpha\beta$ -unsaturated ketones. X-ray crystal structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{cis-MeC}=\text{CHCOMe})]$ and $[\text{Os}_3\text{H}(\text{OH})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2039–46
- Reductive nitrosylation of tetraoxometalates. Single-pot and a virtually single-step synthesis of $[\text{Os}(\text{NO})(\text{NCS})_3]^{2-}$ and its 1,10-phenanthroline and 2,2'-bipyridine derivatives directly from OsO_4 in aqueous aerobic media, 2085–6
- Synthesis of mixed-metal clusters by the reaction of the unsaturated cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}]$ with transition-metal hydrides: the X-ray crystal structures of $[\text{Os}_3\text{H}_2(\text{CO})_{10}(\text{Cu}(\text{PPh}_3))_2]$ and $[\text{Os}_3\text{H}_2(\text{CO})_{11}(\text{Ir}(\text{PPh}_3))_2]$, 2111–8
- Synthesis and X-ray analysis of $[\text{PMePh}_3][\text{Os}_3\text{H}(\text{CO})_{12}]$ and $[\text{Os}_3\text{H}(\text{CO})_{12}]\text{I}$, 2151–62
- Dodecacarbonyltri-osmium anchored on poly(4-vinylpyridine), 2327–8
- Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2329–32
- Alkyl and hydrido derivatives of tetrakis(trimethylphosphine)osmium(II). X-ray crystal structure of the metallacycle $\text{Os}[(\text{CH}_2)_4\text{SiMe}_2(\text{PMe}_2)_4]$, 2589–90
- Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(VIII) in alkaline solutions, 2653–8
- The $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\text{MeCN})_2]^+$ cation: synthesis and X-ray crystal structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\text{MeCN})_2][\text{Os}(\text{CO})_3\text{Cl}_3]$, 2723–8

OXALATE

- Kinetics of the 1:1 complexing of oxalate to hexa-aquamolybdenum(III), 1229–32
- Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalato-stannates(II) and malonato-stannates(II), 1965–8

OXIDATION

- Oxidation and reduction of *cis*-bis(2,2'-bipyridine)dibromomolybdenum(0) and -tungsten(0). Preparation of bis(2,2'-bipyridine)dibromomolybdenum(II) and bis(2,2'-bipyridine)dibromotungsten(II) bis(tetrafluoroborate) salts and their reaction with isocyanides, 255–62
- Kinetics of silver(II) oxidation of metal cations, 475–8
- Dinuclear intermediates in the oxidation of pendant olefinic groups of palladium(II)-co-ordinated Schiff-base ligands, 615–20
- Kinetics of the oxidation of hydrazine by periodate, 919–22
- Quantum yields and reaction rates in the photo-oxidation of hydrazine by uranyl ion, 923–8
- The crystal structure of chlorotris(3-methylpyridine)copper(II), and its conversion into hexa- μ -chloro-tetrakis(3-methylpyridine)- μ_4 -oxo-tetracopper(II), 989–92
- Kinetics and mechanisms of redox reactions in aqueous solution. Part 8. Osmium(VIII) catalysed oxidation of amino acids by alkaline hexacyanoferrate(III), 999–1004
- Phosphomolybdic acid as a reoxidant in the palladium(II)-catalysed oxidation of but-1-ene to butan-2-one, 1223–8
- Photo-oxidation of iron(II) in water between pH 7.5 and 4.0, 1441–6
- Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh_3 by catalysis of $[\text{Mo}^{\text{VI}}\text{O}_2(\text{Cys-OR})_2]$ (Cys-OR = S-deprotonated cysteine ester; R = Me, Et, Pr, or CH_2Ph)

in *NN*-dimethylformamide, 1447–52

- Kinetics and mechanisms of redox reactions in aqueous solution. Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531–6
- Kinetics and mechanism of the oxidation of glycolic and glyoxylic acids by thallium(III) in acidic perchlorate solutions, 1867–72
- Kinetics and mechanism of the silver(I)-catalysed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873–6
- Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with $[\text{IrCl}_6]^{2-}$, $[\text{Co}(\text{C}_2\text{O}_4)_3]^{3-}$, and aquavanadium(IV), 2099–106
- Activation of water with anionic platinum carbonyl clusters, 2315–8
- Kinetics and mechanism of oxidation of 2,4-dinitrophenylhydrazine, *p*-nitrophenylhydrazine, and *p*-tolylhydrazine with potassium hexacyanoferrate(III) in acidic perchlorate media, 2599–604
- Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(VIII) in alkaline solutions, 2653–8

OXIDATIVE ADDITION

- A kinetic and mechanistic study of the oxidative addition of diaryl ditellurides to *trans*-carbonylchlorobis(triphenylphosphine)iridium(II) in toluene, 1065–8
- Kinetics and mechanism of the oxidative addition of cyanogen to $[\text{Ni}(\text{CO})_2(\text{PPh}_3)_2]$, 2513–6

OXIDE

- Lanthanide oxides: preparation and ageing, 87–92
- Preparation and characterization of the adduct $\text{UO}_2\text{F}_2\cdot\text{AsF}_5\cdot 93\text{-4}$
- Polymeric complexes from molybdenum trioxide, with notes on derivatives and related compounds, 495–500
- Spectroscopic studies on adsorbed metal carbonyls. Part 1. Interaction of $[\text{Rh}_4(\text{CO})_{12}]$ and $[\text{Rh}_6(\text{CO})_{18}]$ with alumina, silica, and titania, 587–94
- An X-ray photoelectron spectroscopic study of the surface properties of vanadium antimonate and β -antimony tetroxide, 985–8
- Spectroscopic studies on adsorbed metal carbonyls. Part 2. Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123–32
- Identification and characterisation of three novel compounds in the sodium–aluminium–oxygen system, 1139–46
- High oxidation state fluoro–rhenium species: preparation and characterization of $[\text{ReF}_6]^+$, $[\text{ReF}_5\text{O}]^+$, and $[\text{Re}_2\text{F}_9\text{O}_2]^+$, and the crystal structure of $[\text{Re}_2\text{F}_9\text{O}_2][\text{Sb}_2\text{F}_{11}]$, 1411–6
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 29. Synthesis of rhenium–tungsten compounds: X-ray crystal structures of $[\text{ReW}_2(\mu\text{-Br})(\mu\text{-L})(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2]$ (L = CO or O), 1597–604
- Comparative electrochemistry of *cis*- MoOS_2^{2+} , MoO_2^{2+} , and MoS_2^{2+} centres in complexes of the type *cis*- $[\text{MoY}_2\text{L}_2]$ (Y = O and/or S, HL = 1-hydroxypyridine). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617–20
- A novel synthetic procedure for the preparation of silicon sesquioxide at room temperature, 1779–80
- Preparation and crystal structures of $[\text{As}(\text{CF}_3)_3\text{O}(\text{OH})]_2$, $[\text{As}(\text{CF}_3)_3\text{O}(\text{OH})\text{Cl}]_2$, and $\text{As}_4(\text{CF}_3)_3\text{O}_6(\text{OH})_2$; a novel cage structure containing four- and six-co-ordinated arsenic, 2011–4
- Synthesis and properties of chromium(V) trifluoride oxide CrOF_3 and related oxo-anions, 2445–8
- Synthesis and characterization of technetium(V) oxo-complexes with quadridentate Schiff-base ligands: X-ray structures of μ -oxo-bis(oxo[*N,N'*-propane-1,3-diylbis(salicylideneiminato)]technetium(V)) and chloro-oxo[*N,N'*-propane-1,3-diylbis(salicylideneiminato)]-technetium(V), 2505–12
- The preparation and crystal structure of the 1:2 adduct of phosphorus trifluoride oxide and antimony pentafluoride, 2541–4
- Trioxorhenium(VII) alkoxides, di-isopropylamides, carboxylates and related compounds, 2695–702
- Ligand properties of the $-\text{OSeF}_5$ and $-\text{OTeF}_5$ groups in pseudo-trigonal-bipyramidal molecules, 2821–6

OXIME

- Mechanisms of reduction of a nickel(IV) oxime complex by 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media,

OXIME (contd.)

103-8

OXYGEN-17

Solution dynamics of the osmium cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}]$ by ^{13}C and ^{17}O nuclear magnetic resonance estimation of the ^{13}C chemical shift anisotropy and ^{17}O quadrupole coupling constant, 279-84

Equilibrium studies and kinetics of solvent exchange with five- and six-co-ordinate mono- and bis-(solvent)(1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate by oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8

Oxygen-17 and carbon-13 relaxation studies of metal carbonyls: improved determination of ^{17}O electric quadrupole couplings, 1863-6

OXYGEN ADDITION

Thermodynamic studies on the addition of molecular oxygen to cobalt(II) complexes. Part 3. The cobalt(II)-tetraethylenepentamine- O_2 system in aqueous solution at 25 °C, 307-10

OXYGENATION

Metal chelates of sulphur-containing polyamine macrocycles and oxygenation of the corresponding cobalt(II) complexes, 673-8

PALLADIUM

Synthesis of cationic palladium(II) and platinum(II) complexes with a monodentate trialkylphosphoniumdithiocarboxylate ligand: molecular structure of *trans*- $[\text{Pd}(\text{C}_6\text{F}_5)(\text{PEt}_3)_2(\text{S}_2\text{C}-\text{PEt}_3)]\text{ClO}_4\cdot\text{CHCl}_3$, 345-50

Microcalorimetric studies on the thermal decomposition of platinum and palladium complexes containing phosphine or diene ligands, 371-8

Dinuclear intermediates in the oxidation of pendant olefinic groups of palladium(II)-co-ordinated Schiff-base ligands, 615-20

The displacement of bonding electrons found in the ylide bond of aminide-palladium complexes, 731-4

Photochemical hydrogen production from ascorbic acid catalysed by tris(2,2'-bipyridyl)ruthenium(II) and hydridotris(triethylphosphine)palladium(II), 809-14

The palladium(II)-promoted hydrolysis of methyl and isopropyl glycylglycinate, 1083-6

Phosphomolybdic acid as a reoxidant in the palladium(II)-catalysed oxidation of but-1-ene to butan-2-one, 1223-8

Bimetallic systems. Part 5. Isonitrile-platinum(II)- or -palladium(II)-bis(diphenylphosphino)methane complexes including heterobimetallics with silver(I), gold(I), or rhodium(I), 1233-8

Heterobimetallic complexes formed from [3,6-bis(2'-pyridyl)pyridazine]nitrosylbis(triphenylphosphine)iridium(2+) and palladium(II) or platinum(II), 1417-20

Synthesis and reactions of heterobimetallic manganese-palladium complexes. Crystal and molecular structure of $[\text{MnPdBr}(\text{CO})_2(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2]$, 1831-6

The production of class-II mixed-valence complexes in the redox reaction between dithiomalonamide and platinum(IV) or palladium(IV), 1975-80

The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. X-Ray crystal and molecular structures of $[\text{Pd}((E)\text{-PhP=PPh})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$ and $[\text{Pd}([(E)\text{-PhP=PPh}][\text{W}(\text{CO})_5])_2](\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$, 2237-44

Reactions of olefin complexes with nitrene precursors. Synthesis of triazoline and aziridine complexes of palladium(II); crystal and molecular structure of *trans*-dichlorobis(11-phenyl-9,10,11-triazabicyclo[6.3.0]undec-9-ene-*N*⁹)palladium-chloroform(1/2), 2409-14

Regiospecific hydride abstraction from metallacycles: conversion of metallacyclopentanes to cationic π -allylic complexes, 2517-24

The interaction of aliphatic amines with transition-metal complexes of aromatic di-imines. Part 2. Concurrent nucleophilic attack at the central metal and co-ordinated ligand in the reaction between ethylenediamine and dichloro(5-nitro-1,10-phenanthroline)palladium(II) in dimethylformamide, 2785-8

PENICILLAMINATE

Bis(*O*-methyl (*S*)-penicillaminato)-*cis*-dioxomolybdenum(IV), $[\text{MoO}_2((S)\text{-pen-OMe})_2]$; structure and spectroscopic studies, 1333-42

PENTABORANE

1- $[(\eta^5\text{-C}_5\text{R}_5\text{Co})\text{B}_5\text{H}_6]$ ($\text{R} = \text{H}$ or Me) sandwich complexes containing a square cyclic $\text{B}_5\text{H}_6^{2-}$ ligand analogous to $\text{C}_4\text{H}_4^{2-}$: structural and spectroscopic studies, 2275-80

PENTALENE

Evidence for through-space interactions between sulphur and nitrogen lone pairs in 2,2a,4,4a,6,6a-hexahydro-1,3,5-trithia-7-azacyclopenta[*cd*]pentalene, 2073-6

PENTAMETHYLCYCLOPENTADIENYL

Synthesis and properties of tetramethyl(η^5 -pentamethylcyclopentadienyl)iridium(V), dimethyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)iridium(IV), and related complexes from reactions of di- μ -chlorodichlorobis(η^5 -pentamethylcyclopentadienyl)iridium(III) with hexamethyldialuminium, 929-34

Synthesis and characterisation of disubstituted di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)dirhodium(IV) complexes; X-ray structure of $[(\text{C}_5\text{Me}_5)_2\text{Rh}]_2(\mu\text{-CH}_2)_2(\text{CO})_2]^{2+}$, 1215-22

Monoalkyl-di- μ -methylene-bis(η^5 -pentamethylcyclopentadienyl)rhodium(IV) complexes and the intramolecular migration of alkyl groups between two metal atoms, 1453-60

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 24. Complexes of the pentamethylcyclopentadienylcopper group and the crystal structures of the compounds $[\text{CuPtW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4(CO)}_2)(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{Me}_5)]$ and $[\text{CuRh}_2(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_3]$, 1555-62

New methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of $[(\text{Rh}(\text{C}_5\text{Me}_5)_2)_2(\text{mpz})(\text{OMe})_2][\text{ClO}_4]$ ($\text{mpz} = 3$ -methylpyrazolate), $[(\text{Rh}(\text{C}_5\text{Me}_5)_2)_2(\text{Hdmpz})(\text{OH})_2][\text{BF}_4]$ ($\text{Hdmpz} = 3,5$ -dimethylpyrazole), and $[(\text{Rh}(\text{C}_5\text{Me}_5)_2)_2(\text{pz})_2(\text{OH})][\text{ClO}_4]$ ($\text{pz} = \text{pyrazolate}$), 1823-30

Electronic structure and reactivity of pentamethylcyclopentadienyl complexes of cobalt, rhodium, and iridium: He-I and He-II photoelectron spectroscopic investigation, 1877-82

A study of the electronic structure of the dimers $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})_2]$, $[\text{Rh}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})_2]$, $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{NO})_2]$, and $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})(\text{NO})]$ by He-I and He-II photoelectron spectroscopy, 1883-8

Dihydrodo(pentamethylcyclopentadienyl)bis(triethylsilyl)iridium(V) and related triphenylsilyl-rhodium(V) and -iridium(V) complexes, 2063-6

PENTANEDIONATE

Complexations of 1,4-dienes to rhodium(I) pentane-2,4-dionates; thermal rearrangements of the complexes, 219-24

Actinide structural studies. Part 6. A confirmed non-linear uranyl group in dioxobis(pentane-2,4-dionato)pyridineuranium(VI), 679-82

PEPTIDE

Studies on transition-metal-peptide complexes. Part 9. Copper(II) complexes of tripeptides containing histidine, 611-4


PERCHLORATE

Structural studies of matrix-isolated alkali-metal perchlorates: proof of a bidentate interaction, 1363-6

An X-ray study at 298 and 120 K of the strong, symmetrical NHN bond in hydrogen diquinclidin-3-one perchlorate, 1795-800

PERFLUOROPHENYL

Reactions of *cis*-di-isocyanidebis(perfluorophenyl)gold(III) complexes with hydrazines. Crystal and molecular structure of *cis*-

**PERIODATE**

Kinetics of the oxidation of hydrazine by periodate, 919-22

On the kinetics of the periodate + iodide reaction, 1773-4

PERMANGANATE

Kinetics and mechanisms of redox reactions in aqueous solution.

Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531-6

PEROVSKITE

Magnetic exchange interactions in perovskite solid solutions. Part 4. The $\text{Fe}^{3+}\text{-O-Cr}^{3+}$ superexchange interaction, 667-72

PEROXIDE

Synthesis of alkali-metal diquafluoro-oxoperoxovanadate(IV) complexes $[\text{VO}(\text{O}_2)\text{F}(\text{H}_2\text{O})_2]^-$, 507-10

PEROXODIPHOSPHATE

Kinetics and mechanism of the silver(I)-catalyzed oxidations of arsenic(III) and antimony(III) with peroxodiphosphate in acetate buffers, 1873-6

PHASE TRANSITION

Thermal behaviour of germanium bis(monohydrogenphosphate)

PHASE TRANSITION (contd.)

monohydrate and characterization of derived germanium pyrophosphates, 527-32

PHENANTHROLINE

Crystal structures and spectroscopic properties of the polymeric adducts formed from Cu(CN) and Cu(NCS) with 2,9-dimethyl-1,10-phenanthroline, 785-92

The interaction of aliphatic amines with transition metal complexes of aromatic di-imines. Part 1. Kinetics and thermodynamics of reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation with aliphatic amines in dimethylformamide, 1105-10

PHENAZATHIONIUM

Studies on the salts of planar metal dithiolate anions with the redox active 3,7-bis(dimethylamino)phenothiazin-5-ium cation (methylene blue), 2333-6

PHENOL

Kinetics of electron-transfer reactions of *para*-substituted phenols $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$ with $[\text{Fe}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline) and with $[\text{IrCl}_6]^{3-}$ in aqueous acidic solutions: correlation between the Hammett constant of X and the one-electron redox potential of $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$, 341-4

PHENYL

Synthesis, reactivity, and crystal and molecular structure of tetraphenyldibismuth, Bi_2Ph_4 , 2365-70

PHENYLAZOPHENYL

Bis[2-(phenylazo)phenyl- C^1N']gold(III) complexes. Crystal and molecular structure of bis[2-(phenylazo)phenyl- C^1N']gold(III) tetrachloroaurate, 557-62

PHENYLIMIDE

Preparation and crystal structure of nonacarbonyl-di- μ -hydrido- μ_3 -phenylimido-triangulo-triruthenium, $[\text{Ru}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-NPh})]$, 1765-8

PHENYLTHIO

Reactions of co-ordinated ligands. Part 32. The reaction of sulphur nucleophiles with cationic molybdenum alkyne complexes: alkyne rotation and the molecular structures of the complexes $[\text{Mo}(\text{SC}_6\text{H}_4\text{NO}_2\text{-}p)(\text{P}(\text{OMe})_3)(\eta^2\text{-MeC}_2\text{Me}(\eta\text{-C}_3\text{H}_5))]$ and $[\text{Mo}(\text{SC}_6\text{H}_4\text{SPh-}o)(\text{CO})(\eta^2\text{-MeC}_2\text{Me}(\eta\text{-C}_3\text{H}_5))]$, 2747-56

PHOSPHATE

Thermal behaviour of germanium bis(monohydrogenphosphate) monohydrate and characterization of derived germanium pyrophosphates, 527-32

Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})(\text{H}_2\text{O})_6]$: phosphate-only metal bonding, 1401-10

Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(5'\text{-UMP})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}_2(5'\text{-dUMP})(\text{H}_2\text{O})_6]$: phosphate-only metal bonding (1984, 1401), 2353-4

Polyhydrated phases in the exchange of H^+ and K^+ in α -titanium phosphate, 2605-10

PHOSPHATIDYLCHOLINE

Liposomal heme as oxygen carrier under semi-physiological conditions, 1147-52

PHOSPHIDE

The synthesis of a dinuclear anionic carbonyl derivative of manganese, $[\text{N}(\text{PPh}_3)_2][\text{Mn}_2(\mu\text{-PPh}_2)(\text{CO})_8]$, and its reactions with complexes of group 1B and group 8A metals to give mixed-metal clusters: a comparative study of the X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{Mn}_2(\mu\text{-PPh}_2)(\text{CO})_8]$, $[\text{Mn}_2(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-PPh}_2)(\text{CO})_8]$, and $[\text{Mn}_2(\mu\text{-H})(\mu\text{-PPh}_2)(\text{CO})_8]$, 633-42

The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6

Synthesis of the anion $[\text{Ru}_3\text{H}(\mu_3\text{-PPh})(\text{CO})_5]^-$ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal structures of the complexes $[\text{Ru}_3\text{Rh}(\mu_3\text{-PPh})(\text{CO})_5(\text{PEt}_3)]$ and $[\text{Ru}_3(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-H})(\mu_3\text{-PPh})(\text{CO})_5]$, 959-68

PHOSPHINE

Chromium(III) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex *mer*- $[\text{Cr}(\text{P}(\text{CH}_2\text{CH}_2\text{PPh}_2)_3\text{Cl})_3]$, 47-54

The reaction of phosphines with $[\text{Fe}_2(\text{CO})_9\text{L}_2(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16})]^{2+}$ [$\text{L} = \text{CO}$ or $\text{P}(\text{OPh})_3$]: cyclopropane ring-opening of the bicyclo[5.1.0]octadienyl groups, and the X-ray crystal structure of $[\text{Fe}_2(\text{CO})_9(\eta^5\text{-}\eta^5\text{-C}_{10}\text{H}_{16}(\text{PPh}_3)_2)](\text{PF}_6)_2 \cdot 0.5\text{C}_6\text{H}_5\text{Me}$, 161-8

Unsymmetrical bis(phosphorus) compounds: synthesis of unsymmetrical ditertiary phosphines, phosphine oxides, and quaternary phosphonium salts, 293-6

Octahedral and trigonal-bipyramidal complexes of ruthenium(II) with bidentate phosphine ligands, 423-8

Nuclear magnetic resonance studies of chelate-ring effects in tungsten(0) carbonyl complexes of poly(tertiary phosphines), 455-8

Co-ordination chemistry of higher oxidation states. Part 8.

Nickel(III) complexes of bi- and multi-dentate phosphorus and arsenic ligands: crystal and molecular structure of $[\text{Ni}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Br}] \cdot \text{C}_6\text{H}_5\text{Me}$, 459-68

Donor properties of arylphosphines towards selenium: X-ray crystal structure of tris(*m*-trifluoromethylphenyl)phosphine selenide, 483-6

Gold-197 Mössbauer and ^{31}P - $\{^1\text{H}\}$ nuclear magnetic resonance spectroscopic studies on gold(I) complexes with tertiary phosphines, 491-4

Synthesis and some reactions of binuclear η -cyclopentadienyl rhodium complexes containing bis(diphenylphosphino)methane and small molecules (CO , SO_2 , or SnCl_4) as bridging ligands. Crystal and molecular structure of $[\text{Rh}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CO})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)]$, 533-8

Determination by electron diffraction of the molecular structure of tris(trimethylsilyl)methylphosphine in the gas phase, 689-94

Synthesis, X-ray crystal structure, and reactions of dihydridopentakis(trimethylphosphine)molybdenum(II): crystal structure of the carbon dioxide insertion product, (formato-*O,O'*)hydridotetrakis(trimethylphosphine)molybdenum(II), 695-700

Carbon monoxide reduction. $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{XPh}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}]$: reactions and formation by reduction of the complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{XPh}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})]\text{PF}_6$, 701-10

Zwitterionic adducts from trialkylphosphine and (η -allyl)dicarbonylnitrosyliron complexes: structure and reactivity, 815-8

Synthesis of $[\text{M}(\text{CO})_4(\text{Ph}_2\text{PCHRPPh}_2)]$ ($\text{M} = \text{Cr}$, Mo , or W ; $\text{R} = \text{COPh}$ or $\text{COC}_6\text{H}_4\text{Me-}p$) and photochemically induced

reactions of the complex $[\text{W}(\text{CO})_4(\text{Ph}_2\text{PCH}(\text{COPh})\text{PPh}_2)]$: crystal structures of the complexes

$[\text{W}(\text{CO})_4(\text{Ph}_2\text{POC}(\text{Ph})\text{CHPPh}_2)]$ and $[\text{W}(\text{CO})_4(\text{PPh}_2\text{OH})(\text{PPh}_2\text{CH}_2\text{COPh})]$, 863-8

A convenient synthesis of $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)(\text{CO})\text{Cl}]$ and the cations $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)(\text{LCO})]^+$ [$\text{L} = \text{CO}$, PMe_3 , or $\text{P}(\text{OPh})_3$], 993-4

Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group 1B metal halide complexes $\text{MX}(\text{PPh}_3)_n$, 1249-52

The mechanism of displacement of diene from $[\text{M}(\eta^4\text{-diene})(\text{CO})_4]$ ($\text{M} = \text{Cr}$, Mo , or W ; diene = norbornadiene; $\text{M} = \text{Mo}$, diene = cyclo-octa-1,5-diene) and the *cis* \rightleftharpoons *trans* isomerization of $[\text{M}(\text{CO})_4\text{L}_2]$ complexes [$\text{L} = \text{PBU}_3$, $\text{P}(\text{OMe})_3$, or $\text{P}(\text{OPh})_3$], 1307-16

Model reactions of molybdo-oxidase. Importance of water on the air oxidation of PPh_3 by catalysis of $[\text{Mo}^{\text{VI}}\text{O}_2(\text{Cys-OR})_2]$ ($\text{Cys-OR} = \text{S-deprotonated cysteine ester}$; $\text{R} = \text{Me}$, Et , Pr^i , or CH_2Ph) in *N,N*-dimethylformamide, 1447-52

Mercury(II) halide complexes of tertiary phosphines. Part 9. Study of the tris(2-cyanoethyl)phosphine complexes

$[\text{HgX}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_m]$ ($\text{X} = \text{Cl}$, Br , or I ; $m = 1$ or 2): Crystal structures of $[\text{HgBr}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2] \cdot \text{Me}_2\text{CO}$ and $[\text{HgCl}_2\{\text{P}(\text{CH}_2\text{CH}_2\text{CN})_3\}_2]$, 1621-4

Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of

hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri- μ -chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis[*cis*-methyltetrakis(trimethylphosphine)ruthenium(II)] tetrahydrofuran(1/1), 1731-8

Structures, vibrational spectra, and ligand behaviour of tris(2-cyanoethyl)phosphine and its oxide, sulphide, and selenide, 1849-56

Behaviour of α -functional organotransition metal compounds: nuclear magnetic resonance investigation of a novel Friedel-Crafts metallacyclisation of

PHOSPHINE (contd.)

- halogenomethyl(arylphosphine)platinum(II) complexes, 2019–26
 Aminodifluorophosphine: crystal and molecular structure at 95 K, and vibrational spectra of condensed phases, 2029–34
 Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067–72
 Reactions of $\text{cis-[PtCl}_2(\text{PEt}_3)_2]$ with silver salts in aqueous solution, in the presence or absence of PEt_3 , 2249–54
 Preparation and properties of difluorophosphino monothioacetate, 2301–4
 Reactions between
 carbonylhydridotris(triphenylphosphine)iridium(I) and difluorophosphine oxide, sulphide, and selenide: identification of ionic intermediates, 2569–72
 Some rhodium(III)-dihalogenophosphine complexes, 2573–6
 Arene-molybdenum chemistry: olefin and hydride derivatives, 2795–802

PHOSPHINE OXIDE

- Unsymmetrical bis(phosphorus) compounds: synthesis of unsymmetrical ditertiary phosphines, phosphine oxides, and diquaternary phosphonium salts, 293–6
 Some urea and phosphine oxide complexes of thorium(IV) and uranium(IV) trihalogenoacetates, 1527–30

PHOSPHINOACETATE

- Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(III) and -zirconium(III) derivatives $[\text{M}(\eta^5\text{-C}_5\text{H}_5)_2\text{R}]$ involving chelated phosphinomethyl ($\text{R} = \text{CH}_2\text{PPh}_2$) and phosphinoacetate ($\text{R} = \text{O}_2\text{CCH}_2\text{PPh}_2$) ligands, 915–8

PHOSPHINOMETHYL

- Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(III) and -zirconium(III) derivatives $[\text{M}(\eta^5\text{-C}_5\text{H}_5)_2\text{R}]$ involving chelated phosphinomethyl ($\text{R} = \text{CH}_2\text{PPh}_2$) and phosphinoacetate ($\text{R} = \text{O}_2\text{CCH}_2\text{PPh}_2$) ligands, 915–8

PHOSPHITE

- Rhodium-(I) and -(III) complexes of diphenylphosphinous acid and secondary phosphites, 801–8
 Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067–72
 Kinetics and mechanism of the oxidation of phosphite with chloramine T catalyzed by osmium(VIII) in alkaline solutions, 2653–8

PHOSPHOMOLYBDIC ACID

- Phosphomolybdic acid as a reoxidant in the palladium(II)-catalysed oxidation of but-1-ene to butan-2-one, 1223–8

PHOSPHONIUM

- Synthesis of cationic palladium(II) and platinum(II) complexes with a monodentate trialkylphosphoniumdithiocarboxylate ligand: molecular structure of $\text{trans-[Pd(C}_6\text{F}_5)_2(\text{PEt}_3)_2(\text{S}_2\text{C-PEt}_3)]\text{ClO}_4\cdot\text{CHCl}_3$, 345–50

PHOSPHONIUM SALT

- Unsymmetrical bis(phosphorus) compounds: synthesis of unsymmetrical ditertiary phosphines, phosphine oxides, and diquaternary phosphonium salts, 293–6

PHOSPHORANE

- Preparation and nuclear magnetic resonance study of phosphorus-fluorine compounds undergoing intramolecular exchange. Part 4. Rotameric forms of 1-piperidyltrifluorophosphoranes, 1547–54
 Acceptor properties of some methyl- and ethyl-chlorophosphoranes and their derivatives with Lewis acids, 1911–6
 The preparation, ^{11}B , ^1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidenetriphenylphosphorane-triborane(7), $\text{P(C}_6\text{H}_5)_3\text{CHRB}_3\text{H}_7$ ($\text{R} = \text{H, CH}_3$, or C_6H_5), 2119–26

PHOSPHOROUS ACID

- Kinetics and mechanisms of redox reactions in aqueous solution. Part 9. Permanganate oxidation of phosphorous acid in perchlorate solution, 1531–6

PHOSPHORUS

- Unsymmetrical bis(phosphorus) compounds: synthesis of unsymmetrical ditertiary phosphines, phosphine oxides, and diquaternary phosphonium salts, 293–6
 The synthesis and characterization of cobalt complexes with diphosphorus-sulphur and -selenium cyclic units as trihapto ligands. X-Ray crystal structures of $[\text{Co}\{\text{CMe}(\text{CH}_2\text{PPh}_2)_2\}(\text{P}_2\text{X})]\text{BF}_4\cdot\text{C}_6\text{H}_6$ ($\text{X} = \text{S or Se}$), 359–64
 Synthesis and characterisation of the five diastereoisomers of 4,7,13,16-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-

octadecane: crystal structure of the nickel bromide complex of the β -isomer, 575–80

- Studies of phosphazenes. Part 17. Reaction of hexachlorocyclotriphosphazatriene with *N*-methylethanamine: X-ray crystal structure of a dispirocyclotriphosphazatriene, $\text{N}_3\text{P}_3(\text{NMeCH}_2\text{CH}_2\text{O})_2\text{Cl}_2$, 621–6

Determination by electron diffraction of the molecular structure of tris(trimethylsilyl)methylphosphine in the gas phase, 689–94

- Preparation and crystal structures of two phosphorus-sulphur rings: $(\text{PhP})_2\text{S}_2$ and $(\text{PhP})_2\text{S}_4$, 723–6

Controlled hydrolysis of hexachlorocyclotriphosphazene and related, sulphur-containing ring systems, 1027–32

- Reactions of tetraphosphorus trisulphide with organic disulphides under ultraviolet irradiation, and with sulphuryl chloride, 1517–20

Geminal

bis[(triphenylphosphoranylidene)amino]cyclophosphazenes: synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521–6

- Preparation and nuclear magnetic resonance study of phosphorus-fluorine compounds undergoing intramolecular exchange. Part 4. Rotameric forms of 1-piperidyltrifluorophosphoranes, 1547–54

Adducts of silicon tetrafluoride with aminocyclophosphazenes: synthesis and characterization, 1787–90

- Structures, vibrational spectra, and ligand behaviour of tris(2-cyanoethyl)phosphine and its oxide, sulphide, and selenide, 1849–56

Acceptor properties of some methyl- and ethyl-chlorophosphoranes and their derivatives with Lewis acids, 1911–6

- The acceptor properties of some organophosphorus(V) bromides, 1917–20

Aminodifluorophosphine: crystal and molecular structure at 95 K, and vibrational spectra of condensed phases, 2029–34

- The preparation, ^{11}B , ^1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidenetriphenylphosphorane-triborane(7), $\text{P(C}_6\text{H}_5)_3\text{CHRB}_3\text{H}_7$ ($\text{R} = \text{H, CH}_3$, or C_6H_5), 2119–26

Preparation and properties of difluorophosphino monothioacetate, 2301–4

- The preparation and crystal structure of the 1:2 adduct of phosphorus trifluoride oxide and antimony pentafluoride, 2541–4

Reactions of boron compounds with difluorophosphoric acid: characterisation of the tetrakis(difluorophosphato)borate anion by multinuclear (^{11}B , ^{19}F , and ^{31}P) nuclear magnetic resonance spectroscopy, 2719–22

- Diastereoisomeric organophosphorus compounds. Part 4. Proton and phosphorus-31 nuclear magnetic resonance spectra of compounds of the type $[\text{RR}'\text{P(X)}]_2\text{Y}$ and $\text{RR}'\text{P(X)-Y-(Z)PRR}'$ ($\text{R} = \text{CH}_3$, $\text{R}' = \text{t-C}_4\text{H}_9$), 2803–12

Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclotriphosphazene, 2843–6

- Preparation and crystal structures of two phosphorus-sulphur rings: $(\text{RPS})_2$ and $(\text{RPS})_4$ ($\text{R} = \text{C}_6\text{H}_5\text{Me}$, 2,4,6), 2855–8

PHOSPHORUS-31

Spectroscopy of terminal dinitrogen complexes: nitrogen-15 and phosphorus-31 nuclear magnetic resonance, 469–74

- Stable gold(I) complexes with chelate rings: solution studies of bis(phosphino)ethane complexes and X-ray crystal structure of bis[1,2-bis(diphenylphosphino)ethane]gold(I) hexafluoroantimonate-acetone (1/1), 969–74

Geminal

bis[(triphenylphosphoranylidene)amino]cyclophosphazenes: synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521–6

- The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. X-Ray crystal and molecular structures of $[\text{Pd}\{(\text{E})\text{-PhP=PPh}\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$ and $[\text{Pd}\{[(\text{E})\text{-PhP=PPh}][\text{W}(\text{CO})_5]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\}]$, 2237–44

Study of heteropolyanions by solid-state nuclear magnetic resonance spectroscopy, 2765–8

- Diastereoisomeric organophosphorus compounds. Part 4. Proton and phosphorus-31 nuclear magnetic resonance spectra of compounds of the type $[\text{RR}'\text{P(X)}]_2\text{Y}$ and $\text{RR}'\text{P(X)-Y-(Z)PRR}'$ ($\text{R} = \text{CH}_3$, $\text{R}' = \text{t-C}_4\text{H}_9$), 2803–12

PHOTOCHEMISTRY

Photochemistry of alkyltricyclopentadienyltungsten (alkyl = Et, Prⁿ, Prⁱ, Buⁿ, or CH₂Ph), tricyclopentadienyl(phenyl)tungsten, tricyclopentadienyl(η⁵-pentamethylcyclopentadienyl)(n-propyl)tungsten, and tricyclopentadienyl(ethyl)molybdenum in gas matrices at 12 K and in solutions at 243 K, 175–86

Photochemistry of tricyclopentadienylhydrido complexes of molybdenum and tungsten and of dicarbonyl(η⁵-cyclopentadienyl)(ethylene)hydridotungsten in solution and in frozen gas matrices at 12 K, 187–98

Thermal and thermally assisted photochemical conversion of [Mo(NO)]³⁺ to [Mo(NO)]²⁺ in a ketonic solvent: single-step synthesis of nitrosyl(thiocyanato)molybdenum(i) derivatives from [Mo(NO)(NH₂O)(NCS)₂(L–L)] (L–L = 2,2'-bipyridine or 1,10-phenanthroline), 487–90

Comparative photochemistry of tricyclopentadienylmethyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12–298 K, 761–70

Solution photochemistry of tetrakis(tetrabutylammonium) decatungstate(vi) and catalytic hydrogen evolution from alcohols, 793–800

Photochemical hydrogen production from ascorbic acid catalysed by tris(2,2'-bipyridyl)ruthenium(ii) and hydridotris(triethylphosphine)palladium(ii), 809–14

Synthesis of [M(CO)₄(Ph₂PCHRPPh₂)] (M = Cr, Mo, or W; R = COPh or COC₆H₄Me-p) and photochemically induced

reactions of the complex [W(CO)₄(Ph₂PCH(COPh)PPh₂)]:
crystal structures of the complexes

[W(CO)₄(Ph₂POC(Ph)-CHPPh₂)] and
[W(CO)₄(PPh₂OH)(PPh₂CH₂COPh)], 863–8

Photochemical properties of *cis*- and *trans*-1,2-diphenylethenyltrimethyltin(iv) and *cis*-1,2-diphenylpropenyltrimethyltin(iv): organometallic derivatives of stilbene, 909–14

Quantum yields and reaction rates in the photo-oxidation of hydrazine by uranyl ion, 923–8

Photochemistry of tricyclopentadienyl(α-di-imine)iron complexes. New mechanistic aspects for CO photostitution in solution and evidence for π,π-co-ordination of 1,4-diaza-1,3-butadiene ligands in matrices at 10 K, 1005–18

Photo-oxidation of iron(ii) in water between pH 7.5 and 4.0, 1441–6

Reactions of tetraphosphorus trisulphide with organic disulphides under ultraviolet irradiation, and with sulphuryl chloride, 1517–20

Photochemically generated superoxides of rhodium(iii), 1895–902

Excited state redox properties of phthalocyanines: influence of the axial ligand on the rates of relaxation and electron-transfer quenching of the lowest ³ππ* excited state, 2137–40

PHOTOELECTRON

A photoelectron spectroscopic study of the (FBS)_n system (n = 1–3), 1047–52

Electronic structure and reactivity of pentamethylcyclopentadienyl complexes of cobalt, rhodium, and iridium: He-I and He-II photoelectron spectroscopic investigation, 1877–82

A study of the electronic structure of the dimers [Co₂(η-C₅Me₅)₂(CO)₂], [Rh₂(η-C₅Me₅)₂(CO)₂], [Co₂(η-C₅Me₅)₂(NO)₂], and [Co₂(η-C₅Me₅)₂(CO)(NO)] by He-I and He-II photoelectron spectroscopy, 1883–8

He(i) and He(ii) photoelectron spectra of some organozinc and organoaluminium radicals containing 1,2-bis(t-butylimino)ethane, 2683–8

PHTHALOCYANINATE

Iron(iii) phthalocyanines: oxidation and spin states of iron in iron phthalocyanines with carboxyl groups, 2107–10

Excited state redox properties of phthalocyanines: influence of the axial ligand on the rates of relaxation and electron-transfer quenching of the lowest ³ππ* excited state, 2137–40

PHTHALOCYANINE

Functional metal-porphyrine derivatives and their polymers. Part 11. Secondary fuel cells based on oxygen reduction at a platinum electrode modified by metal-2,9,16,23-tetracarboxyphthalocyanine covalently bound to poly(2-vinylpyridine-styrene), 1485–90

PIPERIDINE

Polymeric thiolate complexes in solution. Stability constants of the cadmium(ii) complexes of 4-mercapto-1-methylpiperidine, 2671–6

PLASTOCYANIN

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(iii) modification on reactions of plastocyanin with [Co(phen)₃]³⁺ (phen = 1,10-phenanthroline), [Fe(CN)₆]³⁻, [Co(dipic)]⁻ (dipic = dipicolinate) (oxidants) and [Ru(NH₃)₅(py)]²⁺ (py = pyridine) (reductant), 2769–74

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 10. The assignment of binding sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners, 2775–80

PLATINAUNDECABORANE

The reactions of *arachno*-decaboranyl complexes L₂B₁₀H₁₂ (L = two-electron donor ligand) with some platinum(ii) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of [8-Cl-7,7-(PMe₂Ph)₂-nido-7-PtB₁₀H₁₁], 2487–96

PLATINUM

Intramolecular catalysis of olefin exchange in *trans*-dichloro(η-olefin)(pyridine)platinum(ii) complexes by the hydroxy-group of a side chain in the 2-position of the pyridine ligand, 169–74

Stereospecific transfer of ethynyl groups between platinum(ii) and mercury(ii), 199–204

Stereospecific transfer reactions of phenyl and ethynyl groups between platinum(ii) atoms, 205–10

An investigation on the influence of co-ordinated aliphatic amines on the rates of reduction of tetrachlorodiamineplatinum(iv) complexes, 249–54

Synthesis of cationic palladium(ii) and platinum(ii) complexes with a monodentate trialkylphosphoniumdithiocarboxylate ligand: molecular structure of *trans*-[Pd(C₆F₅)(PEt₃)₂(S₂C-PEt₃)]ClO₄·CHCl₃, 345–50

Insertion of unsaturated hydrocarbons into the platinum–nitrogen bond of [Pt(PPh₃)₂(PhNO)], 355–8

Microcalorimetric studies on the thermal decomposition of platinum and palladium complexes containing phosphine or diene ligands, 371–8

Reactions of platinum(ii) acetylides with organolithium compounds: formation of lithium-bridged dinuclear platinum(ii) complexes and of triorganoplatinatate(ii) complexes: crystal structure of the complex [Pt₂(C≡CPh)₄(PEt₃)₂(Bu)₂(μ-Li)₂], 747–56

Nucleophilic attack on olefins co-ordinated to platinum. Part 4. Formation of neutral and cationic σ-adducts and of ring compounds: studies of stability, 771–8

Bimetallic systems. Part 3. Complexes containing the ligand bis(diphenylphosphino)methane bridging from the platinumacycle

PtCH₂CH₂CH₂CH₂ to another metal, 849–54

Bimetallic systems. Part 4. Synthesis and characterisation of mixed copper(i)-, silver(i)-, or gold(i)-platinum(ii) acetylide complexes containing bridging Ph₂PCH₂PPh₂, 855–62

Bimetallic systems. Part 5. Isonitrile-platinum(ii)- or -palladium(ii)-bis(diphenylphosphino)methane complexes including heterobimetallics with silver(i), gold(i), or rhodium(i), 1233–8

Platinum complexes of the methyl esters of dithiocarbazic acid and 3-phenyldithiocarbazic acid, 1293–300

Heterobinuclear complexes formed from [3,6-bis(2'-pyridyl)pyridazine]nitrosylbis(triphenylphosphine)iridium(2+) and palladium(ii) or platinum(ii), 1417–20

Platinum(iv) complexes containing a cationic amine ligand: crystal structure of [(2-aminoethyl)ammonium]pentachloroplatinum(iv) monohydrate, 1467–70

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 24. Complexes of the pentamethylcyclopentadienylcopper group and the crystal structures of the compounds [CuPtW(μ₃-CC₆H₄Me-4)(CO)₂(PMe₃)₂(η-C₅H₅)(η-C₅Me₅)] and [CuRh₂(μ-CO)₂(η-C₅Me₅)₃], 1555–62

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten–chromium, -cobalt, and -platinum bonds and the X-ray crystal structure of [PtW(μ-σ:η³-CH(C₆H₄Me-4))(CO)₂(PMe₃)₂(η-C₅H₅)](BF₄), 1563–70

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 26. Reactions of the compounds [PtW(μ-

PLATINUM (contd.)

- σ : η^3 -CH(C₆H₄Me-4)(CO)₂(PPh₃)₂(η -C₅H₅)[BF₄](PR₃ = PMe₃, PMe₂Ph, or PMePh₂) and [PtW μ - σ : η^3 -C(Me)C₆H₄Me-4](CO)₂(PMe₃)₂(η -C₅H₅)[SO₂CF₃] with nucleophiles; X-ray crystal structure of [PtW(μ -H)(μ -CH(C₆H₄Me-4)(CO)₂(PMe₃)₂(η -C₅H₅)]₂, 1571-80
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 27. Studies on the compounds [MW(μ - σ : η^3 -CH(C₆H₄Me-4)(CO)₂L₂(η -C₅H₅)[BF₄]] [ML₂ = Pt(PR₃)₂ or Co(CO)(η -C₅Me₅)]]; X-ray crystal structures of [CoW(μ - σ : η^3 -C(C₆H₄Me-4)C(Me)C(Me)H)(μ -CO)CO(η -C₅H₅)(η -C₅Me₅)] [BF₄] and [PtW(μ -CH(C₆H₄Me-4)(μ -CO)(PMe₃)₂(η -C₅Me₅))][BF₄]] [BF₄]], 1581-8
- Crystal structure and electrical conduction properties of Rb[Pt(S₂C₂CN)₂]₂·2H₂O. The precursor of a one-dimensional metal, 1759-62
- Bimetallic systems. Part 6. Chromium(0)-, molybdenum(0)-, or tungsten(0)-platinum(II) acetylide complexes containing bridging Ph₃PCH₂PPh₃, including their efficient formation from platinum-silver complexes by transmetalation. Crystal structure of [(*p*-MeC₆H₄C \equiv C)Pt(μ -C \equiv CC₆H₄Me-*p*)(μ -Ph₃PCH₂PPh₃)₂W(CO)₃], 1815-22
- The production of class-II mixed-valence complexes in the redox reaction between dithiolonamide and platinum(IV) or palladium(IV), 1975-80
- Chemistry of metallacyclobutanones. Part 1. Synthesis and ring inversion of some highly puckered metallacyclobutan-3-one (slipped oxodimethylenemethane) complexes of platinum; crystal structure of 2,4-bis(methoxycarbonyl)-1,1-bis(triphenylphosphine)platinacyclobutan-3-one monohydrate, 1993-2002
- Behaviour of α -functional organotransition metal compounds: nuclear magnetic resonance investigation of a novel Friedel-Crafts metallacyclisation of halogenomethyl(arylphosphine)platinum(II) complexes, 2019-26
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 5. Intramolecular rearrangements in the dinuclear platinum(IV) complexes of 1,3,5,7-tetrathiocane. X-Ray crystal structure of [(PtClMe)₂(SCH₂SCH₂SCH₂SCH₂)], 2047-58
- Synthesis of *cis*-[Pt(C \equiv CR)₂(PPh₃)₂] and *trans*-[PtCl(C \equiv CR)(PPh₃)₂] complexes. Crystal and molecular structures of *cis*-[Pt(C \equiv CC(OH)Me)₂(PPh₃)₂]-H₂O, *trans*-[PtCl(C \equiv CC(OH)Me)₂(PPh₃)₂]-0.5PhMe, and *trans*-[PtCl(C \equiv CC(OH)MeEt)(PPh₃)₂]-Me₂CO. Influence of bases and their concentration on the reactivity of *cis*-[PtCl₂(PPh₃)₂], 2197-206
- Preparation and co-ordination properties of *trans*-chloro[1-(*p*-methoxyphenylimino)-2-(methylimino)propyl]bis(triphenylphosphine)platinum. Crystal and molecular structure of the ionic compound [PtCl{C(=NR)CMe=NMe{Rh(CO)₂}}](PPh₃)₂[RhCl₂(CO)₂] (R = C₆H₄OMe-*p*), 2223-32
- Reactions of *cis*-[PtCl₂(PEt₃)₂] with silver salts in aqueous solution, in the presence or absence of PEt₃, 2249-54
- Activation of water with anionic platinum carbonyl clusters, 2315-8
- The synthesis of some bi- and tri-metallic clusters containing rhodium; X-ray crystal structures of [MoRh(μ -CO)₃(CO)₃(PPh₃)₃(η -C₅H₅)]CH₂Cl₂ and [MoRhPt(μ -CO)₂(μ -PPh₃)(μ -1- σ :1-2- η -C₆H₅X)(PPh₃)₂(η -C₅H₅)]₂, 2415-22
- The reactions of *arachno*-decaboranyl complexes L₂B₁₀H₁₂ (L = two-electron donor ligand) with some platinum(II) compounds; nuclear magnetic resonance studies and the crystal and molecular structure of [8-Cl-7,7-(PMe₂Ph)₂-*nido*-7-PtB₁₀H₁₁], 2487-96
- Chemistry of Di- and Tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds [AuW(μ -CHR)(CO)₂(PPh₃)(η -C₅H₅)]-CH₂Cl₂ and [AuPtW(μ -3-CR)(CO)₂(PMe₃)₂(η -C₅H₅)] [PF₆]] (R = C₆H₄Me-4), 2545-52
- Reactions of acetylenes with noble-metal carbonyl halides. Part 7. Synthesis and chemical characterization of cationic and neutral tetrasubstituted cyclobutadiene complexes of platinum(II). X-Ray structure of dichloro(η^3 -1,2-dimethyl-3,4-diphenylcyclobutadiene)(triphenylphosphine)platinum(II), 2637-44
- Chemistry of platinum sulphido-complexes. Part 4. Dimeric μ -alkylsulphido-complexes: crystal and molecular structures of

[Pt₂(μ -S)(μ -SMe)(PPh₃)₄](PF₆)·MeOH and *cis*-[Pt₂(μ -SMe)₂(NO₃)₂(PPh₃)₂], 2645-52

Stereoselectivity in the substitution reaction of square-planar platinum(II) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689-94

Crystal structure and catalytic properties of a platinum-iridium mixed cluster, [Pt₂Ir₂(μ -CO)₃(CO)₄(PPh₃)₃], 2851-4

POLARIZATION TRANSFER

Application of proton polarization transfer to a high-spin nucleus, germanium-73, 133-40

POLYAMINE

The complex chemistry of scandium. Part 1. Preparation and properties of some scandium(III) complexes of polyamines. X-ray crystal structures of tri-nitrate(OO') 2,2':6,2'-terpyridyl-*NN'* scandium(III) and [1,2-bis(pyridine- α -carbaldimino)ethane-*NN'*]-di- μ -hydroxo-di-nitrate-*OO'* scandium(III) dinitrate bis(acetonitrile), 2449-54

POLYAMINOCARBOXYLATE

Metal-exchange reactions between cobalt(II) complexes of polyaminocarboxylic acid ligands and copper(II) ions, 903-8

POLYETHER

Preparation of potential macroligands for alkali-metal ions using open-chain polyether carboxylic acids and tricarboxylbis(triphenylphosphine)ruthenium. X-Ray crystal structure of dicarbonylbis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanato(1-)]bis(triphenylphosphine)ruthenium(II), 739-42

Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 3. The X-ray structures of 1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethane (HL) and its acid salt, KHL₂, a possible intermediate in the formation of Co(KL₂)₂, 1187-94

POLYFLUOROPHENYL

Synthesis and reactivity of bimetallic Au-Ag polyfluorophenyl complexes; crystal and molecular structures of [AuAg(C₆F₅)₂(SC₆H₅)₂] and [AuAg(C₆F₅)₂(C₆H₅)₂], 285-92

POLYMER

Polymeric complexes from molybdenum trioxide, with notes on derivatives and related compounds, 495-500

Crystal structures of *N*-benzenesulphonyl-DL-alanine and aqua [*N*-benzenesulphonyl-DL-alaninato(2-)]copper(II) monohydrate: a model for metal ion-sulphonamide binding, 779-84

Crystal structures and spectroscopic properties of the polymeric adducts formed from Cu(CN) and Cu(NCS) with 2,9-dimethyl-1,10-phenanthroline, 785-92

Functional metal-porphyrane derivatives and their polymers. Part 11. Secondary fuel cells based on oxygen reduction at a platinum electrode modified by metal-2,9,16,23-tetracarboxyphthalocyanine covalently bound to poly(2-vinylpyridine-styrene), 1485-90

Solid state and ethanolic solution behaviour of *N*-tosylglycinate-copper(II) complexes. Crystal and molecular structure of a strongly coupled polymeric *N*-tosylglycinatecopper(II) complex, 1687-92

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

POLYMER SUPPORT

Anion exchange resin supported cluster carbonyl anions as catalysts, 2309-14

Dodecacarbonyltriosmium anchored on poly(4-vinylpyridine), 2327-8

POLYPHOSPHANE

Macrocyclic polyphosphane ligands. Cobalt(II) and nickel(II) complexes of (4*RS*, 7*RS*, 13*RS*, 16*RS*)-tetraphenyl-1,10-dithia-4,7,13,16-tetraphosphacyclo-octadecane and crystal structure of the nickel dibromide complex, 995-8

Macrocyclic polyphosphane ligands: synthesis and characterisation of three diastereoisomers of 5,8,16,19-tetraphenyl-1,12-dithia-5,8,16,19-tetraphosphacyclodocosane and the X-ray crystal structure of a dinuclear nickel(II) complex of the β isomer, 2265-70

POLY(VINYL CHLORIDE)

Comparative photochemistry of tricarbonyl(η^5 -cyclopentadienyl)methyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12-298 K, 761-70

PORPHYRIN

Photochemistry of manganese porphyrins. Part 8. Electrochemistry, 141-6

PORPHYRIN (contd.)

Alkane (or arene)-sulphinato and -sulphonato-iron(III) porphyrins: synthesis and physicochemical properties; crystal structure of benzenesulphinato(5,10,15,20-tetraphenylporphyrinato)iron(III), 567-74

Structural characterization by X-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095-104

Liposomal heme as oxygen carrier under semi-physiological conditions, 1147-52

Synthesis of iron(II) 'C₂-capped strapped' porphyrin complexes and their reaction with dioxygen, 1739-46

Reversible oxygen binding by the complex of poly(2-methyl-1-vinylimidazole) and heme in cold aqueous media, 2383-8

PORPHYRINATE

Vanadium(II) porphyrins: synthesis and physicochemical properties. Crystal structures of bis(dimethylphenylphosphine)- and bis(tetrahydrofuran)-(2,3,7,8,12,13,17,18-octaethylporphyrinato)vanadium(II), 2677-82

POTASSIUM

Co-ordination of alkali metals by open-chain polyethers in transition-metal complexes. Part 3. The X-ray structures of 1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethane (HL) and its acid salt, KHL₂, a possible intermediate in the formation of Co(KL₂)₂, 1187-94

The vibrational spectrum of a strong O-H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625-8

PROPANEDIAMINE

Thermochromism in copper(II) complexes: spectroscopic, thermal, and electrical properties and room-temperature crystal structure of bis(2,2-dimethylpropane-1,3-diamine)copper(II) dinitrate, 2187-92

PROPYNE

Synthesis, structure, and isomerisation of triruthenium and triosmium clusters derived from 3-dimethylaminoprop-1-yne: X-ray crystal structure of [Ru₃(H)(CO)₉(Me₂N⁺C≡C-CH₂)], 1981-6

PROTEIN

Properties of novel iron-sulphur proteins formed by the introduction of a synthetic iron-sulphur cluster into bovine serum albumin and bovine insulin, 29-36

PROTONATION

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten-chromium, -cobalt, and -platinum bonds and the X-ray crystal structure of [PtW(μ-σ:η²-CH(C₆H₄Me-4))₂(CO)₂(PMe₃)₂(η-C₃H₅)] [BF₄], 1563-70

PROTON EXCHANGE

Proton exchange and base-catalysed hydrolysis of *trans*-dichloro[(RSSR)-1,4,8,11-tetra-azacyclotetradecane]cobalt(III) and *cis*-dichloro[RRRR(SSSS)-1,4,8,11-tetra-azacyclotetradecane]cobalt(III), 581-6

PRUSSIAN BLUE

Iron hexacyanoferrate films: spectroelectrochemical distinction and electrodeposition sequence of 'soluble' (K⁺-containing) and 'insoluble' (K⁺-free) Prussian Blue, and composition changes in polyelectrochromic switching, 2059-62

PULSE RADIOLYSIS

Some aspects of the radiolysis of cobalt(II) iminodiacetate in aqueous solution, 1629-34

PURINIUM

X-Ray structural studies on free and co-ordinated 6-amino-8-mercaptopurinium cation in bismuth(III) complexes, 2401-8

PYRAZOLATE

New methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of [Rh(C₆Me₃)₂-(mpz)(OMe)]₂[ClO₄] (mpz = 3-methylpyrazolate), [Rh(C₆Me₃)₂-(Hdmpz₂(OH))₂][BF₄] (Hdmpz = 3,5-dimethylpyrazole), and [Rh(C₆Me₃)₂(pz)₂(OH)]₂[ClO₄] (pz = pyrazolate), 1823-30

PYRAZOLE

Transition-metal co-ordination compounds containing a novel tridentate pyrazole chelating ligand. X-Ray crystal structure of [N,N-bis(3,5-dimethylpyrazol-1-ylmethyl)aminoethane]nitrate-Ox[nitrate-O,O']nickel(II), 1053-8

PYRAZOLYLBORATE

Some oxygen-donor di-*N*-thiocyanato-thorium(IV) and -

uranium(IV) bis[hydrotris(pyrazol-1-yl)borate] complexes, 19-22

PYRIDINE

Intramolecular catalysis of olefin exchange in *trans*-dichloro(η-olefin)(pyridine)platinum(II) complexes by the hydroxy-group of a side chain in the 2-position of the pyridine ligand, 169-74

Formation of mixed-ligand complexes of cadmium(II) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 935-8

PYRIDINECARBOXIMIDATE

Synthesis, structure, and solution behaviour of the compound *trans*-bis(dimethylglyoximate)(ethyl)(methyl 4-pyridinecarboximidate)cobalt(III), 511-4

PYRIDINECARBOXYLATE

Displacement by chloride of pyridine-2-carboxylate from dichloro(pyridine-2-carboxylato)gold(III) in acidic solution; the position of ring opening, 1641-6

PYRIDINEDICARBOXYLATE

The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 10. Characterisation and stability constants of nickel(II) species isolated from a mixed-ligand solution: crystal structure of tris(1,2-diaminoethane)nickel(II) bis(pyridine-2,6-dicarboxylato)nickelate(II) tetrahydrate, 975-80

Studies of the Pfeiffer effect induced in tris(pyridine-2,6-dicarboxylato)terbate(III) by monosaccharide aldose sugars, 1367-70

Properties and structural characterization of copper(II) mixed complexes with 2,2':6',2''-terpyridyl and iminodiacetate or pyridine-2,6-dicarboxylate, 2625-30


QUINOLINE

Lewis-base adducts of Group 1B metal(I) compounds. Part 4. Synthesis and crystal structure of the 1:1 adduct of silver(I) chloride with quinoline, 225-8

Lewis-base adducts of Group 1B metal(I) compounds. Part 5. Synthesis and crystal structures of adducts of silver(I) thiocyanate with 2- and 3-methylpyridine, 2,6-dimethylpyridine, and quinoline, 229-38

QUINONE

Reduction-oxidation properties of organotransition-metal complexes. Part 18. The stabilisation of paramagnetic cyclopentadienylrhodium compounds via *o*-quinone complexation: X-ray crystal structure of

**QUINONE MONO-OXIME**

Studies on copper(II) complexes of *ortho*-quinone mono-oximes: reaction of bis(4-chloro-1,2-benzoquinone 2-oximate)copper(II) with dimethyl acetylenedicarboxylate under various experimental conditions, 1461-2

QUINOXALINE

Synthesis and chemistry of 1,3-dihydro-tellurolo[3,4-*b*]quinoxaline and derivatives: crystal and molecular structure of 1,3-dihydro-2,2-di-iodo-2λ⁴-tellurolo[3,4-*b*]quinoxaline-2,3-bis(iodomethyl)quinoxaline (1:1), 23-8

QUINUCLIDINONE

An X-ray study at 298 and 120 K of the strong, symmetrical NHN bond in hydrogen diquinuclidin-3-one perchlorate, 1795-800

RADICAL

He(I) and He(II) photoelectron spectra of some organozinc and organoaluminium radicals containing 1,2-bis(*t*-butylimino)ethane, 2683-8

RADICAL CATION

Electron spin resonance studies of a range of stannane radical cations, 1667-74

RADIOLYSIS

Electron spin resonance studies of a range of stannane radical cations, 1667-74

Electron addition to dirhodium complexes: an electron spin resonance study, 2193-6

RAMAN

Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 1. Raman solution data for [Ru₃(CO)₁₂], [Os₃(CO)₁₂], and [Ru₄H₄(CO)₁₂] in the CO stretching region, 149-54

Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for [Ru₃(CO)₁₂] in the CO stretching region, 155-60

Vibrational spectra of hydrazinium(1+) and hydrazinium(2+) hexafluoroantimonates(IV) and the decomposition of

RAMAN (contd.)

- hydrazinium(2+) hexafluorotitanate(IV) difluoride followed by Raman spectroscopy, 297-300
- Organometallic compounds. Crystal structure and spectroscopic properties of (isopropylthio)mercury(II) chloride, 953-8
- Dependence of metal-halogen vibrational frequency on the metal co-ordination number in some Group IB metal halide complexes $\text{MX}(\text{PPh}_3)_2$, 1249-52
- Hydrogen bonds in $\text{Na}_2\text{S}\cdot 5\text{H}_2\text{O}$: X-ray diffraction and vibrational spectroscopic study, 1275-8
- Silver(I) isocyanide complexes: spectroscopic features and reactions with neutral ligands, 1317-22
- Resonance-Raman and infrared spectra of the dimeric iron-chalcogenide complexes $[\text{Fe}_2\text{X}_2(\text{YR})_4]^{2-}$ (X and Y = S or Se), 1507-16
- The vibrational spectrum of a strong O-H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625-8
- Structures, vibrational spectra, and ligand behaviour of tris(2-cyanoethyl)phosphine and its oxide, sulphide, and selenide, 1849-56
- Aminodifluorophosphine: crystal and molecular structure at 95 K, and vibrational spectra of condensed phases, 2029-34
- Vibrational spectroscopic studies of trivalent hexa-aqua-cations: single-crystal Raman spectra between 275 and 1200 cm^{-1} of the caesium alums of titanium, vanadium, chromium, iron, gallium, and indium, 2611-24

REDISTRIBUTION

- The preparation of some manganese-mercury cluster complexes and a study of their redistribution reactions, 643-6

REDOX

- The redox behaviour of square-planar *trans*-dicyanodihaloaurate(III) complexes in acetonitrile, 715-8

REDOX POTENTIAL

- Properties of novel iron-sulphur proteins formed by the introduction of a synthetic iron-sulphur cluster into bovine serum albumin and bovine insulin, 29-36
- Kinetics of electron-transfer reactions of *para*-substituted phenols $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$ with $[\text{Fe}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline) and with $[\text{IrCl}_6]^{2-}$ in aqueous acidic solutions: correlation between the Hammett constant of X and the one-electron redox potential of $p\text{-C}_6\text{H}_4(\text{X})\text{OH}$, 341-4

REDUCTION

- Mechanisms of reduction of a nickel(IV) oxime complex by 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 103-8
- An investigation on the influence of co-ordinated aliphatic amines on the rates of reduction of tetrachlorodiamineplatinum(IV) complexes, 249-54
- Carbon monoxide reduction. $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})\text{H}]$: reactions and formation by reduction of the complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})]\text{PF}_6$, 701-10
- Chemistry of *o*-xylidene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles

$[\text{M}\{\text{CH}(\text{SiMe}_3)\text{C}_6\text{H}_4\text{CHSiMe}_3\text{-}o\}(\eta\text{-C}_5\text{H}_5)_2] \text{ (M = Ti, Zr, Hf, or Nb)}$, their reversible one-electron reduction (M = Ti, Zr, Hf, or Nb) and oxidation (M = Nb) and the X-ray crystal structure of the zirconium complex, 893-902

- Kinetics and mechanisms of reduction of a xidentate di(oxime-imine) complex of nickel(IV) with two-electron reductants 1,2-dihydroxybenzene and 1,4-dihydroxybenzene, 1371-6
- Functional metal-porphyrin derivatives and their polymers. Part 11. Secondary fuel cells based on oxygen reduction at a platinum electrode modified by metal-2,9,16,23-tetracarboxyphthalocyanine covalently bound to poly(2-vinylpyridine-styrene), 1485-90
- The selective reduction of benzene to cyclohexene mediated by platinum metal complexes: X-ray crystal structure of $[\eta^5\text{-C}_5\text{Me}_5]\text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{CH}_2\text{NO}_2)[\text{BF}_4]$, 1747-54

REDUCTIVE ELIMINATION

- Reductive elimination of ketones from ruthenium(II) complexes, 2133-6

REDUCTIVE NITROSYLATION

- Reductive nitrosylation of tetraoxometalates. Single-pot and a virtually single-step synthesis of $[\text{Os}(\text{NO})(\text{NCS})_3]^{2-}$ and its 1,10-phenanthroline and 2,2'-bipyridine derivatives directly from OsO_4 in aqueous aerobic media, 2085-6

RHENIUM

- Nuclear magnetic resonance studies of pyramidal inversion in complexes of tricarbonylrhenium(I) halides with aliphatic and aromatic mixed thio-seleno ethers, 365-70
- Rhenium carbonyl complexes. Synthesis and characterisation of *NN'*-diarylamidines, $\text{R}'\text{NHC(R)NR}'$ (R = H, Me, or Ph, R' = Ph or $\text{C}_6\text{H}_4\text{Me-p}$), and related carbamoyl derivatives, 389-98
- Synthesis, reactivity, and structures of cationic η^6 -arene carbonyl complexes of rhenium(I). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of rhenium(I) and tungsten(0), 1059-64
- High oxidation state fluoro-rhenium species: preparation and characterization of $[\text{ReF}_6]^+$, $[\text{ReF}_5\text{O}]^+$, and $[\text{Re}_2\text{F}_9\text{O}_2]^+$, and the crystal structure of $[\text{Re}_2\text{F}_9\text{O}_2]^+[\text{Sb}_2\text{F}_{11}]^-$, 1411-6
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 29. Synthesis of rhenium-tungsten compounds; X-ray crystal structures of $[\text{ReW}_2(\mu\text{-Br})(\mu\text{-L})(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2]$ (L = CO or O), 1597-604
- Hexacarbonyl complexes of dirhenium(I) containing E_2Ph_4 (E = P, As, or Sb) ligands; X-ray crystal structure of $[\text{Re}_2\text{Br}_2(\text{CO})_6(\text{Sb}_2\text{Ph}_4)]$, 1945-50
- Complexes of rhenium and osmium polyhydrides with metallic Lewis acids: X-ray crystal structure of $[\text{Ag}\{\text{ReH}_2(\text{PPhPr})_2\}_2]_2[\text{PF}_6]$, 2003-10
- Nitrogen-15 nuclear magnetic resonance spectroscopy of dinitrogen-bridged complexes, 2429-34
- Trioxorhenium(VII) alkoxides, di-isopropylamides, carboxylates and related compounds, 2695-702

RHODIUM

- Synthesis and chemical characterization of the new anions $[\text{Rh}_3(\mu_3\text{-E})_2(\text{CO})_6]^-$ (E = S or Se). Crystal and molecular structures of $[\text{PPh}_4][\text{Rh}_3(\mu_3\text{-S})_2(\text{CO})_6]$ and $[\text{NMe}_4][\text{Rh}_3(\mu_3\text{-Se})_2(\text{CO})_6]$, 55-62
- Complexes of rhodium(II) with 1,8-naphthyridine and related ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-napy})_2(\text{nbd})_2][\text{ClO}_4]_2\cdot\text{H}_2\text{O}$, 125-32
- Complexations of 1,4-dienes to rhodium(I) pentane-2,4-dionates; thermal rearrangements of the complexes, 219-24
- The kinetics of base hydrolysis of chloropentakis(alkylamine)rhodium(III) ions, 385-8
- Synthesis, reactivity, and molecular and crystal structures of some trinuclear diphenylphosphido-bridged carbonyl derivatives of rhodium, 515-26
- Synthesis and some reactions of binuclear η -cyclopentadienyl rhodium complexes containing bis(diphenylphosphino)methane and small molecules (CO, SO_2 , or SnCl_2) as bridging ligands. Crystal and molecular structure of $[\text{Rh}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CO})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)]$, 533-8
- Spectroscopic studies on adsorbed metal carbonyls. Part 1. Interaction of $[\text{Rh}(\text{CO})_2]_2$ and $[\text{Rh}_2(\text{CO})_4]_2$ with alumina, silica, and titania, 587-94
- Rhodium(I) and -(III) complexes of diphenylphosphinous acid and secondary phosphites, 801-8
- Synthesis of the anion $[\text{Ru}_2\text{H}(\mu_3\text{-PPh})(\text{CO})_9]^-$ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal structures of the complexes $[\text{Ru}_2\text{Rh}_2(\mu_3\text{-PPh})(\text{CO})_9(\text{PEt}_3)]$ and $[\text{Ru}_2(\mu\text{-Au})(\text{PMe}_2\text{Ph})(\mu\text{-H})(\mu_3\text{-PPh})(\text{CO})_9]$, 959-68
- The kinetics of base hydrolysis of *trans*-dichlorotetrakis(alkylamine)rhodium(III) ions, 1117-22
- Synthesis and characterisation of disubstituted di- μ -methylene-bis(η -pentamethylcyclopentadienyl)dirhodium(IV) complexes; X-ray structure of $[(\text{C}_5\text{Me}_5)_2\text{Rh}]_2(\mu\text{-CH}_2)_2(\text{CO})_2]^{2+}$, 1215-22
- Stereochemical non-rigidity of the indenyl ligand in the compound $[\text{CrRh}(\mu\text{-CO})_2(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_6\text{H}_3\text{Me}_3\text{-1,3,5})]$, 1261-4
- Monoalkyl-di- μ -methylene-bis(η -pentamethylcyclopentadienyl)rhodium(IV) complexes and the intramolecular migration of alkyl groups between two metal atoms, 1453-60
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 24. Complexes of the pentamethylcyclopentadienylcopper group and the crystal structures of the compounds $[\text{CuPtW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})(\text{PMe}_2)_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{Me}_5)]$ and $[\text{CuRh}_2(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_2]$, 1555-62
- Synthesis and reactivity of binuclear cyclopentadienylrhodium nitrosyl cations, and the X-ray structure of $[\text{Rh}_2(\mu\text{-CO})(\mu\text{-NO})(\eta\text{-C}_5\text{Me}_5)_2][\text{PF}_6]$, 1659-66
- Preparation, structural studies, and some reactions of new

RHODIUM (contd.)

- heterobinuclear complexes containing molybdenum, tungsten, or manganese and rhodium or copper; X-ray crystal structures of $[\text{MoRh}(\text{CO})_2(\mu\text{-CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$ and two isomers of $[\text{CuW}(\text{CO})_2(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1693–702
- New methoxo-, hydroxo-, and pyrazolate-bridged complexes of rhodium(III). Crystal structures of $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{mpz})(\text{OMe})_2\}[\text{ClO}_4]]$ (mpz = 3-methylpyrazolate), $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{Hdmpz})(\text{OH})_2\}[\text{BF}_4]]$ (Hdmpz = 3,5-dimethylpyrazole), and $[\{\text{Rh}(\text{C}_5\text{Me}_5)_2(\text{pz})_2(\text{OH})\}[\text{ClO}_4]]$ (pz = pyrazolate), 1823–30
- New carbide clusters in the cobalt subgroup. Part 12. Synthesis and X-ray characterization of the tetradecanuclear carbido-carbonyl cluster $[\text{Rh}_{14}\text{C}_2(\mu\text{-CO})_2(\text{CO})_{12}]^+$, 1837–42
- Electronic structure and reactivity of pentamethylcyclopentadienyl complexes of cobalt, rhodium, and iridium: He-I and He-II photoelectron spectroscopic investigation, 1877–82
- A study of the electronic structure of the dimers $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})_2]$, $[\text{Rh}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})_2]$, $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{NO})_2]$, and $[\text{Co}_2(\eta\text{-C}_5\text{Me}_5)_2(\text{CO})(\text{NO})]$ by He-I and He-II photoelectron spectroscopy, 1883–8
- Photochemically generated superoxides of rhodium(III), 1895–902
- Dihydro(pentamethylcyclopentadienyl)bis(triethylsilyl)iridium(V) and related triphenylsilyl-rhodium(V) and -iridium(V) complexes, 2063–6
- Electron addition to dirhodium complexes: an electron spin resonance study, 2193–6
- Preparation and co-ordination properties of *trans*-chloro[1-(*p*-methoxyphenyl)imino]-2-(methylimino)propylbis(triphenylphosphine)platinum. Crystal and molecular structure of the ionic compound $[\text{PtCl}\{\text{C}(\text{N}(\text{R})\text{CMe}=\text{NMe})[\text{Rh}(\text{CO})_2]\}(\text{PPh}_3)_2][\text{RhCl}_2(\text{CO})_2]$ (R = $\text{C}_6\text{H}_4\text{OMe-}p$), 2223–32
- Preparation and crystal structure of a sulphonylnitrido complex of rhodium(I): *trans*- $[\text{Rh}(\text{CO})(\text{NSO})(\text{PPh}_3)_2]$, 2271–4
- Carbene complexes. Part 18. Synthetic routes to electron-rich olefin-derived monocaberhodium(I) neutral and cationic complexes and their chemical and physical properties, 2355–64
- Reaction of $[\text{Rh}(\text{NH}_2\text{C}_6\text{H}_4\text{PPh}_2)_2\text{Cl}]\text{Cl}$ with air; characterisation of the products by X-ray structure analysis of *cis*- $[\text{Rh}(\text{NH}_2\text{C}_6\text{H}_4\text{PPh}_2)_2\text{O}(\text{NHC}_6\text{H}_4\text{PPh}_2)_2\text{Cl}_2]$ and *trans*- $[\text{Rh}(\text{NH}_2\text{C}_6\text{H}_4\text{PPh}_2)_2\text{O}]\text{Cl}_2$, $[\text{p-MeC}_6\text{H}_4\text{SO}_3]^-$ -MeCN, 2377–82
- The synthesis of some bi- and tri-metallic clusters containing rhodium: X-ray crystal structures of $[\text{MoRh}_2(\mu_3\text{-CO})_3(\text{CO})_3(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{CH}_2\text{Cl}_2$ and $[\text{MoRhPt}(\mu\text{-CO})_2(\mu\text{-PPh}_3)(\mu\text{-}1\text{-}\sigma\text{-}1\text{-}2\text{-}\eta\text{-C}_5\text{H}_5\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 2415–22
- Preparation of 6,6-diarylfulvene complexes of rhodium(I) and their reaction with dioxygen, 2423–8
- Regiospecific hydride abstraction from metallocycles: conversion of metallocyclopentanes to cationic π -allylic complexes, 2517–24
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 32. Reactions of the rhodium–tungsten complex $[\text{RhW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_6\text{H}_7)]$ with alkynes; X-ray crystal structure of $[\text{RhW}(\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-4})\text{C}(\text{Ph})\text{C}(\text{Ph}))(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_6\text{H}_7)]$, 2553–60
- Some rhodium(III)-dihalogenophosphine complexes, 2573–6
- Rhodium(I) and iridium(I) carbonyl complexes with sulphur-donor ligands; X-ray crystal structure of $[\text{Rh}(\text{CO})_2(\text{Bu}^t\text{SCH}=\text{CHSBu}^t)]\text{ClO}_4$, 2665–70
- Reduction–oxidation properties of organotransition-metal complexes. Part 18. The stabilisation of paramagnetic cyclopentadienylrhodium compounds via *o*-quinone complexation: X-ray crystal structure of $[\text{Rh}(\text{PPh}_3)_2\{o\text{-C}(\text{O})\text{OC}_6\text{Cl}_4\text{O}\}(\eta\text{-C}_5\text{H}_5)]\cdot 0.25\text{CH}_2\text{Cl}_2$, 2703–12
- The analogy between alkenes and the dinuclear species $[\text{MRh}(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_2]$ (M = Co or Rh); dynamic nuclear magnetic resonance, X-ray crystallographic, and extended-Hückel molecular-orbital studies of the bonding between unsaturated CoRh and Rh₂ fragments and the pentacarbonylmolybdenum group, 2757–64

RING INVERSION

- Chemistry of metallacyclobutanones. Part 1. Synthesis and ring inversion of some highly puckered metallacyclobutan-3-one (slipped oxodimethylenemethane) complexes of platinum; crystal structure of 2,4-bis(methoxycarbonyl)-1,1-

bis(triphenylphosphine)platinacyclobutan-3-one monohydrate, 1993–2002

RING OPENING

- The reaction of phosphines with $[\text{Fe}_2(\text{CO})_9\text{L}_2(\eta^2\text{-}\eta^4\text{-C}_{18}\text{H}_{16})]^{2+}$ [L = CO or P(OPh)₃]; cyclopropane ring-opening of the bicyclo[3.1.0]octadienyl groups, and the X-ray crystal structure of $[\text{Fe}_2(\text{CO})_9(\eta^2\text{-}\eta^4\text{-C}_{18}\text{H}_{16})(\text{PPh}_3)_2][\text{PF}_6]_2\cdot 0.5\text{C}_6\text{H}_5\text{Me}$, 161–8

RING ROTATION

- A determination of the activation energy of cyclopentadienyl group rotation and molecular tumbling in $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{X}\eta^5\text{-C}_5\text{H}_4\text{R})]$ (R = CMe₂Et or Buⁿ) using carbon-13 nuclear magnetic resonance relaxation measurements, 2027–8

RUTHENIUM

- Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 1. Raman solution data for $[\text{Ru}_3(\text{CO})_{12}]$, $[\text{Os}_3(\text{CO})_{12}]$, and $[\text{Ru}_4\text{H}_4(\text{CO})_{12}]$ in the CO stretching region, 149–54
- Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for $[\text{Ru}_3(\text{CO})_{12}]$ in the CO stretching region, 155–60
- Octahedral and trigonal-bipyramidal complexes of ruthenium(II) with bidentate phosphine ligands, 423–8
- Combination of aryl and carbonyl ligands in ruthenium(II) complexes: a kinetic study, 539–44
- The influence of molecular hydrogen on the reaction between $[\text{Ru}_3(\text{CO})_{12}]$ and $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)_2\text{C}_2\text{Ph}_2]$. Synthesis and crystal structure of the new heterometallic cluster $[\text{Ni}_2\text{Ru}_3(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\mu\text{-CO})_2(\mu_4\text{-}\eta^2\text{-C}_2\text{Ph}_2)]$, 627–32
- Synthesis and absolute configuration of a series of chiral ruthenium complexes; crystal structure of $(R)\text{-}[\text{Ru}(\eta^5\text{-C}_5\text{H}_4\text{R}^*)\text{-}(\text{CO})(\text{PPh}_3)]$ (R* = neomenthyl), 653–62
- Deoxygenation reaction of 2-nitrophenol. Synthesis and X-ray crystal structure of $[\text{Ru}(\text{OC}_6\text{H}_4\text{NO-}o\text{-}o)(\text{OC}_6\text{H}_4\text{NO}_2\text{-}o)(\text{CO})(\text{PPh}_3)_2]$, 735–8
- Preparation of potential macroligands for alkali-metal ions using open-chain polyether carboxylic acids and tricarboxylbis(triphenylphosphine)ruthenium. X-Ray crystal structure of dicarbonylbis[1-(*o*-carboxymethoxyphenoxy)-2-(*o*-hydroxyphenoxy)ethanolatol (–)]bis(triphenylphosphine)-ruthenium(II), 739–42
- Photochemical hydrogen production from ascorbic acid catalysed by tris(2,2'-bipyridyl)ruthenium(II) and hydridotris(triethylphosphine)palladium(II), 809–14
- Synthesis of the anion $[\text{Ru}_3\text{H}(\mu_3\text{-PPh})(\text{CO})_9]^-$ and its reactions with complexes of Re, Rh, Ir, Cu, Ag, and Au to give heterometallic clusters containing a triruthenium unit: crystal structures of the complexes $[\text{Ru}_3\text{Rh}(\mu_4\text{-PPh})(\text{CO})_9](\text{PEt}_3)$ and $[\text{Ru}_3(\mu\text{-Au}(\text{PMe}_2\text{Ph}))(\mu\text{-H})(\mu_3\text{-PPh})(\text{CO})_9]$, 959–68
- A convenient synthesis of $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)_2(\text{CO})\text{Cl}]$ and the cations $[\text{Ru}(\eta\text{-C}_5\text{H}_5)(\text{PPh}_3)_2(\text{LCO})]^+$ [L = CO, PMe₃, or P(OPh)₃], 993–4
- Spectroscopic studies on adsorbed metal carbonyls. Part 2. Interaction of $[\text{Ru}_3(\text{CO})_{12}]$ with silica, titania, and alumina, 1123–32
- Kinetics of the combination of methyl ligands with carbonyl or isonitrile ligands in ruthenium(II) complexes, 1153–6
- Decomposition reactions of cationic ruthenium formyl complexes, 1203–8
- Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209–14
- Bis(diphenylphosphino)methane complexes of ruthenium(0) and ruthenium(II), 1635–40
- Alkyl, hydrido-, and related compounds of ruthenium(II) with trimethylphosphine. X-Ray crystal structures of hydrido(tetrahydroborato-*HH'*)tris(trimethylphosphine)ruthenium(II), tri-*μ*-chloro-bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and bis[*cis*-methyltetakis(trimethylphosphine)ruthenium]mercury(II)-tetrahydrofuran(1/1), 1731–8
- Preparation and crystal structure of nonacarbonyl-di-*μ*-hydrido-*μ*₃-phenylimido-triangular-triruthenium, $[\text{Ru}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-NPh})]$, 1765–8
- Synthesis, structure, and isomerisation of triruthenium and triosmium clusters derived from 3-dimethylaminoprop-1-yne; X-ray crystal structure of $[\text{Ru}_3\text{-H}(\text{CO})_6(\text{Me}_2\text{N}^+=\text{C}-\text{C}=\text{CH}_2)]$, 1981–6
- Carbon–nitrogen bond cleavage in 1-dimethylaminobut-2-yne and

RUTHENIUM (contd.)

- derived ligands in triruthenium and triosmium clusters, 1987-92
- Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067-72
- Preparation and structure of tetraphenylphosphonium aquatetrachlorothionitrosylruthenate, $[\text{PPh}_4][\text{Ru}(\text{NS})\text{Cl}_4(\text{H}_2\text{O})]$, 2081-4
- Reductive elimination of ketones from ruthenium(II) complexes, 2133-6
- Excited state redox properties of phthalocyanines: influence of the axial ligand on the rates of relaxation and electron-transfer quenching of the lowest $^3\pi\pi^*$ excited state, 2137-40
- Arene ligand exchange reactions in $(\eta^4\text{-cyclo-octa-1,5-diene})\text{Ru}(\eta^6\text{-naphthalene})\text{ruthenium}(0)$: a convenient route to new ruthenium(0) complexes, 2255-8
- Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organodiruthenium complexes: X-ray crystal structure of $[\text{Ru}_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-CH}_2)(\eta\text{-C}_5\text{H}_5)_2]$, 2293-300
- Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2329-32
- Reduction-oxidation properties of organotransition-metal complexes. Part 19. Carbonylruthenium catecholate and semiquinone complexes, 2713-8
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{phen})_3]^{3+}$ (phen = 1,10-phenanthroline), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{dipic})_2]^-$ (dipic = dipicolinate) (oxodants) and $[\text{Ru}(\text{NH}_3)_3(\text{py})]^{2+}$ (py = pyridine) (reductants), 2769-74

SALICYLALDEHYDE

- The ground electronic state of quadridentate salicylaldehyde Schiff base-cobalt(II) complexes in non- and weakly co-ordinating solvents, 1195-202

SAMARIUM

- The template synthesis and crystal and molecular structure of a sesquidentate Schiff-base macrocyclic complex of samarium(III), $[\text{Sm}(\text{C}_{18}\text{H}_{18}\text{N}_4\text{NO}_3(\text{OH})(\text{H}_2\text{O}))\text{NO}_3 \cdot 2\text{MeOH}]$, 351-4

SCANDIUM

- The complex chemistry of scandium. Part 1. Preparation and properties of some scandium(III) complexes of polyamines. X-ray crystal structures of tri-nitrate(*OO'*) 2,2':6',2''-terpyridyl-*NN'* scandium(III) and [1,2-bis(pyridine-*a*-carbaldimino)ethane-*NN'* scandium(III)]-di- μ -hydroxo-di-nitrate(*OO'*)dis scandium(III) dinitrate bis(acetonitrile), 2449-54

SCHIFF BASE

- The template synthesis and crystal and molecular structure of a sesquidentate Schiff-base macrocyclic complex of samarium(III), $[\text{Sm}(\text{C}_{18}\text{H}_{18}\text{N}_4\text{NO}_3(\text{OH})(\text{H}_2\text{O}))\text{NO}_3 \cdot 2\text{MeOH}]$, 351-4
- Dinuclear intermediates in the oxidation of pendant olefinic groups of palladium(II)-co-ordinated Schiff-base ligands, 615-20
- The ground electronic state of quadridentate salicylaldehyde Schiff base-cobalt(II) complexes in non- and weakly co-ordinating solvents, 1195-202
- Dinuclear macrocyclic Schiff bases derived from thiophene and their metal complexes: the crystal structures of a free macrocycle and of a disilver complex, 2281-8
- Compartmental ligands. Part 9. Crystal and molecular structure of 6,11-dimethyl-7,10-diazahexadeca-5,11-diene-2,4,13,15-tetraone and of the related mononuclear copper(II) complex having N_2O_2 occupancy, 2289-92
- Synthesis and characterization of nickel(II) complexes with cyclic and linear Schiff-base ligands incorporating sulphur, nitrogen, and oxygen donor atoms, 2389-94
- Compartmental ligands. Part 10. Syntheses and crystal and molecular structures of the copper(II) complexes of Schiff bases derived from 1-(pyrrol-2-yl)butane-1,3-dione and 1,3-bis(2-aminophenoxy)propane, and from pyrrole-2-carbaldehyde and 3,6-dioxaoctane-1,8-diamine, 2741-6
- Synthesis of phenoxo-bridged dicopper(II) complexes of *N*-(2-aminoalkyl)salicylaldehydes and their use in the formation of monohalogeno-complexes and non-symmetrical quadrate Schiff-base complexes, 2839-42
- Synthesis and characterization of technetium(V) oxo-complexes with quadridentate Schiff-base ligands: X-ray structures of μ -oxo-bis[oxo(*N,N'*-propane-1,3-diylbis(salicylideneiminato))]technetium(V)] and chloro-oxo(*N,N'*-propane-1,3-diylbis(salicylideneiminato))]technetium(V), 2505-12

SELENADIPHOSPHIRENE

- The synthesis and characterization of cobalt complexes with diphosphorus-sulphur and -selenium cyclic units as trihapto ligands. X-Ray crystal structures of $[\text{Co}(\text{CMe}(\text{CH}_2\text{PPh}_2)_3)(\text{P}_2\text{X})]\text{BF}_4 \cdot \text{C}_6\text{H}_6$ (X = S or Se), 359-64

SELENIDE

- Donor properties of arylphosphines towards selenium: X-ray crystal structure of tris(*m*-trifluoromethylphenyl)phosphine selenide, 483-6

SELENIUM

- Donor properties of arylphosphines towards selenium: X-ray crystal structure of tris(*m*-trifluoromethylphenyl)phosphine selenide, 483-6
- Synthesis and X-ray structure of $[\text{Ag}_2(\text{Ph}_2\text{X}_2)_4][\text{AsF}_6]_2$ (X = S or Se); six-membered silver-sulphur and silver-selenium rings, 1781-4
- Ligand properties of the -OSeF₃ and -OTeF₃ groups in pseudo-trigonal-bipyramidal molecules, 2821-6

SELENIUM-77

- Ligand properties of the -OSeF₃ and -OTeF₃ groups in pseudo-trigonal-bipyramidal molecules, 2821-6

SEMIQUINONE

- Reduction-oxidation properties of organotransition-metal complexes. Part 19. Carbonylruthenium catecholate and semiquinone complexes, 2713-8

SEPULCHRATE

- Kinetics of the electron-transfer reaction, iodine with 'cobalt(II) sepulchrates', 479-82

SILAPHENALENE

- Chemistry of 2,3-dihydro-2-methallaphalenenes. Part 1. Synthesis of

$\text{CHRSiMe}_2\text{CHR}'\text{C}_{10}\text{H}_6$ (R = R' = H; R = R' = SiMe₃; and R, R' = H, SiMe₃) and formation of the compound,

$[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}(\text{CHSiMe}_2\text{C}(\text{SiMe}_3)\text{C}_{10}\text{H}_6)]$ via decomposition of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}(\text{CHSiMe}_2\text{C}_{10}\text{H}_6)]$; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311-20

SILEPINE

- Axially asymmetric metal alkyls. Part 2. Synthesis of the di-Grignard reagent $[\{\text{Mg}(\text{thf})_2\text{Cl}\}_2\text{R}]$ [thf = tetrahydrofuran, R = (2-CH₂C₆H₄)₂⁻] and 6,7-dihydro-5*H*-dibenzo[*c,e*]-silepines and -stannepines; X-ray crystal structures of $[\text{SnPh}_3\text{R}]$ and δ -SS- and λ -RR- $[\text{SnPh}_2\{[2\text{-CH}(\text{SiMe}_3)\text{C}_6\text{H}_4]_2\}]$, 331-40

SILICATE

- The use of trimethylsilylation to study the structure of mineral silicates, 757-60

SILICON

- The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on X-ray emission and X-ray photoelectron spectra, 263-6
- Chemistry of 2,3-dihydro-2-methallaphalenenes. Part 1. Synthesis of $\text{CHRSiMe}_2\text{CHR}'\text{C}_{10}\text{H}_6$ (R = R' = H; R = R' = SiMe₃; and R, R' = H, SiMe₃) and formation of the compound, $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}(\text{CHSiMe}_2\text{C}(\text{SiMe}_3)\text{C}_{10}\text{H}_6)]$ via decomposition of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}(\text{CHSiMe}_2\text{C}_{10}\text{H}_6)]$; crystal structures of two polymorphs of the silicon heterocycle dilithium complex, 311-20
- Crystal and molecular structure of trisilylamine at 115 K, 563-6
- Determination by electron diffraction of the molecular structure of tris(trimethylsilyl)methylphosphine in the gas phase, 689-94
- The use of trimethylsilylation to study the structure of mineral silicates, 757-60
- A novel synthetic procedure for the preparation of silicon sesquioxide at room temperature, 1779-80
- Reactions of trimethylsilylated silicate anions in acidic media. Part 2. The influence of reaction parameters, 1857-62
- Crystal structure and variable-temperature hydrogen-1 nuclear magnetic resonance spectrum of (dimethylnitrosyl)-[methylidiphenylsilyl]bis(trimethylsilyl)methane, $\text{C}(\text{SiMe}_3)_2[\text{SiMePh}_2]\text{SiMe}_2\text{ONO}$, 2015-8

SILICON-29

- Study of heteropolyanions by solid-state nuclear magnetic resonance spectroscopy, 2765-8

SILICON TETRAFLUORIDE

- Adducts of silicon tetrafluoride with aminocyclophosphazenes: synthesis and characterization, 1787-90

SILOXANE

- Reactions of trimethylsilylated silicate anions in acidic media. Part

SILOXANE (contd.)

2. The influence of reaction parameters, 1857-62

SILVER

- Structural and spectroscopic characterization of complexes containing the mononuclear trihalogenometalates $[\text{CuI}_3]^{2-}$, $[\text{CuBr}_3]^{2-}$, and $[\text{AgI}_3]^{2-}$. Crystal structure of $[\text{PMePh}_3]_2[\text{CuI}_3]$, 37-46
- Lewis-base adducts of Group 1B metal(i) compounds. Part 4. Synthesis and crystal structure of the 1:1 adduct of silver(i) chloride with quinoline, 225-8
- Lewis-base adducts of Group 1B metal(i) compounds. Part 5. Synthesis and crystal structures of adducts of silver(i) thiocyanate with 2- and 3-methylpyridine, 2,6-dimethylpyridine, and quinoline, 229-38
- Synthesis and reactivity of bimetallic Au-Ag polyfluorophenyl complexes; crystal and molecular structures of $[\{\text{AuAg}(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_5)_2\}_n]$ and $[\{\text{AuAg}(\text{C}_6\text{F}_5)_2(\text{C}_6\text{H}_5)_2\}_n]$, 285-92
- Kinetics of silver(ii) oxidation of metal cations, 475-8
- Silver(i) isocyanide complexes: spectroscopic features and reactions with neutral ligands, 1317-22
- Synthesis and X-ray structure of $[\text{Ag}_2(\text{Ph}_2\text{X})_4][\text{AsF}_6]_2$ (X = S or Se); six-membered silver-sulphur and silver-selenium rings, 1781-4
- Kinetics and mechanism of the silver(i)-catalyzed oxidations of arsenic(iii) and antimony(iii) with peroxodiphosphate in acetate buffers, 1873-6
- Complexes of rhenium and osmium polyhydrides with metallic Lewis acids: X-ray crystal structure of $[\text{Ag}(\text{ReH}_7(\text{PPhPr})_2)_2][\text{PF}_6]$, 2003-10
- Reactions of *cis*- $[\text{PtCl}_2(\text{PEt}_3)_2]$ with silver salts in aqueous solution, in the presence or absence of PEt_3 , 2249-54
- Dinucleating macrocyclic Schiff bases derived from thiophene and their metal complexes: the crystal structures of a free macrocycle and of a disilver complex, 2281-8
- Formation constants of silver(i) complexes of some sulphur-containing dipeptides and valylvaline, 2305-8
- Hydrido-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: X-ray crystal structure of $[\text{AuCr}(\mu\text{-H})(\text{CO})_3(\text{PPh}_3)]$, 2497-504

SILYL

- Dihydrido(pentamethylcyclopentadienyl)bis(triethylsilyl)iridium(v) and related triphenylsilyl-rhodium(v) and -iridium(v) complexes, 2063-6

SILYLMETHANE

- Crystal structure and variable-temperature hydrogen-1 nuclear magnetic resonance spectrum of (dimethylnitratosilyl)-[methylidiphenylsilyl]bis(trimethylsilyl)methane, $\text{C}(\text{SiMe}_3)_2(\text{SiMePh}_2)(\text{SiMe}_2\text{ONO}_2)$, 2015-8

SINGLE CRYSTAL

- Vibrational studies of the cluster carbonyls of ruthenium and osmium. Part 2. Single-crystal Raman and infrared data for $[\text{Ru}_3(\text{CO})_{12}]$ in the CO stretching region, 155-60

SODIUM

- Identification and characterisation of three novel compounds in the sodium-aluminium-oxygen system, 1139-46
- Hydrogen bonds in $\text{Na}_2\text{S}_5\text{H}_2\text{O}$: X-ray diffraction and vibrational spectroscopic study, 1275-8
- The shapes and energetics of dimeric lithium and sodium cyanides. *Ab initio* molecular-orbital calculations, 1279-82

SOLVENT EFFECT

- Solvent effects on the conformation of nucleotides. Part 2. Nuclear magnetic shift and relaxation effects induced by lanthanide ions on adenosine 5'-monophosphate in water-dimethyl sulphoxide, 267-72

- The ground electronic state of quadridentate salicylaldehyde Schiff base-cobalt(ii) complexes in non- and weakly co-ordinating solvents, 1195-202

SOLVENT EXCHANGE

- Equilibrium studies and kinetics of solvent exchange with five- and six-co-ordinate mono- and bis-(solvent)(1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(ii) perchlorate by oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8

SOLVENT EXTRACTION

- Formation of mixed-ligand complexes of cadmium(ii) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 935-8

SOLVOLYSIS

- Kinetics of the solvolysis of *trans*-dichlorotetra(4-methylpyridine)cobalt(iii) ions in water + *t*-butyl alcohol

- mixtures, 1969-74

SPIN TRAP

- Reactions of ruthenium formyl and related complexes with nitroxide spin traps, 1209-14

STABILITY

- Nucleophilic attack on olefins co-ordinated to platinum. Part 4. Formation of neutral and cationic σ -adducts and of ring compounds: studies of stability, 771-8

- Spectroscopic studies of transition-metal ion complexes of diethylenetriaminepenta-acetic acid and diethylenetriaminepentamethylphosphonic acid, 1133-8

STABILITY CONSTANT

- Metal chelates of sulphur-containing polyamine macrocycles and oxygenation of the corresponding cobalt(ii) complexes, 673-8

- A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(ii) dihalides: a comment, 743-2

- A disagreement between measured equilibrium constants for ligand-ligand substitution and disproportionation processes in mixed mercury(ii) dihalides: a reply, 743-4

- Formation of mixed-ligand complexes of cadmium(ii) with chloride and substituted pyridines in 1,2-dichloroethane as solvent, 935-8

- The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 10. Characterisation and stability constants of nickel(ii) species isolated from a mixed-ligand solution: crystal structure of $\text{tris}(1,2\text{-diaminoethane})\text{nickel(ii) bis}(\text{pyridine-2,6-dicarboxylato})\text{nickelate(ii) tetrahydrate}$, 975-80

- A kinetic and equilibrium study of the reaction of glycine with chromium(iii) in aqueous solution, 1647-50

- Formation constants of silver(i) complexes of some sulphur-containing dipeptides and valylvaline, 2305-8

- Polymeric thiolate complexes in solution. Stability constants of the cadmium(ii) complexes of 4-mercapto-1-methylpiperidine, 2671-6

STACKING

- X-Ray evidence of intermolecular stacking interactions in a ternary complex. Crystal and molecular structure of the complex bis(*N*-benzyloxycarbonylglycinato)(2,2'-bipyridine)(propan-2-ol)copper(ii), 2319-24

STANNANE

- Electron spin resonance studies of a range of stannane radical cations, 1667-74

STANNEPINE

- Axially asymmetric metal alkyls. Part 2. Synthesis of the di-Grignard reagent $[\{\text{Mg}(\text{thf})_2\text{Cl}\}_2\text{R}][\text{thf} = \text{tetrahydrofuran}, \text{R} = (2\text{-CH}_2\text{C}_6\text{H}_4)_2\text{C}^-]$ and 6,7-dihydro-5*H*-dibenzo[*c,e*]-silepines and -stannepines; X-ray crystal structures of $[\text{SnPh}_2\text{R}]$ and δ -SS- and λ -RR- $[\text{SnPh}_2\{2\text{-CH}(\text{SiMe}_3)\text{C}_6\text{H}_4\}_2]$, 331-40

STEREOCHEMISTRY

- Stereochemistry and tautomeric equilibria of zinc(ii) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033-40

STERESELECTIVITY

- Stereoselectivity in the substitution reaction of square-planar platinum(ii) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689-94

STEREOSPECIFIC TRANSFER

- Stereospecific transfer of ethynyl groups between platinum(ii) and mercury(ii), 199-204
- Stereospecific transfer reactions of phenyl and ethynyl groups between platinum(ii) atoms, 205-10

STILBENE

- Photochemical properties of *cis*- and *trans*-1,2-diphenylethynyltrimethyltin(iv) and *cis*-1,2-diphenylpropenyltrimethyltin(iv); organometallic derivatives of stilbene, 909-14

STYRENE

- Preparation and properties of ditertiary phosphine complexes of ruthenium(0), 2067-72

STYRYLCYCLOHEPTATRIENE

- Synthesis of styrylcycloheptatriene derivatives *via* the electrophilic addition of tropylium ions to $[\text{Fe}(\text{CO})_5(\eta^4\text{-C}_8\text{H}_8)]$: X-ray crystal structure of tricarbonyl(1-4- η -7-styrylcyclohepta-1,3,5-triene)iron, 683-8

SUBLIMATION

- Enthalpies of sublimation of transition metal complexes, 75-8

SUBSTITUTION

- Geminal bis[(triphenylphosphoranylidene)amino]cyclotriphosphazenes:

SUBSTITUTION (contd.)

synthesis, substitution reactions, and nuclear magnetic resonance spectra, 1521-6

Metal complexes of sulphur-nitrogen chelating agents. Part 11.

Synthesis, characterisation, and thermodynamics of nucleophilic substitution reactions of monohalogeno nickel(II) complexes of tridentate ligands of the type SNN in solution and the solid state, 1681-6

Stereoselectivity in the substitution reaction of square-planar platinum(II) complexes determined *in situ* by nuclear magnetic resonance spectroscopy using a chiral solvent, 2689-94

SUCCINIC ACID

The vibrational spectrum of a strong O-H...F hydrogen bond: infrared and Raman spectra of the potassium fluoride-succinic acid adduct, 1625-8

SUGAR

Studies of the Pfeiffer effect induced in tris(pyridine-2,6-dicarboxylato)terbate(III) by monosaccharide aldose sugars, 1367-70

SULPHATE

Novel tin(II) sites in X-ray crystal structures of the tin(II) halide sulphates $K_3Sn_2(SO_4)_3X$ ($X = Br$ or Cl), 1301-6

SULPHIDE

Cyclopalladation of 4-methyl-4'-nitrodibenzyl sulphide, 99-102

Hydrogen bonds in $Na_2S \cdot 5H_2O$: X-ray diffraction and vibrational spectroscopic study, 1275-8

Comparative electrochemistry of $cis-MoOS^{2+}$, MoO_2^{2+} , and MoS_2^{2+} centres in complexes of the type $cis-[MoY_2L_2]$ ($Y = O$ and/or S , $HL = 1$ -hydroxypiperidine). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617-20

Synthesis and crystal structure of $[W(SeO)(PMe_2Ph)_2(\mu-S(SeO)_2)]_2$, 2585-8

Chemistry of platinum sulphido-complexes. Part 4. Dimeric μ -alkylsulphido-complexes: crystal and molecular structures of $[Pt_2(\mu-S(Ph)Me)(PPh_3)_4]PF_6 \cdot MeOH$ and $cis-[Pt_2(\mu-SMe)(NO_2)_2(PPh_3)_2]$, 2645-52

Rhodium(I) and iridium(I) carbonyl complexes with sulphur-donor ligands: X-ray crystal structure of $[Rh(CO)_2(BuSCH=CHSBU)]ClO_4$, 2665-70

SULPHIDO

Synthesis and structure of the mercaptodithiotriethylenic nickel complex $[Ni_2(\mu_2-S)_2(SH)(PET)_3]BPh_4$, 939-42

SULPHINATE

Alkane (or arene)-sulphinato and -sulphonato-iron(III) porphyrins: synthesis and physicochemical properties; crystal structure of benzenesulphinato(5,10,15,20-tetraphenylporphyrinato)iron(III), 567-74

SULPHINYLNITRILE

Preparation and crystal structure of a sulphonylnitrile complex of rhodium(I): $trans-[Rh(CO)(NSO)(PPh_3)_2]$, 2271-4

SULPHONAMIDE

Crystal structures of *N*-benzenesulphonyl-DL-alanine and aqua[*N*-benzenesulphonyl-DL-alaninato(2-)]copper(II) monohydrate: a model for metal ion-sulphonamide binding, 779-84

SULPHONATE

Alkane (or arene)-sulphinato and -sulphonato-iron(III) porphyrins: synthesis and physicochemical properties; crystal structure of benzenesulphonato(5,10,15,20-tetraphenylporphyrinato)iron(III), 567-74

SULPHONIUM

Fluorination of dimethyl sulphide. Formation of the fluorodimethylsulphonium cation, $[Me_2SF]^+$, and dimethylsulphur difluoride, Me_2SF_2 , 2827-34

SULPHUR

Preparation and crystal structures of two phosphorus-sulphur rings: $(PhP)_3S_2$ and $(PhP)_2S_3$, 723-6

Controlled hydrolysis of hexachlorocyclotriphosphazene and related, sulphur-containing ring systems, 1027-32

A photoelectron spectroscopic study of the $(FBS)_n$ system ($n = 1-3$), 1047-52

Hexasulphur tetranitrogen dichloride, $S_6N_4Cl_2$: crystal growth and crystal structure, 1377-82

Reactions of tetraphosphorus trisulphide with organic disulphides under ultraviolet irradiation, and with sulphuryl chloride, 1517-20

Convenient preparation of cyclo-eicosasulphur (S_{20}) from bis(η -cyclopentadienyl)(pentasulphido)titanium(IV), 1775-8

Synthesis and X-ray structure of $[Ag_2(Ph_2X_2)_4][AsF_6]_2$ ($X = S$ or

Se); six-membered silver-sulphur and silver-selenium rings, 1781-4

Interaction between uranium pentafluoride and the pentafluorides of vanadium, arsenic, niobium, tantalum, and bismuth, and the tetrafluoride of sulphur, 2163-6

Fluorination of dimethyl sulphide. Formation of the fluorodimethylsulphonium cation, $[Me_2SF]^+$, and dimethylsulphur difluoride, Me_2SF_2 , 2827-34

Preparation and crystal structures of two phosphorus-sulphur rings: $(RPS)_4$ and $(RPS)_2$, ($R = C_6H_5Me_3-2,4,6$), 2855-8

SULPHUR-NITROGEN RING

Preparation and X-ray crystal structure of $(S_3N_2)_2NaSF_6$, containing the bis(thiodithiazyl)aminylum(1+) cation, 211-8

Preparation and X-ray crystal structure of $(S_3N_2)_2NaSF_6$, containing the bis(thiodithiazyl)aminylum(1+) cation (1984, 211), 1265-6

Hexasulphur tetranitrogen dichloride, $S_6N_4Cl_2$: crystal growth and crystal structure, 1377-82

SUPEREXCHANGE

Magnetic exchange interactions in perovskite solid solutions. Part 4. The $Fe^{3+}-O-Cr^{3+}$ superexchange interaction, 667-72

SUPEROXIDE

Photochemically generated superoxides of rhodium(III), 1895-902

SURFACE

An X-ray photoelectron spectroscopic study of the surface properties of vanadium antimonate and β -antimony tetroxide, 985-8

SYNTHESIS

A convenient synthesis of $[Ru(\eta-C_5H_5)(PPh_3)(CO)Cl]$ and the cations $[Ru(\eta-C_5H_5)(PPh_3)L(CO)]^+$ [$L = CO, PMe_3$, or $P(Ph)_3$], 993-4

TANTALUM

Some co-ordination compounds of $TaCl_5$ and $TaBr_5$: X-Ray crystal structure of $[TaCl_5(PhSCH_2CH_2SPh)]$, 845-8

Organoimido-complexes of tantalum(V). Preparation and X-ray crystal structure of bis[bis(trimethylsilyl)amido]chloro(t-butylimido)tantalum(V) and bis[bis(trimethylsilyl)amido]-di- μ -bromo-dibromobis(trimethylsilylimido)ditanalium(V), 1069-72

TECHNETIUM

An electron spin resonance study of bis(tetraphenylarsonium)pentakis(isothiocyanato)nitrosyltechnetate(II): a six-co-ordinate low-spin $4d^5$ technetium(II) complex, 827-32

Structural studies of technetium complexes. Part 4. The crystal structure of *trans,trans*-acetoneitrilediisothiocyanato(nitrido)bis(triphenylphosphine)technetium(V)-acetonitrile (1/0.5), 833-8

Studies of technetium complexes. Part 6. The preparation, characterisation, and electron spin resonance spectra of salts of tetrachloro- and tetrabromo-nitridotechnetate(VI): crystal structure of tetraphenylarsonium tetrachloronitridotechnetate(VI), 2395-400

Synthesis and characterization of technetium(V) oxo-complexes with quadridentate Schiff-base ligands: X-ray structures of μ -oxo-bis[oxo(*N,N'*-propane-1,3-diylbis(salicylideneiminato))]technetium(V) and chloro-oxo[*N,N'*-propane-1,3-diylbis(salicylideneiminato)]-technetium(V), 2505-12

TELLURIUM

Synthesis and chemistry of 1,3-dihydro-tellurolo[3,4-*b*]quinoxaline and derivatives: crystal and molecular structure of 1,3-dihydro-2,2-di-iodo-2 λ^4 -tellurolo[3,4-*b*]quinoxaline-2,3-bis(iodomethyl)quinoxaline (1:1), 23-8

Secondary bonding. Part 12. Aryltellurium iodides: crystal and molecular structures of *cis*- and *trans*-phenyltellurium(IV) triiodide and two modifications of diphenyltellurium(IV) diiodide, 869-76

Donor-acceptor complexes of organotellurium compounds.

Physical studies: tellurium-125 Mössbauer spectroscopy for the measure of charge transfer. Crystal and molecular structure of the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-quinodimethane, 1267-74

Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*p*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyltrifluoroacetoxytellurium] hydrate, and [bis(trifluoroacetoxy)iodo]benzene, 1709-16

Ligand properties of the $-OSeF_3$ and $-OTeF_3$ groups in pseudo-trigonal-bipyramidal molecules, 2821-6

TELLURIUM-125

Ligand properties of the $-OSeF_3$ and $-OTeF_3$ groups in pseudo-

TELLURIUM-125 (contd.)

trigonal-bipyramidal molecules, 2821-6

TEMPLATE

The template synthesis and crystal and molecular structure of a

seixidantate Schiff-base macrocyclic complex of samarium(III),

[Sm(C₁₈H₁₈N₆O₁₀)(NO₃)(OH)(H₂O)]NO₃·2MeOH, 351-4

Template synthesis and ionophorous properties of substituted

crown ethers towards alkali-metal ions, 1421-6

The preparation and co-ordination chemistry of 2,2':6,2'-

terpyridine macrocycles. Part 3. Transient template effects

involving dimethyltin(IV), 2177-86

TERBIUM

Studies of the Pfeiffer effect induced in tris(pyridine-2,6-

dicarboxylato)terbate(III) by monosaccharide aldose sugars,

1367-70

TERPYRIDINE

The preparation and co-ordination chemistry of 2,2':6,2'-

terpyridine macrocycles. Part 3. Transient template effects

involving dimethyltin(IV), 2177-86

TERPYRIDYL

Exchange of bridging and terminal hydrides in [Co(terpy)(H₂BH₂)],

1257-60

The complex chemistry of scandium. Part 1. Preparation and

properties of some scandium(III) complexes of polyamines. X-ray

crystal structures of tri-nitrate(OO') 2,2':6,2'-terpyridyl-

NN'N''scandium(III) and [1,2-bis(pyridine-2-carbaldimino)ethane-

NN'N''N'''] di-μ-hydroxo-di-nitrate(OO')dyscandium(III) dinitrate

bis(acetonitrile), 2449-54

Properties and structural characterization of copper(II) mixed

complexes with 2,2':6,2'-terpyridyl and iminodiacetate or

pyridine-2,6-dicarboxylate, 2625-30

TETRA-AMINE

Oxidation and reduction behaviour of copper(II) complexes with

open-chain analogues of tetra-aza macrocycles, 1495-500

TETRA-AZACYCLODODECANE

Synthesis and characterisation of 1,7-dimethyl-1,4,7,10-tetra-

azacyclododecane: crystal structure of the nickel(II) bromide

monohydrate complex of this macrocycle; thermodynamic studies

of protonation and metal complex formation, 1357-62

TETRA-AZACYCLOHEXADECANE

Heavy-metal macrocyclic complexes: crystal and molecular

structures of complexes of 1,5,9,13-tetra-azacyclohexadecane with

Cd(NO₃)₂, HgCl₂, PbCl₂, and Pb(NO₃)₂, 2813-20

TETRA-AZACYCLOTETRADECANE

Characterisation of *cis*-[CoCl₂L]⁺ and two diastereoisomeric *trans*-

[CoCl₂L]⁺ complexes and studies of the aquation kinetics

(L = *C-meso*-5,12-dimethyl-1,4,8,11-tetra-azacyclotetradecane),

1921-6

Synthesis and aquation kinetics of the *cis*-dichloro- and three

diastereoisomeric *trans*-dichloro-complexes of cobalt(III) with the

macrocyclic ligand *C-rac*-5,12-dimethyl-1,4,8,11-tetra-

azacyclotetradecane, 1927-30

Studies of pendant-arm macrocyclic ligands. Part 1. Synthesis of

two new penta-aza ligands, and observation of pH-dependent

reversible equilibria between trigonal-bipyramidal and square-

planar forms of their nickel(II) and copper(II) complexes. Crystal

structure of a trigonal-bipyramidal nickel(II) complex, 1937-44

Studies of pendant-arm macrocyclic ligands. Part 2. Comparison of

the nickel(II), copper(II), and zinc(II) complexes of 11-(2'-

dimethylaminoethyl)-1,4,7,11-tetra-azacyclotetradecane, a pyridine

analogue, and a related new tetra-aza macrocycle, 11-methyl-

1,4,7,11-tetra-azacyclotetradecane, 2371-6

TETRABORANE

A mass spectrometric investigation of the exchange of deuterium

with tetraborane(10) in the gas phase, 2435-8

TETRACYANOQUINODIMETHANE

Donor-acceptor complexes of organotellurium compounds.

Physical studies: tellurium-125 Mössbauer spectroscopy for the

measure of charge transfer. Crystal and molecular structure of

the complex dibenzotellurophene-7,7,8,8-tetracyano-*p*-

quinodimethane, 1267-74

TETRAHYDROBORATE

Bis(cyclopentadienyl)zirconium(III) complexes containing a metal-

metal bond: synthesis and properties of zirconium(II) and

zirconium(III) complexes, 1253-6

Exchange of bridging and terminal hydrides in [Co(terpy)(H₂BH₂)],

1257-60

Alkyl, hydrido-, and related compounds of ruthenium(II) with

trimethylphosphine. X-Ray crystal structures of

hydrido(tetrahydroborato-

HH')tris(trimethylphosphine)ruthenium(II), tri-μ-chloro-

bis[tris(trimethylphosphine)ruthenium(II)] tetrafluoroborate, and

bis[*cis*-methyltetakis(trimethylphosphine)ruthenium]mercury(II)-

tetrahydrofuran(1/1), 1731-8

TETRAHYDROFURAN

Preparation and crystal structure of tri-μ-chloro-

hexakis(tetrahydrofuran)diamagnesium(II)

pentachloro(tetrahydrofuran)-titanate(IV), 2077-80

TETRAPHENYLCYCLOBUTADIENE

A new series of neutral nitrosyl(η⁴-

tetraphenylcyclobutadiene)iron(0) complexes: crystal and

molecular structure of (NN-diethylthiocarbamate-

SS')nitrosyl(η⁴-tetraphenylcyclobutadiene)iron(0), 245-8

TETRASELENAFULVALENE

Preparation and properties of tetrathiafulvalene (ttf) and

tetramethyltetraselenafulvalene salts of tin(IV) halide anions and

X-ray crystal structure of [ttf]₂[SnCl₆], 379-84

TETRATHIAFULVALENE

Preparation and properties of tetrathiafulvalene (ttf) and

tetramethyltetraselenafulvalene salts of tin(IV) halide anions and

X-ray crystal structure of [ttf]₂[SnCl₆], 379-84

TETRATHIOCANE

Nuclear magnetic resonance investigations of configurational non-

rigidity in dinuclear platinum(IV) complexes. Part 5.

Intramolecular rearrangements in the dinuclear platinum(IV)

complexes of 1,3,5,7-tetrathiocane. X-Ray crystal structure of

[(PtClMe₃)₂(SCH₂SCH₂SCH₂SCH₂)], 2047-58

THALLIUM

Kinetics and mechanism of the oxidation of glycolic and glyoxylic

acids by thallium(III) in acidic perchlorate solutions, 1867-72

THERMAL CONVERSION

Thermal and thermally assisted photochemical conversion of

[Mo(NO)]³⁺ to [Mo(NO)]²⁺ in a ketonic solvent: single-step

synthesis of nitrosyl(thiocyanato)molybdenum(I) derivatives from

[Mo(NO)(NH₃O)(NCS)₂](L-L) (L-L = 2,2'-bipyridine or

1,10-phenanthroline), 487-90

THERMAL DECOMPOSITION

Microcalorimetric studies on the thermal decomposition of

platinum and palladium complexes containing phosphine or

diene ligands, 371-8

Thermal behaviour of germanium bis(monohydrogenphosphate)

monohydrate and characterization of derived germanium

pyrophosphates, 527-32

THERMOCHEMISTRY

Comparison of the thermochemistry of the difluorides and

potassium hexafluorometallates(IV) of the elements of the

germanium triad with that of the elements of the nickel triad: a

study of the inert-pair effect, 1393-400

THERMOCHROMISM

Thermochromism in copper(II) complexes: spectroscopic, thermal,

and electrical properties and room-temperature crystal structure

of bis(2,2-dimethylpropane-1,3-diamine)copper(II) dinitrate, 2187-

92

THERMODYNAMICS

Thermodynamic studies on the addition of molecular oxygen to

cobalt(II) complexes. Part 3. The cobalt(II)-tetraethylenepenta-

amine-O₂ system in aqueous solution at 25 °C, 307-10

Standard enthalpies of formation and lattice energies of

alkylammonium halides. Part 2. Ethylammonium halides, 601-4

The interaction of aliphatic amines with transition metal complexes

of aromatic di-imines. Part 1. Kinetics and thermodynamics of

reaction of the tris(5-nitro-1,10-phenanthroline)nickel(II) cation

with aliphatic amines in dimethylformamide, 1105-10

Equilibrium studies and kinetics of solvent exchange with five- and

six-co-ordinate mono- and bis-solvent(1,4,8,11-tetramethyl-

1,4,8,11-tetra-azacyclotetradecane)nickel(II) perchlorate by

oxygen-17 nuclear magnetic resonance spectroscopy, 1323-8

Synthesis and characterisation of 1,7-dimethyl-1,4,7,10-tetra-

azacyclododecane: crystal structure of the nickel(II) bromide

monohydrate complex of this macrocycle; thermodynamic studies

of protonation and metal complex formation, 1357-62

Thermodynamics of metal complexes with ligand-ligand

interaction. Mixed complexes of copper(II) and zinc(II) with

adenosine 5'-triphosphate and L-histidine or histamine, 1651-8

Metal complexes of sulphur-nitrogen chelating agents. Part 11.

Synthesis, characterisation, and thermodynamics of nucleophilic

substitution reactions of monohalogeno nickel(II) complexes of

THERMODYNAMICS (contd.)

tridentate ligands of the type SNN in solution and the solid state, 1681-6

Complex-forming properties of tyrosine isomers with transition metal ions, 1951-8

Conformational changes of nickel(II) diamine complexes in the solid state, 2591-8

Enthalpies of formation of complexes $[M(\eta-C_5H_5)_2(SR)_2]$ ($M = Mo, W, or Ti; R = C_2H_5, C_4H_9, or C_6H_5$); metal-sulphur bond enthalpies, 2639-64

Complexation of the lanthanides by cryptand 2.2.2 in propylene carbonate: an electrochemical determination of the thermodynamic parameters, 2847-50

THIADIPHOSPHIRENE

The synthesis and characterization of cobalt complexes with diphosphorus-sulphur and -selenium cyclic units as trihapto ligands. X-Ray crystal structures of $[Co(CMeCH_2PPh_2)_3](P_2X)_2BF_4 \cdot C_6H_6$ ($X = S$ or Se), 359-64

THIOACETATE

Preparation and properties of difluorophosphino monothioacetate, 2301-4

THIOALDEHYDE

Synthesis and characterization of $[Cr(CO)_3\{S-CHCH=C(SET)_2\}]$ and $[Cr(CO)_3\{S-C(SCH=CH_2)SEt\}]$ by ring-opening of 1,3-dithiolane-2-thione: crystal and molecular structure of $[Cr(CO)_3\{S-CHCH=C(SET)_2\}]$, 2337-40

THIOCYANATE

Some oxygen-donor di-*N*-thiocyanato-thorium(IV) and -uranium(IV) bis[hydrotris(pyrazol-1-yl)borate] complexes, 19-22

Lewis-base adducts of Group 1B metal(I) compounds. Part 5.

Synthesis and crystal structures of adducts of silver(I) thiocyanate with 2 and 3-methylpyridine, 2,6-dimethylpyridine, and quinoline, 229-38

Thermal and thermally assisted photochemical conversion of $[Mo(NO)]^{2+}$ to $[Mo(NO)]^{2+}$ in a ketonic solvent: single-step synthesis of nitrosyl(thiocyanato)molybdenum(I) derivatives from $[Mo(NO)(NH_3)(NCS)_2(L-L)]$ ($L-L = 2,2'$ -bipyridine or 1,10-phenanthroline), 487-90

Crystal structures and spectroscopic properties of the polymeric adducts formed from $Cu(CN)$ and $Cu(NCS)$ with 2,9-dimethyl-1,10-phenanthroline, 785-92

Reductive nitrosylation of tetraoxometalates. Single-pot and a virtually single-step synthesis of $[Os(NO)(NCS)_2]^{2-}$ and its 1,10-phenanthroline and 2,2'-bipyridine derivatives directly from OsO_4 in aqueous aerobic media, 2085-6

THIOETHER

Chromium(III) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex $mer-[Cr\{P(CH_2CH_2PPh_2)_3\}Cl_3]$, 47-54

Sulphur-containing metal complexes. Part 9. Synthesis of trisubstituted aminocarbene-thioether chelates of chromium(0) and tungsten(0), 1041-6

THIOLATE

Mössbauer and nuclear magnetic resonance spectroscopic studies on 'Myocrisin', 'Solganol', 'Auranofin', and related gold(I) thiolates, 1609-16

Reactions of some iron and tungsten mercapto-complexes with electrophilic acetylenes leading to novel metallacycles. The crystal and molecular structure of the η^2 -vinyl complex $[W(\eta^2-C(CF_3)_2C(CF_3)_2C(O)Me)(CO)_2(\eta^2-C_5H_5)]$, 2167-76

Enthalpies of formation of complexes $[M(\eta-C_5H_5)_2(SR)_2]$ ($M = Mo, W, or Ti; R = C_2H_5, C_4H_9, or C_6H_5$); metal-sulphur bond enthalpies, 2639-64

Polymeric thiolate complexes in solution. Stability constants of the cadmium(II) complexes of 4-mercapto-1-methylpiperidine, 2671-6

THIONITRITE

Kinetics and mechanism of the decomposition of thionitrites derived from thioureas, 1959-64

THIONITROSYL

Preparation and crystal structure of trichloro(thionitrosyl)bis(triphenylphosphine)osmium, $[Os(NS)Cl_3(PPh_3)_2]$, 719-22

Preparation and structure of tetraphenylphosphonium aquatetrachlorothionitrosylruthenate, $[PPh_4][Ru(NS)Cl_4(H_2O)]$, 2081-4

THIOPHENE

Dinucleating macrocyclic Schiff bases derived from thiophene and

their metal complexes: the crystal structures of a free macrocycle and of a disilver complex, 2281-8

THIOSALICYLIDENEIMINATE

Iron complexes of *N*-substituted thiosalicylideneimines. Part 3. Structure, magnetism, and Mössbauer spectra of the complex chloro[*N,N'*-ethylenebis(thiosalicylideneiminato)]iron(III), an intermediate-spin complex which exists in three crystalline forms, 2733-40

THIO-SELENO ETHER

Nuclear magnetic resonance studies of pyramidal inversion in complexes of tricarboylrhenium(I) halides with aliphatic and aromatic mixed thio-seleno ethers, 365-70

THIOUREA

Kinetics and mechanism of the decomposition of thionitrites derived from thioureas, 1959-64

THORIUM

Some oxygen-donor di-*N*-thiocyanato-thorium(IV) and -uranium(IV) bis[hydrotris(pyrazol-1-yl)borate] complexes, 19-22

A seven-co-ordinate actinoid complex: crystal and molecular structure of tetrachlorotris(trimethylamine)thorium(IV), 727-30

The vibrational spectra of some tetrachlorides in rare gas matrices with particular reference to the molecular shapes of $ThCl_4$ and UCl_4 , 819-26

Some urea and phosphine oxide complexes of thorium(IV) and uranium(IV) trihalogenoacetates, 1527-30

THROUGH-SPACE INTERACTION

Evidence for through-space interactions between sulphur and nitrogen lone pairs in 2,2a,4,4a,6,6a-hexahydro-1,3,5-trithia-7-azacyclopenta[*cd*]pentalene, 2073-6

TIN

Preparation and properties of tetrathiafulvalene (ttf) and tetramethyltetraselenafulvalene salts of tin(IV) halide anions and X-ray crystal structure of $[ttf]_3[SnCl_6]$, 379-84

Photochemical properties of *cis*- and *trans*-1,2-diphenylethynyltrimethyltin(IV) and *cis*-1,2-diphenylpropenyltrimethyltin(IV): organometallic derivatives of stilbene, 909-14

The correlation between tin-119 Mössbauer isomer shifts and atomic charges on tin in five-co-ordinated tin(IV) derivatives, 1019-26

Synthetic and structural studies of tin(IV) complexes of crown ethers, 1239-44

Novel tin(II) sites in X-ray crystal structures of the tin(II) halide sulphates $K_2Sn_2(SO_4)_4$ ($X = Br$ or Cl), 1301-6

Electron spin resonance studies of a range of stannane radical cations, 1667-74

Studies of dioxamide and dithio-oxamide metal complexes. Part 2. Synthesis and spectral characterisation of $RNH(Si)(S)NHR$ ($R = alkyl$ or $aryl$) complexes with SbX_3 ($X = Cl$ or Br), $BiCl_3$, SnX_4 ($X = Cl$ or Br), and $TiCl_4$. Crystal and molecular structures of *N,N'*-di-isopropylthio-oxamide (L^1) and $SbCl_3(L^1)_2$, 1717-22

Studies of dioxamide and dithio-oxamide metal complexes. Part 3. Confirmation of *N,N'*-disubstituted dithio-oxamides as *SS'*-bidentate chelating ligands. Crystal and molecular structures of the six-co-ordinate tin(IV) complex $SnBr_4 \cdot L^1$ ($L^1 = N,N'$ -di-n-butylthio-oxamide) and the seven-co-ordinate bismuth(III) complex $BiCl_3(L^1)_2$ ($L^1 = N,N'$ -diethylthio-oxamide), 1723-6

Unexpected cyclisation of *N,N'*-diethylthiomalonamide. Crystal and molecular structure of $[EtNH(S)CH(S)NHEt]_2[SnCl_6]$, 1727-30

Heteroaryl tin compounds. Preparation and characterisation of some 3-furyl tin halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroaryl tin compounds, 1889-94

Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalatostannates(II) and malonatostannates(II), 1965-8

Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2329-32

TIN-119

Tin-119 nuclear magnetic resonance studies of some mixed halogeno-complexes of tin(IV), 1245-8

Heteroaryl tin compounds. Preparation and characterisation of some 3-furyl tin halides. Tin-119 nuclear magnetic resonance and Mössbauer studies of a series of heteroaryl tin compounds, 1889-94

TIN-119 (contd.)

- Tin-119 Mössbauer and X-ray crystallographic evidence for differences in the co-ordination of tin in oxalatostannates(II) and malonatostannates(II), 1965-8
- Synthesis and tin-119 nuclear magnetic resonance studies of trichlorostannate(II) complexes of ruthenium, osmium, and iridium, 2329-32

TITANIUM

- Vibrational spectra of hydrazinium(I+) and hydrazinium(2+) hexafluorotitanate(IV) and the decomposition of hydrazinium(2+) hexafluorotitanate(IV) difluoride followed by Raman spectroscopy, 297-300
- Chemistry of *o*-xylidene-metal complexes. Part 2. Preparation and properties of the *o*-xylidene-metal(IV) complexes

$[M(CH_2C_6H_4CH_2O)(\eta-C_6H_4R)_2]$ ($M = Ti, Zr, Hf, \text{ or } Nb$; $R = H \text{ or } SiMe_3$) and $[M'(CH_2C_6H_4CH_2O)_2(OC_6H_5)_2]$ ($M' = Ti, Zr, \text{ or } Hf$); X-ray crystal structures of the

metallaindanes $[M(CH_2C_6H_4CH_2O)(\eta-C_6H_4R)_2]$ ($R = H, M = Ti, Zr, \text{ or } Hf$; $R = SiMe_3, M = Nb$), 399-414

- Kinetics of the electron-transfer reaction of pentaammine(nitritotriacetato)cobalt(III) and titanium(III): evidence for a binuclear intermediate, 663-6
- Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(III) and -zirconium(III) derivatives $[M(\eta^5-C_5H_5)_2]$ involving chelated phosphinomethyl ($R = CH_2PPh_2$) and phosphinoacetate ($R = O_2CCH_2PPh_2$) ligands, 915-8
- Studies of dioxamide and dithio-oxamide metal complexes. Part 2. Synthesis and spectral characterisation of $RNHC(S)(C)S(NHR)$ ($R = \text{alkyl or aryl}$) complexes with SbX_3 ($X = Cl \text{ or } Br$), $BiCl_3$, SnX_4 ($X = Cl \text{ or } Br$), and $TiCl_4$. Crystal and molecular structures of NN' -di-isopropylthio-oxamide (L^3) and $SbCl_3(L^3)_3$, 1717-22
- Convenient preparation of cyclo-eicosasulphur (S_{20}) from bis(η -cyclopentadienyl)(pentasulphido)titanium(IV), 1775-8
- Preparation and crystal structure of tri- μ -chloro-hexakis(tetrahydrofuran)dimagnesium(II) pentachloro(tetrahydrofuran)-titanate(IV), 2077-80
- η^5 -Cyclopentadienyl and η^5 -methylcyclopentadienyl 1,2-bis(dimethylphosphino)ethane complexes of titanium(II). The crystal structure of $Ti(C_5H_5Me)_2(dmpe)$, 2347-50
- The role of titanium and iron complexes in the deoxygenation of aromatic nitroso-compounds, 2577-80
- Polyhydrated phases in the exchange of H^+ and K^+ in α -titanium phosphate, 2605-10
- Enthalpies of formation of complexes $[M(\eta-C_5H_5)_2(SR)_2]$ ($M = Mo, W, \text{ or } Ti$; $R = C_6H_5, C_6H_9, \text{ or } C_6H_5$); metal-sulphur bond enthalpies, 2659-64
- TOLYLMETHYLENE**
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten-chromium, -cobalt, and -platinum bonds and the X-ray crystal structure of $[PtW(\mu-\sigma-\eta^3-CH(C_6H_4Me-4))_2(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4]$, 1563-70
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 26. Reactions of the compounds $[PtW(\mu-\sigma-\eta^3-CH(C_6H_4Me-4))_2(CO)_2(PR_3)_2(\eta-C_5H_5)] [BF_4]$ ($PR_3 = PMe_3, PMe, Ph, \text{ or } PMePh_2$) and $[PtW(\mu-\sigma-\eta^3-C(Me)C_6H_4Me-4)_2(CO)_2(PMe_3)_2(\eta-C_5H_5)] [SO_2CF_3]$ with nucleophiles; X-ray crystal structure of $[PtW(\mu-H)(\mu-CH(C_6H_4Me-4))_2(CO)_2(PMe_3)_2(\eta-C_5H_5)]$, 1571-80
- TOLYLMETHYLIDENE**
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds $[AuW(\mu-CHR)(CO)_2(PPh_3)(\eta-C_5H_5)]CH_2Cl_2$ and $[AuPtW(\mu_3-CR)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [PF_6]$ ($R = C_6H_4Me-4$), 2545-52
- TOLYLMETHYLIDYNE**
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging tolylmethylidyne ligands; crystal structures of $[FeW(\mu-C(C_6H_4Me-4)-C(Me)C(Me)(CO)_2(\eta-C_5H_5))] [PF_6]$ and $[Fe_2W(\mu_3-CC_6H_4Me-4)(\mu-Me, Si_2SiMe_3)(\mu-CO)(CO)_2(\eta-C_5H_5)]$, 1383-92
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten-chromium, -cobalt, and -platinum bonds and

the X-ray crystal structure of $[PtW(\mu-\sigma-\eta^3-CH(C_6H_4Me-4))_2(CO)_2(PMe_3)_2(\eta-C_5H_5)] [BF_4]$, 1563-70

- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[MoW_2(\mu-CR)_2(\mu-CO)_2(CO)_4(\eta-C_5H_5)_2]$ and $[AuW_2(\mu-CR)_2(CO)_4(\eta-C_5H_5)_2] [PF_6]$ ($R = C_6H_4Me-4$), 1589-96
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 29. Synthesis of rhenium-tungsten compounds; X-ray crystal structures of $[ReW_2(\mu-Br)(\mu-CC_6H_4Me-4)(\mu_3-CC_6H_4Me-4)(CO)_2(\eta-C_5H_5)_2]$ ($L = CO \text{ or } O$), 1597-604
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 30. Synthesis of the vanadium-tungsten complexes $[VW(\mu-CR)(CO)_2(\eta-C_5H_5)_2]$ ($R = C_6H_4Me-4 \text{ or } Me$) and the crystal structure of the tolylmethylidyne compound, 1605-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds $[AuW(\mu-CHR)(CO)_2(PPh_3)(\eta-C_5H_5)]CH_2Cl_2$ and $[AuPtW(\mu_3-CR)(CO)_2(PMe_3)_2(\eta-C_5H_5)] [PF_6]$ ($R = C_6H_4Me-4$), 2545-52

TOSYLGLYCINATE

- Solid state and ethanolic solution behaviour of *N*-tosylglycinate-copper(II) complexes. Crystal and molecular structure of a strongly coupled polymeric *N*-tosylglycinatecopper(II) complex, 1687-92

TRACER

- Nitrogen tracer studies on the decomposition of hydroxylamine in nitric acid, 2835-8

TRANSITION METAL

- Enthalpies of sublimation of transition metal complexes, 75-8
- Spectroscopic studies of transition-metal ion complexes of diethylenetriaminepenta-acetic acid and diethylenetriaminepentamethylphosphonic acid, 1133-8
- Chemical shift parametrization for metal-ion nuclear magnetic resonance spectroscopy of d^6 transition metal complexes, 1537-40
- Complex-forming properties of tyrosine isomers with transition metal ions, 1951-8

TRIAZACYCLONONANE

- Kinetics and mechanism of electron-transfer reactions of bis(1,4,7-triazacyclononane)nickel(II) and -(III) complexes, 1501-6

TRIAZOLE

- Synthesis and co-ordination chemistry of a novel dinucleating chelating triazole ligand. The crystal structure of bis- μ -[4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole- N' , μ - N' , μ - N' , N']-bis[aquachloronickel(II)] dichloride tetrahydrate, 2093-8

TRIAZOLINE

- Reactions of olefin complexes with nitrene precursors. Synthesis of triazoline and aziridine complexes of palladium(II): crystal and molecular structure of *trans*-dichlorobis(11-phenyl-9,10,11-triazabicyclo[6.3.0]undec-9-ene- N^9)palladium-chloroform(1/2), 2409-14

TRIBORANE

- The preparation, ^{11}B , 1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidenetriphenylphosphorane-triborane(7), $P(C_6H_5)_3CHRB_3H_7$ ($R = H, CH_3, \text{ or } C_6H_5$), 2119-26

TRIFLUOROACETATE

- Secondary bonding. Part 13. Aryl-tellurium(IV) and -iodine(III) acetates and trifluoroacetates. The crystal and molecular structures of bis(*p*-methoxyphenyl)tellurium diacetate, μ -oxo-bis[diphenyltrifluoroacetoxytellurium] hydrate, and [bis(trifluoroacetoxyl)iodo]benzene, 1709-16
- Electron addition to dirhodium complexes: an electron spin resonance study, 2193-6

TRIFLUOROACETONATE

- Electron spin resonance spectra and crystal and molecular structures of magnetic-dipole coupled bis(1,4-dioxane-*O*)bis[(*p*-methoxybenzoyl)trifluoroacetato-*O,O'*]copper(II) bis(1,4-dioxane) solvate and catena- μ -(1,4-dioxane-*O,O'*)-bis[(*p*-nitrobenzoyl)trifluoroacetato-*O,O'*]copper(II), 943-52

TRIFLUOROMETHYL

- Preparation and crystal structures of $[As(CF_3)_2O(OH)]_2$, $[As(CF_3)O(OH)Cl]_2$, and $As_2(CF_3)_6O_4(OH)_2$; a novel cage structure containing four- and six-co-ordinated arsenic, 2011-4

TRIHALOGENOACETATE

- Some urea and phosphine oxide complexes of thorium(IV) and

TRIHALOGENOACETATE (contd.)

uranium(IV) trihalogenoacetates, 1527-30

TRIMETHYLAMINE

A seven-co-ordinate actinoid complex: crystal and molecular structure of tetrachlorotris(trimethylamine)thorium(IV), 727-30
The molecular structure of trimethylamine-gallane in the gas phase as determined by electron diffraction, 1755-8

TRIMETHYLBENZENE

Synthesis, reactivity, and structures of cationic η^6 -arene carbonyl complexes of rhenium(I). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of rhenium(I) and tungsten(0), 1059-64

TRIMETHYLENEMETHANE

Reactions of co-ordinated ligands. Part 30. The transformation of methylenecyclopropanes into cationic η^4 -trimethylenemethanemolybdenum complexes, reactions with nucleophilic reagents, and the molecular structure of $[\text{Mo}\{\eta^4\text{-C}(\text{CH}_3)_3\}(\text{CO})_2(\eta^5\text{-C}_5\text{Me}_5)]\text{[BF}_4\text{]}$, 1157-70

TRIMETHYLSILYL

Chemistry of *o*-xylidene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles

$[\text{M}\{\text{CH}(\text{SiMe}_3)_2\text{C}_6\text{H}_4\text{CHSiMe}_3\text{-}o\}(\eta\text{-C}_5\text{H}_5)_2]$ ($\text{M} = \text{Ti, Zr, Hf, or Nb}$), their reversible one-electron reduction ($\text{M} = \text{Ti, Zr, Hf, or Nb}$) and oxidation ($\text{M} = \text{Nb}$); and the X-ray crystal structure of the zirconium complex, 893-902

TRIMETHYLSILYLACETYLENE

Organophosphazenes. Part 17. The synthesis of trimethylsilylacetylene and terminal acetylene derivatives of hexafluorocyclotriphosphazene, 2843-6

TRIMETHYLSYLATION

The use of trimethylsilylation to study the structure of mineral silicates, 757-60

Reactions of trimethylsilylated silicate anions in acidic media. Part 2. The influence of reaction parameters, 1857-62

TRIMETHYLSILYLIMIDE

Organoimido-complexes of tantalum(V). Preparation and X-ray crystal structure of bis[bis(trimethylsilyl)amido]chloro(t-butylimido)tantalum(V) and bis[bis(trimethylsilyl)amido]-di- μ -bromo-dibromobis(trimethylsilylimido)ditanalium(V), 1069-72

TRISILYLAMINE

Crystal and molecular structure of trisilylamine at 115 K, 563-6

TRITHIOCARBONATE

Trithiocarbonate and dithiocarbonate complexes of η -cyclopentadienylcobalt(III): X-ray crystal structure of $[\text{Co}(\eta\text{-C}_5\text{H}_4\text{CNBu})(\text{CS}_2)_2]$, 1111-6

TROPOLONE

The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on X-ray emission and X-ray photoelectron spectra, 263-6

TROPYLIUM

Synthesis of styrylcycloheptatriene derivatives via the electrophilic addition of tropylium ions to $[\text{Fe}(\text{CO})_5(\eta^5\text{-C}_7\text{H}_7)]$: X-ray crystal structure of tricarbylonyl[1-4- η -7-styrylcyclohepta-1,3,5-triene]iron, 683-8

TUNGSTEN

Photochemistry of alkyltricarbonyl(η^5 -cyclopentadienyl)tungsten (alkyl = Et, Prⁿ, Prⁱ, Buⁿ, or CH₂Ph), tricarbonyl(η^5 -cyclopentadienyl)(phenyl)tungsten, tricarbonyl(η^5 -pentamethylcyclopentadienyl)(*n*-propyl)tungsten, and tricarbonyl(η^5 -cyclopentadienyl)(ethyl)molybdenum in gas matrices at 12 K and in solutions at 243 K, 175-86

Photochemistry of tricarbonyl(η^5 -cyclopentadienyl)hydrido complexes of molybdenum and tungsten and of dicarbonyl(η^5 -cyclopentadienyl)(ethylenyl)hydridotungsten in solution and in frozen gas matrices at 12 K, 187-98

Reactions of metallabromoalkanes $[\text{M}\{(\text{CH}_2)_n\text{Br}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Mo or W, } n = 3 \text{ or } 4$) with transition metal anions. Dimetalla-alkane and cyclic carbene complex formation. Crystal and molecular structures of $[(\eta\text{-C}_5\text{H}_5)_2\text{Mo}(\text{OC})_2]\text{Mo}\{(\text{CH}_2)_4\}\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)$ and $[(\eta\text{-C}_5\text{H}_5)_2\text{Mo}\{(\text{CH}_2)_4\}\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 273-8

Nuclear magnetic resonance studies of chelate-ring effects in tungsten(0) carbonyl complexes of poly(tertiary phosphines), 455-8

Comparative photochemistry of tricarbonyl(η^5 -cyclopentadienyl)methyl- and -ethyl-molybdenum and -tungsten in poly(vinyl chloride) film matrices at 12-298 K, 761-70

Solution photochemistry of tetrakis(tetrabutylammonium) decatungstate(VI) and catalytic hydrogen evolution from alcohols, 793-800

Synthesis of $[\text{M}(\text{CO})_4(\text{Ph}_2\text{PCHRPPh}_2)]$ ($\text{M} = \text{Cr, Mo, or W}$; $\text{R} = \text{COPh or COC}_6\text{H}_4\text{Me-}p$) and photochemically induced

reactions of the complex $[\text{W}(\text{CO})_4(\text{Ph}_2\text{PCH(COPh)PPh}_2)]$: crystal structures of the complexes

$[\text{W}(\text{CO})_4(\text{Ph}_2\text{POC(Ph)=CHPPh}_2)]$ and $[\text{W}(\text{CO})_4(\text{PPh}_2\text{OH})(\text{PPh}_2\text{CH}_2\text{COPh})]$, 863-8

Chemistry of *o*-xylidene-metal complexes. Part 3. Tungsten *o*-xylidene complexes derived from tetrachloro(oxo)-tungsten(VI); X-ray

crystal structures of $[\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o)_2]\text{O}_2\text{C}_6\text{H}_4$ and

$[\text{W}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{-}o)_2]\text{Mg}(\text{C}_6\text{H}_5\text{O})_2$, 883-92

Sulphur-containing metal complexes. Part 9. Synthesis of trisubstituted aminocarbene-thioether chelates of chromium(0) and tungsten(0), 1041-6

Synthesis, reactivity, and structures of cationic η^6 -arene carbonyl complexes of rhenium(I). Crystal and molecular structures of the two isoelectronic 1,3,5-trimethylbenzene tricarbonyl complexes of rhenium(I) and tungsten(0), 1059-64

The reaction of molybdenum and tungsten carbyne complexes with sulphur and selenium; crystal structures of $[\text{Mo}\{\eta^2\text{-}(\text{S}_2\text{CCH}_2\text{Bu})\}_2(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ and $[\text{W}\{\eta^2\text{-}(\text{S}_2\text{CC}_6\text{H}_4\text{Me-}4)\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 1343-8

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 23. Alkyne insertion into heteronuclear dimetal compounds with bridging tolylmethylidyne ligands; crystal structures of $[\text{FeW}\{\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-}4)\text{-C(Me)C(Me)}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Fe}_2\text{W}\{\mu_3\text{-CC}_6\text{H}_4\text{Me-}4\}\mu\text{-Me}_3\text{SiC}_2\text{SiMe}_3\}\mu\text{-CO}\{\text{CO}\}_2(\eta\text{-C}_5\text{H}_5)]$, 1383-92

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 24. Complexes of the pentamethylcyclopentadienylcarbyne group and the crystal structures of the compounds $[\text{CuPtW}\{\mu_3\text{-CC}_6\text{H}_4\text{Me-}4\}(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{Me}_5)]$ and $[\text{CuRh}_2(\mu\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_2]$, 1555-62

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 25. Protonation of tolylmethylidyne ligands bridging tungsten-chromium, -cobalt, and -platinum bonds and the X-ray crystal structure of $[\text{PtW}\{\mu\text{-}\sigma\text{-}^3\text{-CH}(\text{C}_6\text{H}_4\text{Me-}4)\}(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}$, 1563-70

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 26. Reactions of the compounds $[\text{PtW}\{\mu\text{-}\sigma\text{-}^3\text{-CH}(\text{C}_6\text{H}_4\text{Me-}4)\}(\text{CO})_2(\text{PR}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}$ ($\text{PR}_3 = \text{PMe}_3, \text{PMe}_2\text{Ph, or PMePh}_2$) and $[\text{PtW}\{\mu\text{-}\sigma\text{-}^3\text{-C(Me)C}_6\text{H}_4\text{Me-}4\}(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]\text{[SO}_2\text{CF}_3\text{]}$ with nucleophiles; X-ray crystal structure of $[\text{PtW}(\mu\text{-H})(\mu\text{-CH}(\text{C}_6\text{H}_4\text{Me-}4))(\text{CO})_2(\text{PMe}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1571-80

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 27. Studies on the compounds $[\text{MW}\{\mu\text{-}\sigma\text{-}^3\text{-CH}(\text{C}_6\text{H}_4\text{Me-}4)\}(\text{CO})_2\text{L}(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}$ ($\text{ML}_2 = \text{Pt}(\text{PR}_3)_2$ or $\text{Co}(\text{CO})(\eta\text{-C}_5\text{Me}_5)$); X-ray crystal structures of $[\text{CoW}\{\mu\text{-}\sigma\text{-}^3\text{-C}(\text{C}_6\text{H}_4\text{Me-}4)\text{C(Me)C(Me)H}\}(\mu\text{-CO})\text{CO}(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{Me}_5)]\text{[BF}_4\text{]}$ and $[\text{PtW}\{\mu\text{-CH}(\text{C}_6\text{H}_4\text{Me-}4)\}(\mu\text{-CO})(\text{PMe}_3)_2(\eta\text{-MeC}_2\text{Me})(\eta\text{-C}_5\text{H}_5)]\text{[BF}_4\text{]}$, 1581-8

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 28. Synthesis and X-ray crystal structures of the compounds $[\text{MoW}_2(\mu\text{-CR})_2(\mu\text{-CO})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{AuW}_2(\mu\text{-CR})_2(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]\text{[PF}_6\text{]}$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-}4$), 1589-96

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 29. Synthesis of rhenium-tungsten compounds; X-ray crystal structures of $[\text{ReW}_2(\mu\text{-Br})(\mu\text{-L})(\mu\text{-CC}_6\text{H}_4\text{Me-}4)(\mu_3\text{-CC}_6\text{H}_4\text{Me-}4)(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ ($\text{L} = \text{CO or O}$), 1597-604

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 30. Synthesis of the vanadium-tungsten complexes $[\text{VW}(\mu\text{-CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-}4$ or Me) and the crystal structure of the tolylmethylidyne compound, 1605-8

Organic chemistry of dinitrogen and related ligands. Part 6. Crystal and molecular structure of

$[\text{WBr}(\text{dppe})_2]\text{[N}_2\text{CN(Me)CH}_2\text{CH}_2\text{NMe}]\text{[PF}_6\text{]}$ ($\text{dppe} =$

TUNGSTEN (contd.)

- $\text{Ph}_3\text{PCH}_2\text{CH}_2\text{PPh}_3$), a complex in which fluxional behaviour results from steric destabilisation of the ground state, 1675–80
- Dinitrogen binding and electrochemistry in complexes of molybdenum and tungsten, 1703–8
- Bimetallic systems. Part 6. ¹Chromium(0)-, molybdenum(0)-, or tungsten(0)-platinum(II) acetylide complexes containing bridging $\text{Ph}_3\text{PCH}_2\text{PPh}_3$, including their efficient formation from platinum-silver complexes by transmetallation. Crystal structure of $[(\mu\text{-MeC}_6\text{H}_4\text{C}\equiv\text{C})\text{Pt}(\mu\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me})\text{P}(\mu\text{-Ph}_3\text{PCH}_2\text{PPh}_3)_2\text{W}(\text{CO})_2]$, 1815–22
- Reactions of some iron and tungsten mercapto-complexes with electrophilic acetylenes leading to novel metallacycles. The crystal and molecular structure of the η^2 -vinyl complex $[\text{W}(\eta^2\text{-C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{C}(\text{OSMe})(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5))]$, 2167–76
- The nature of the co-ordinate link. Part 11. Synthesis and phosphorus-31 nuclear magnetic resonance spectroscopy of platinum and palladium complexes containing side-bonded (*E*)-diphenyldiphosphene. *X*-Ray crystal and molecular structures of $[\text{Pd}(\text{E})\text{-PhP}=\text{PPh}](\text{Ph}_3\text{PCH}_2\text{CH}_2\text{PPh}_3)_2$ and $[\text{Pd}(\text{E})\text{-PhP}=\text{PPh}](\text{W}(\text{CO})_2)_2(\text{Ph}_3\text{PCH}_2\text{CH}_2\text{PPh}_3)_2$, 2237–44
- Hydro-bridged bimetallic complexes involving gold or silver and chromium, molybdenum, or tungsten: *X*-ray crystal structure of $[\text{AuCr}(\mu\text{-H})(\text{CO})_2(\text{PPh}_3)_2]$, 2497–504
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 31. Synthesis and crystal structures of the compounds $[\text{AuW}(\mu\text{-CHR})(\text{CO})_2(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)]\text{-CH}_2\text{Cl}_2$ and $[\text{AuPtW}(\mu\text{-CR})(\text{CO})_2(\text{PMe}_2)_3(\eta\text{-C}_5\text{H}_5)][\text{PF}_6]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 2545–52
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 32. Reactions of the rhodium-tungsten complex $[\text{RhW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_9\text{H}_7)]$ with alkynes; *X*-ray crystal structure of $[\text{RhW}(\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-4})(\text{Ph})(\text{Ph}))(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_9\text{H}_7)]$, 2553–60
- Synthesis and crystal structure of $[\{\text{W}(\text{SEt})\text{O}(\text{PMe}_2\text{Ph})\}_2(\mu\text{-S})(\mu\text{-SEt})_2]$, 2585–8
- Enthalpies of formation of complexes $[\text{M}(\eta\text{-C}_5\text{H}_5)_2(\text{SR})_2]$ ($\text{M} = \text{Mo, W, or Ti; R} = \text{C}_6\text{H}_5, \text{C}_6\text{H}_9, \text{or C}_6\text{H}_5$); metal-sulphur bond enthalpies, 2659–64
- Nitrogen-15 nuclear magnetic resonance spectroscopy and electronic effects in dinitrogen complexes of molybdenum and tungsten with *trans* nitrile and diphosphine ligands, 2729–32

TUTTON SALT

- The low-temperature crystal structure (203 and 123 K) and electronic properties of diammonium hexa-aquacopper(II) disulphate: a fluxional CuO_6 chromophore, 7–14

TYROSINE

- Complex-forming properties of tyrosine isomers with transition metal ions, 1951–8

URANIUM

- Some oxygen-donor di-*N*-thiocyanato-thorium(IV) and -uranium(IV) bis[hydrotris(pyrazol-1-yl)borate] complexes, 19–22
- Cyclopentadienyl complexes of uranium(IV) chlorides. Crystal structures of trichloro(λ^5 -cyclopentadienyl)bis(triphenylphosphine oxide)uranium(IV) tetrahydrofuran solvate and of trichloro(λ^5 -cyclopentadienyl)bis(hexamethylphosphoramide)uranium(IV), 67–74
- Preparation and characterization of the adduct $\text{UO}_2\text{F}_2\cdot\text{AsF}_5$, 93–4
- Actinide structural studies. Part 6. A confirmed non-linear uranyl group in dioxobis(pentane-2,4-dionato)pyridineuranium(VI), 679–82
- The infrared spectra of alkali metal hexafluorouranates(V). An example of dependence of molecular geometry on matrix gas, 711–4
- Quantum yields and reaction rates in the photo-oxidation of hydrazine by uranyl ion, 923–8
- Some urea and phosphine oxide complexes of thorium(IV) and uranium(IV) trihalogenoacetates, 1527–30
- Formation and characterization of uranium(VI) chloride fluorides, $\text{UF}_n\text{Cl}_{6-n}$ ($n = 1\text{--}5$), 2127–32
- Interaction between uranium pentafluoride and the pentafluorides of vanadium, arsenic, niobium, tantalum, and bismuth, and the tetrafluoride of sulphur, 2163–6
- Preparation and characterization of the adduct uranium pentafluoride-arsenic pentafluoride (1/1), 2345–6
- Studies on metal carbonate equilibria. Part 10. A solubility study of the complex formation in the uranium(VI)-water-carbon

dioxide (g) system at 25 °C, 2439–44

UREA

- Some urea and phosphine oxide complexes of thorium(IV) and uranium(IV) trihalogenoacetates, 1527–30

URIDINE

- Crystal structures of cadmium(II) complexes with uridine 5'-monophosphate (5'-UMP), $[\text{Cd}(\text{5'-UMP}(\text{H}_2\text{O})_2)]\cdot 2\text{H}_2\text{O}$, and with 2'-deoxyuridine 5'-monophosphate (5'-dUMP), $[\text{Cd}(\text{5'-dUMP})_2(\text{H}_2\text{O})_4]$: phosphate-only metal bonding, 1401–10

VALINE

- Formation constants of silver(I) complexes of some sulphur-containing dipeptides and valylvaline, 2305–8

VANADIUM

- Kinetic study of acid dechelation of some vanadium(V)-aminocarboxylate complexes in aqueous solution, 239–44
- Kinetics of the decomposition and formation of ethylenedinitrilotetra-acetato vanadate(III) in dilute aqueous perchloric acid, 451–4
- Synthesis of alkali-metal diaquafluoro- α -oxoperoxovanadate(IV) complexes $[\text{VO}(\text{O}_2)\text{F}(\text{H}_2\text{O})_2]^-$, 507–10
- An *X*-ray photoelectron spectroscopic study of the surface properties of vanadium antimonate and β -antimony tetroxide, 985–8
- Structural characterization by *X*-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095–104
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 30. Synthesis of the vanadium-tungsten complexes $[\text{VW}(\mu\text{-CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$ or Me) and the crystal structure of the poly(methylidyne) compound, 1605–8
- Kinetic studies on the oxidation of hexa-aquamolybdenum(III) with $[\text{IrCl}_6]^{3-}$, $[\text{Co}(\text{C}_2\text{O}_4)_3]^{3-}$, and aquavanadium(IV), 2099–106
- Estimated distribution between one- and two-equivalent reaction paths in vanadium(V)-induced electron transfer, 2631–6
- Vanadium(II) porphyrins: synthesis and physicochemical properties. Crystal structures of bis(dimethylphenylphosphine)- and bis(tetrahydrofuran)-(2,3,7,8,12,13,17,18-octaethylporphyrinato)vanadium(II), 2677–82

VITAMIN B₁₂

- Synthesis, structure, and solution behaviour of the compound *trans*-bis(dimethylglyoximate)ethyl(methyl 4-pyridinecarboximate)cobalt(III), 511–4
- The chemistry of vitamin B₁₂. Part 24. Evidence for hydride complexes of cobalt(III) corrinoids, 595–600

WATER

- Activation of water with anionic platinum carbonyl clusters, 2315–8

XANES

- Structural characterization by *X*-ray absorption spectroscopy (EXAFS/XANES) of the vanadium chemical environment in Boscan asphaltene, 1095–104

XANTHINE DEHYDROGENASE

- Comparative electrochemistry of *cis*- MoOS_2^{2+} , MoO_4^{2-} , and MoS_2^{2+} centres in complexes of the type *cis*- $[\text{MoY}_2\text{L}_2]$ ($\text{Y} = \text{O}$ and/or S, HL = 1-hydroxypiperidine). Comments on active and desulpho-forms of xanthine oxidase and xanthine dehydrogenase, 1617–20

X-RAY DIFFRACTION

- Barium calcium hydroxyapatite solid solutions, 1091–4

X-RAY EMISSION SPECTROSCOPY

- The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on *X*-ray emission and *X*-ray photoelectron spectra, 263–6

X-RAY PHOTOELECTRON

- The metal-ligand bond in tropolone complexes of aluminium and silicon. A study based on *X*-ray emission and *X*-ray photoelectron spectra, 263–6
- The displacement of bonding electrons found in the ylide bond of aminimide-palladium complexes, 731–4
- An *X*-ray photoelectron spectroscopic study of the surface properties of vanadium antimonate and β -antimony tetroxide, 985–8

XYLENE

- α -Lithium alkyls of α -trimethylsilyl-*p*-xylenes and the synthesis of $p\text{-C}_6\text{H}_4(\text{CH}_2\text{SnMe}_3)_2$ from a new di-Grignard reagent: crystal structure of $[\{\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2\}_2(p\text{-C}_6\text{H}_4(\text{CHSiMe}_3)_2)]$, 1801–8

XYLIDENE

Chemistry of *o*-xylidene-metal complexes. Part 2. Preparation and properties of the *o*-xylidene-metal(iv) complexes

$[M(CH_2C_6H_4CH_2-o)(\eta-C_5H_5R)_2]$ ($M = Ti, Zr, Hf, \text{ or } Nb$; $R = H \text{ or } SiMe_3$) and $[M'(CH_2C_6H_4CH_2-o)(OC_4H_9)_2]$ ($M' = Ti, Zr, \text{ or } Hf$); *X*-ray crystal structures of the

metallaindanes $[M(CH_2C_6H_4CH_2-o)(\eta-C_5H_5R)_2]$ ($R = H, M = Ti, Zr, \text{ or } Hf$; $R = SiMe_3, M = Nb$), 399-414

Chemistry of *o*-xylidene-metal complexes. Part 3. Tungsten *o*-xylidene complexes derived from tetrachloro(oxo)-tungsten(vi); *X*-

ray crystal structures of $[W(CH_2C_6H_4CH_2-o)_3] \cdot 0.5C_6H_6$ and

$[W(CH_2C_6H_4CH_2-o)_2O]_2Mg(C_4H_9O)_4$, 883-92

Chemistry of *o*-xylidene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles

$[M\{CH(SiMe_3)C_6H_4CHSiMe_3-o\}(\eta-C_5H_5)_2]$ ($M = Ti, Zr, Hf, \text{ or } Nb$), their reversible one-electron reduction ($M = Ti, Zr, Hf, \text{ or } Nb$) and oxidation ($M = Nb$) and the *X*-ray crystal structure of the zirconium complex, 893-902

YLIDE

The displacement of bonding electrons found in the ylide bond of aminimide-palladium complexes, 731-4

The preparation, ^{11}B , 1H , and ^{31}P nuclear magnetic resonance spectra, and properties of alkylidenetriphenylphosphorane-triborane(7), $P(C_6H_5)_3CHRB_3H_7$ ($R = H, CH_3, \text{ or } C_6H_5$), 2119-26

Organic chemistry of dinuclear metal centres. Part 7. Ylides in the synthesis of organodiruthenium complexes: *X*-ray crystal structure of $[Ru_2(CO)_2(\mu-CO)(\mu-CH_2)(\eta-C_5H_5)_2]$, 2293-300

Preparation and properties of cyano(triphenylphosphoniomethanide)gold(i) and its oxidative-addition products with halogens, 2859

ZINC

Stereochemistry and tautomeric equilibria of zinc(ii) complexes of the condensation products between (1*R*)-3-hydroxymethylenebornan-2-one and L-amino acids, 1033-40

Thermodynamics of metal complexes with ligand-ligand interaction. Mixed complexes of copper(ii) and zinc(ii) with adenosine 5'-triphosphate and L-histidine or histamine, 1651-8

Synthesis of tetrafluoronickelate(ii) and tetrafluorozincate(ii)

complexes from aqueous media: a novel route to fluorometalates, 1763-4

Studies of pendant-arm macrocyclic ligands. Part 2. Comparison of the nickel(ii), copper(ii), and zinc(ii) complexes of 11-(2'-dimethylaminoethyl)-1,4,7,11-tetra-azacyclotetradecane, a pyridine analogue, and a related new tetra-aza macrocycle, 11-methyl-1,4,7,11-tetra-azacyclotetradecane, 2371-6

He(i) and He(ii) photoelectron spectra of some organozinc and organoaluminium radicals containing 1,2-bis(*t*-butylimino)ethane, 2683-8

ZIRCONIUM

Chemistry of *o*-xylidene-metal complexes. Part 2. Preparation and properties of the *o*-xylidene-metal(iv) complexes

$[M(CH_2C_6H_4CH_2-o)(\eta-C_5H_5R)_2]$ ($M = Ti, Zr, Hf, \text{ or } Nb$; $R = H \text{ or } SiMe_3$) and $[M'(CH_2C_6H_4CH_2-o)(OC_4H_9)_2]$ ($M' = Ti, Zr, \text{ or } Hf$); *X*-ray crystal structures of the

metallaindanes $[M(CH_2C_6H_4CH_2-o)(\eta-C_5H_5R)_2]$ ($R = H, M = Ti, Zr, \text{ or } Hf$; $R = SiMe_3, M = Nb$), 399-414

Chemistry of *o*-xylidene-metal complexes. Part 4. Stereospecific synthesis of the early transition metal *meso*-metallacycles

$[M\{CH(SiMe_3)C_6H_4CHSiMe_3-o\}(\eta-C_5H_5)_2]$ ($M = Ti, Zr, Hf, \text{ or } Nb$), their reversible one-electron reduction ($M = Ti, Zr, Hf, \text{ or } Nb$) and oxidation ($M = Nb$); and the *X*-ray crystal structure of the zirconium complex, 893-902

Electron spin resonance and electrochemical studies of monocyclopentadienyl-titanium(iii) and -zirconium(iii) derivatives $[M(\eta^5-C_5H_5)R_2]$ involving chelated phosphinomethyl ($R = CH_2PPh_2$) and phosphinoacetate ($R = O_2CCH_2PPh_2$) ligands, 915-8

Bis(cyclopentadienyl)zirconium(iii) complexes containing a metal-metal bond: synthesis and properties of zirconium(ii) and zirconium(iii) complexes, 1253-6

1,2-bis(Dimethylphosphino)ethane (dmpe) alkyl compounds of zirconium(iv) and hafnium(iv). Crystal structures of $ZrMe_4(dmpe)_2$ and $Zr(CH_2Ph)_4(dmpe)$, 2789-94

ZWITTERION

Zwitterionic adducts from trialkylphosphine and (η -allyl)dicarbonylnitrosyliron complexes: structure and reactivity, 815-8

Platinum(iv) complexes containing a cationic amine ligand: crystal structure of [(2-aminoethyl)ammonium]pentachloroplatinum(iv) monohydrate, 1467-70

